

Kansas Consolidated Plan

The 2026 Action Plan

Consolidated Submission for Community Planning and Development Programs
U.S. Department of Housing and Urban Development

Laura Kelly
Governor

Prepared by:

The Kansas Housing Resources Corporation

Ryan Vincent
Executive Director

200 SW 6th Avenue
Topeka, Kansas 66603
Phone: (785) 217-2001
Fax: (785) 232-8084
e-mail: info@kshousingcorp.org
www.kshousingcorp.org

David Toland
Secretary
Kansas Department of Commerce

Lee Norman, MD
Secretary
Kansas Department of Health and Environment



Christine Reimler
Director, Community Solutions
Kansas Housing Resources Corporation

Executive Summary

AP-05 Executive Summary - 24 CFR 91.200(c), 91.220(b)

1. Introduction

The Kansas Consolidated Plan affirms the three national objectives of Title I of the Housing and Community Development Act of 1974, as amended, including activities which:

- Primarily benefit low-and-moderate income persons
- Aid in the prevention of slums and blight
- Alleviate conditions which pose a serious and immediate threat to the health or welfare of a community.

The Kansas Consolidated Plan also endorses the objectives of the National Affordable Housing Act of 1990, including:

- Ensure that all residents have access to decent shelter
- Increase the supply of affordable housing
- Make neighborhoods safe and livable; expand opportunities for homeownership
- Provide a reliable supply of mortgage finance
- Reduce generational poverty in assisted housing

The Kansas Consolidated Plan also addresses the needs of persons living with HIV/AIDS through the HOPWA program. The Kansas Consolidated Plan supports the objectives of the Stewart B. McKinney Homeless Assistance Act of 1987.

Accordingly, the Kansas Consolidated Plan describes the priorities and guidelines of the five federally funded programs, including: CDBG, ESG, HOME, HOPWA, and HTF. The Department of Commerce will administer the CDBG program. Kansas Housing Resources Corporation (KHRC) will administer the HOME, HTF, and ESG programs. The Kansas Department of Health and Environment (KDHE) will administer the HOPWA program.

2. Summarize the objectives and outcomes identified in the Plan

This could be a restatement of items or a table listed elsewhere in the plan or a reference to another location. It may also contain any essential items from the housing and homeless needs assessment, the housing market analysis or the strategic plan.

housing market analysis or the strategic plan.

The three overarching objectives guiding the proposed activities are:

- Providing decent affordable housing
- Creating suitable living environments
- Creating economic opportunities

Outcomes show how programs and activities benefit a community, or the people served. The three outcomes that will illustrate the benefits of each activity funded by the five federal programs are:

- Improved availability/accessibility
- Improved affordability
- Improved sustainability

3. Evaluation of past performance

This is an evaluation of past performance that helped lead the grantee to choose its goals or projects.

The State of Kansas made progress on its priority needs and objectives in FY 2024, the last complete period for which a Consolidated Annual Performance and Evaluation Report (CAPER) was conducted. The best indicators of results are described below for the Community Development Division of the Department of Commerce (Commerce), Kansas Department of Health and Environment (KDHE) and Kansas Housing Resources Corporation (KHRC).

The State continues to focus CDBG resources on public water/wastewater infrastructure, community public facilities, housing, and economic development with the express purpose of assisting businesses with job creation. In addition, we have small set-asides for urgent need and downtown commercial rehabilitation projects. The State is on target to obligate all FY24 CDBG funds to local governments carrying out these activities.

The HOME Program served 39 households with their First Time Homebuyer Program, TBRA served 755 households, and the Rental Program developed 10 newly constructed units. Housing Trust Fund (HTF) completed 16 new construction and 19 rehabilitated units.

The HOPWA Program provided housing assistance to 208 clients. The program helped 55 of these clients transition from homelessness into secure housing. Overall, the program reached 290 different individuals, including the family members of the clients who Kansas Care Through Housing (KCTH) served. The HOPWA Program provided supportive services to 594 individuals, which included 431 clients and their family members. The supportive services are crucial to clients outside of just housing assistance, as many areas around the state lack the necessary resources to provide these services.

In 2024, ESG funding was provided to eleven (11) emergency shelters and ten (10) emergency shelters for victims of domestic violence. The overnight emergency shelters served 1,688 households consisting of 2,315 persons. ESG funding was provided for two day shelters that served 251 households consisting of 300 persons. In total, the emergency shelters funded by ESG served 2,615 persons. Street outreach projects assisted a total of 361 households consisting of 373 persons. Rapid Rehousing projects served 194 households consisting of 322 persons. Homeless Prevention projects served 106 households consisting of 264 households.

In 2025, ESG funding has been awarded to seventeen (17) emergency shelters, including eight (8) emergency shelters for victims of domestic violence. Nine (9) agencies will receive ESG funds for Homeless Prevention services. Twelve (12) agencies will receive ESG funds for Rapid Rehousing services. Seven (7) agencies will receive ESG funds for Street Outreach services. Seven (7) agencies will receive ESG funds for reimburse them for contributing to the HMIS.

All ESG funded agencies are required to enter client level data into the CoC's HMIS . ESG funded domestic service providers utilize a comparable database instead of the COC's HMIS. Agencies can apply for ESG-HMIS funds to help with the costs to contribute data to the HMIS. The CoC HMIS grant that KHRC receives on behalf of the Balance of State CoC pays for the individual and agencies licenses for the HMIS, allowing CoC and ESG funded agencies the opportunity to contribute data to the HMIS without having to pay for license fees. Agencies that provide homeless services that do not receive CoC or ESG funds are also encouraged to contribute data to the HMIS.

ESG funded agencies are expected to participate in the coordinated entry process of their continuum of care. Victim Service Providers are not required to participate with the Coordinated Entry System. – add funding available to support ESG agencies cost to contribute data.

4. Summary of Citizen Participation Process and consultation process

Summary from citizen participation section of plan.

One needs hearing was held virtually for public input on housing priorities in the 2026 Action Plan. The public hearing was announced through a public notice in the Kansas Register on August 14, 2025. Issue 33 - 08-15-2024 | Kansas Housing Resources Corporation | Notice of Hearing on the 2026 Annual Action Plan. The plan was also posted on the Kansas Housing Resources Corporation website, and additional e-mail notifications were emailed to stakeholders. The public input hearing on housing occurred in Topeka, Kansas, and virtually on August 28, 2025. Issue 33 - 08-14-2025 | Kansas Housing Resources Corporation | Notice of Hearing on the 2026 Annual Action Plan - 53393

Another virtual and in person public hearing was held on October 2, 2025, for public comment on the preliminary draft of the 2026 Action Plan. The public hearing was announced through a public notice in the Kansas Register on September 18, 2025, posted on the Kansas Housing Resources Corporation

website, and additional e-mail notifications sent. The public comment period was October 1 – October 31, 2025.

Registration and the virtual portion attendance log attached in AD-26. Hearings were held in person, but at the state level, the virtual option is preferred by attendees.

5. Summary of public comments

This could be a brief narrative summary or reference an attached document from the Citizen Participation section of the Con Plan.

6. Summary of comments or views not accepted and the reasons for not accepting them

7. Summary

The Kansas Department of Commerce, Kansas Housing Resources Corporation, and Kansas Department of Health and Environment will be the lead/partner agencies for the 2024-2028 Consolidated Plan and the 2026 Annual Action Plan.

PR-05 Lead & Responsible Agencies - 91.300(b)

1. Agency/entity responsible for preparing/administering the Consolidated Plan

The following are the agencies/entities responsible for preparing the Consolidated Plan and those responsible for administration of each grant program and funding source.

Agency Role		Name	Department/Agency
CDBG Administrator	KANSAS		Department of Commerce
HOPWA Administrator			Kansas Department of Health and Environment
HOME Administrator	KANSAS		Kansas Housing Resources Corporation HOME Program
ESG Administrator	KANSAS		Kansas Housing Resources Corporation ESG Program
	KANSAS		Kansas Housing Resources Corporation HTF Program

Table 1 – Responsible Agencies

Narrative

The Consolidated Plan was developed in partnership between the Kansas Department of Commerce (Commerce), Kansas Housing Resources Corporation (KHRC), and the Kansas Department of Health and Environment (KDHE). The strategies defined in the State of Kansas five-year 2024-2028 Consolidated Plan and the 2026 Annual Action Plan are implemented by state agencies, municipalities, non-profits, lenders, and housing developers. These groups are consulted on a regular basis when developing and carrying out the strategies and goals of the Annual Action Plan. The state also requested input from COCs, civic leaders, and public housing agencies.

Kansas Housing Resources Corporation, Kansas Department of Commerce, Federal Home Loan Bank, and the local USDA Rural Development conduct quarterly interagency meetings to plan and review collaborative efforts related to housing. KHRC has also been placed on e-mail/ mailing lists for upcoming events held by Kansas African American Affairs Commission and Kansas Hispanic & Latino Affairs Commission.

KHRC also collaborates with the Kansas Department for Aging and Disability Services (behavioral health services) and KDHE (Medicaid) to facilitate the partnerships necessary to effectively utilize the new funding opportunities created under the Frank Melville Supportive Housing Act

of 2010. HUD's Section 811 program, included in the Frank Melville Supportive Housing Act, provides supportive housing opportunities for persons with disabilities. The changes affected in the 2010 reforms to the Section 811 program put added emphasis on community integration, leveraging of other project development resources (such as HOME and Low-Income Housing Tax Credits) and collaboration with State social service and Medicaid agencies to provide necessary services to support disabled individuals in independent living.

Consolidated Plan Public Contact Information

Christine Reimler
Director, Community Solutions Division
Consolidated Plan Coordinator
200 SW 6th Avenue
Topeka, KS 66603
p. 785-217-2023
CReimler@kshousingcorp.org

AP-10 Consultation - 91.110, 91.300(b); 91.315(l)

1. Introduction

The strategies defined in the State of Kansas five-year 2024-2028 Consolidated Plan and the 2026 Annual Action Plan are implemented by state agencies, municipalities, non-profits, lenders, and housing developers. These groups are consulted on a regular basis when developing and carrying out the strategies and goals of the Annual Action Plan. The state also requested input from COCs, civic leaders, and public housing agencies.

Provide a concise summary of the state's activities to enhance coordination between public and assisted housing providers and private and governmental health, mental health and service agencies

KHRC consulted with local governments, other local and regional stakeholders, and other State agencies on the preparation of the 2024-2028 Consolidated Plan and the 2026 Action Plan.

KHRC, KDC, Federal Home Loan Bank, and USDA Rural Development conduct quarterly interagency meetings to plan and review collaborative efforts related to housing. KHRC has also been placed on e-mail/ mailing lists for upcoming events held by Kansas African American Affairs Commission and Kansas Hispanic & Latino Affairs Commission.

KHRC collaborates with the Kansas Department for Aging and Disability Services (KDADS) and KDHE to facilitate the partnerships necessary to effectively utilize new funding opportunities created under the Frank Melville Supportive Housing Act of 2010. HUD's Section 811 program, included in the Frank Melville Supportive Housing Act, provides supportive housing opportunities for persons with disabilities. The changes affected in the 2010 reforms to the Section 811 program put added emphasis on community integration, leveraging of other project development resources (such as HOME and Low-Income Housing Tax Credits) and collaboration with State social service and Medicaid agencies to provide necessary services to support disabled individuals in independent living.

KHRC has a seat on the Governor's Behavioral Health Services Planning Council, a planning council that is mandated by the federal government for all states to receive Federal Mental Health Block Grant funding. The GBHSPC consists of representatives from state agencies, Mental Health, Education, Rehabilitation, Criminal Justice, Housing, Social Services, the State Medicaid Agency and Substance Use; representatives from public and private entities, adults with serious mental illness and/or substance use disorder and families of such adults and families with serious emotional disturbance and/or substance use disorders. Much of the work of the planning council is done by citizen volunteers that are members of the subcommittees established to report and make recommendations to the planning council. KHRC serves on the GBHSPC's subcommittee on housing and homelessness.

Describe coordination with the Continuum of Care and efforts to address the needs of homeless persons (particularly chronically homeless individuals and families, families with children, veterans, and unaccompanied youth) and persons at risk of homelessness

The State supports a Continuum of Care (CoC) approach among the Balance of State (BoS) ESG recipients. KHRC collaborates on a recurring basis with the Balance of State CoC and the Johnson County CoC. All funds from the State's ESG funding are made available to the non-ESG entitlement continuums. Continuum of Care components include affordable, accessible, and integrated permanent housing and homeless services that enable individuals and families to reach the maximum degree of self-sufficiency possible. In reviewing ESG applications, the State relies on local units of government to determine what their communities' unique homeless needs may be, and how the ESG program can assist with those needs. This approach allows local jurisdictions to determine their own priorities and needs in addressing homelessness in their communities. In 2022-2023, the BoS CoC along with KHRC led the extensive outreach conducted for Kansas's HOME-ARP Allocation Plan. This coordinated effort focused on research and analysis to accurately identify the Needs Assessment and Gaps Analysis of the program's Qualifying Populations, which included these populations.

Describe consultation with the Continuum(s) of Care that serves the State in determining how to allocate ESG funds, develop performance standards for and evaluate outcomes of projects and activities assisted by ESG funds, and develop funding, policies and procedures for the operation and administration of HMIS

Information about the Emergency Solutions Grant program is presented annually to the Kansas Balance of State and Johnson County CoC networks.

2. Agencies, groups, organizations and others who participated in the process and consultations

Table 2 – Agencies, groups, organizations who participated

1	Agency/Group/Organization	KANSAS DEPARTMENT OF COMMERCE
	Agency/Group/Organization Type	Housing Services - Broadband Internet Service Providers Services - Narrowing the Digital Divide Other government - State
	What section of the Plan was addressed by Consultation?	Housing Need Assessment Economic Development Anti-poverty Strategy CDBG, Market Analysis, Strategic Plan
	Briefly describe how the Agency/Group/Organization was consulted. What are the anticipated outcomes of the consultation or areas for improved coordination?	Consulted through E-mail, virtual meetings, and listening sessions.
2	Agency/Group/Organization	Kansas Department of Health and Environment
	Agency/Group/Organization Type	Services-Health Other government - State
	What section of the Plan was addressed by Consultation?	Housing Need Assessment HOPWA Strategy HOPWA, ESG, Needs assessment, marketing strategy
	Briefly describe how the Agency/Group/Organization was consulted. What are the anticipated outcomes of the consultation or areas for improved coordination?	Consulted through E-mail, virtual meetings, and listening sessions.
3	Agency/Group/Organization	UNIVERSITY OF KANSAS SCHOOL OF MEDICINE
	Agency/Group/Organization Type	University
	What section of the Plan was addressed by Consultation?	Housing Need Assessment HOPWA Strategy

	Briefly describe how the Agency/Group/Organization was consulted. What are the anticipated outcomes of the consultation or areas for improved coordination?	Consulted through E-mail, virtual meetings, and listening sessions
4	Agency/Group/Organization	Kansas Interagency Council on Homelessness
	Agency/Group/Organization Type	Other government - State
	What section of the Plan was addressed by Consultation?	Housing Need Assessment
	Briefly describe how the Agency/Group/Organization was consulted. What are the anticipated outcomes of the consultation or areas for improved coordination?	Consulted through E-mail, virtual meetings, and listening sessions
5	Agency/Group/Organization	Kansas Labor Information Center
	Agency/Group/Organization Type	Other government - State
	What section of the Plan was addressed by Consultation?	Non-Homeless Special Needs
	Briefly describe how the Agency/Group/Organization was consulted. What are the anticipated outcomes of the consultation or areas for improved coordination?	Consulted through E-mail, virtual meetings, and listening sessions
6	Agency/Group/Organization	KANSAS HOUSING RESOURCES CORPORATION
	Agency/Group/Organization Type	Public Corporation
	What section of the Plan was addressed by Consultation?	All sections of the Consolidated Plan and the Annual Action Plan

	Briefly describe how the Agency/Group/Organization was consulted. What are the anticipated outcomes of the consultation or areas for improved coordination?	The week of June 5, 2023, there were ten stakeholder consultations conducted. The chart in PR-10 will be updated to reflect all of the agencies and stakeholders that participated in the sessions. The state did an online survey to further gather input from those unable to attend scheduled sessions. The schedule, attendees, summary of input received, survey results, and all other materials for consultations and outreach have been added to the Citizen Participation and Unique Appendix as appropriate. Additionally, email outreach was done to capture input from stakeholders that were unable to attend stakeholder sessions or did not respond to the survey.
7	Agency/Group/Organization	Kansas Department of Emergency Management
	Agency/Group/Organization Type	Agency - Managing Flood Prone Areas Agency - Management of Public Land or Water Resources Agency - Emergency Management Other government - State
	What section of the Plan was addressed by Consultation?	MA-65 Hazard Mitigation
	Briefly describe how the Agency/Group/Organization was consulted. What are the anticipated outcomes of the consultation or areas for improved coordination?	Consulted through E-mail, virtual meetings, and listening sessions

Identify any Agency Types not consulted and provide rationale for not consulting

Not applicable.

Other local/regional/state/federal planning efforts considered when preparing the Plan

Name of Plan	Lead Organization	How do the goals of your Strategic Plan overlap with the goals of each plan?
Continuum of Care	Kansas Balance of State Continuum of Care	The Kansas BoS CoC was consulted concerning the goals to address homelessness and to ensure consistency with the Five Year Strategic Plan.
State of KS Opening Doors Strategic Plan to Prevent Homelessness	Kansas Interagency Council on Homelessness (KICH)	Five Year Plan Strategic Goal 13 calls for assisting homeless persons by providing housing. The Opening Doors Report connects with this goal as it calls for an end to chronic homelessness and a path for ending all homelessness.
Economic Development Strategic Plan	Office of the Governor	Strategic Goal 14 of the Five Year Plan calls for Economic Development. One of the Economic Development Strategic Plan goals is the provision of workforce and infrastructure resources towards faster economic growth and job creation.
State of Kansas HOME-ARP Allocation Plan	KHRC	Several of the 5 Year Plan Strategic Goals call for assisting homeless persons and creating affordable housing units for the qualifying populations targeted in the HOME-ARP Allocation Plan.
Kansas 2021 Statewide Housing Needs Assessment	KHRC and Kansas Office of Rural Prosperity	Several of the Five Year Plan Strategic Goals call for creating and developing affordable housing for all. The need for affordable housing at various income levels is outlined in the Statewide Housing Needs Assessment.
Framework for Growth	KDC	Five Year Plan Strategic Goals 4, 5, & 14 relate to Economic Development. Framework for Growth outlines the direct impact economic development can have on the vitality of a community.

Table 3 - Other local / regional / federal planning efforts

Narrative

AP-12 Participation - 91.115, 91.300(c)

1. Summary of citizen participation process/Efforts made to broaden citizen participation Summarize citizen participation process and how it impacted goal-setting

One needs hearing was held virtually for public input on housing priorities for the 2026 Action Plan. The public hearing was announced through a public notice in the Kansas Register on August 14, 2025. Volume 44 - Issue 33 - August 14, 2025 | Kansas Housing Resources Corporation | Notice of Hearing on the 2026 Annual Action Plan. E-mail notifications were sent to stakeholders. The public input needs hearing on housing occurred in Topeka, Kansas, and virtually on August 28, 2025.

Another virtual and in person public hearing was held on October 2, 2025, for public comment on the preliminary draft of the 2026 Action Plan. The public hearing was announced through a public notice in the Kansas Register on September 18, 2025. Volume 44 - Issue 38 - September 18, 2025. It was posted on the Kansas Housing Resources Corporation website, and additional e-mail notifications sent. The public comment period was October 1 – October 31, 2025.

Citizen Participation Outreach

Sort Order	Mode of Outreach	Target of Outreach	Summary of response/attendance	Summary of comments received	Summary of comments not accepted and reasons	URL (If applicable)
1	Notice in KS Register	State	Notice placed in the Kansas Register 8-14-2025, announcing the virtual needs hearing on 8-28-2025. Volume 44 - Issue 33 - August 14, 2025			https://www.sos.ks.gov/publications/Register/Volume-44/PDF/Vol-44-No-33-August-14-2025.pdf
2	KHRC website	Statewide	Public outreach, via posting on KHRC website 2 weeks in advance. Email reminders for the Needs Hearing was sent, with reminders, to KHRC's stakeholder lists.			

Sort Order	Mode of Outreach	Target of Outreach	Summary of response/attendance	Summary of comments received	Summary of comments not accepted and reasons	URL (if applicable)
3	Public Hearing	Statewide	Held August 28, 2025, in person at KHRC with a virtual webinar to ensure statewide coverage was available. Only one person attended in person, and 81 attended virtually.			
4	Newspaper Ad	Statewide	Notice placed in the Kansas Register 9-18-2025, announcing the virtual needs hearing on 10-2-2025.			https://www.sos.ks.gov/publications/Register/Volume-44/Issues/Issue-38/09-18-25-53477.html

Sort Order	Mode of Outreach	Target of Outreach	Summary of response/attendance	Summary of comments received	Summary of comments not accepted and reasons	URL (if applicable)
5	KHRC website	Statewide	Public outreach, via posting on KHRC website 2 weeks in advance. Email reminders for the Needs Hearing were sent, with reminders, to KHRC's stakeholder lists.			

Sort Order	Mode of Outreach	Target of Outreach	Summary of response/attendance	Summary of comments received	Summary of comments not accepted and reasons	URL (if applicable)
6	Public Hearing	Statewide	Held October 2, 2025 in person at KHRC with a virtual webinar to ensure statewide coverage was available. Only one person attended in person, and XX attended virtually.			

Table 4 – Citizen Participation Outreach

Expected Resources

AP-15 Expected Resources – 91.320(c)(1,2)

Introduction

The following table displays the anticipated resources to be allocated to non-entitlement areas of Kansas broken down by program type. The 2026 HUD allocations are reflected in the “Annual Allocation” column below. The “Expected Amount Available Remainder of Con Plan” column is a projection of funds to be available for program years 2026-2028. As with previous Consolidated Plans for the State of Kansas, the “Expected Amount Available Remainder of Con Plan” column is generated by multiplying the annual allocation by three, representing years 3-5 of the Consolidated Plan cycle. The relevant years will be adjusted as allocations are made and more precise assumptions calculated for program

income.

Anticipated Resources

Program	Source of Funds	Uses of Funds	Expected Amount Available Year 1				Expected Amount Available Remainder of ConPlan \$	Narrative Description
			Annual Allocation: \$	Program Income: \$	Prior Year Resources: \$	Total: \$		
CDBG	public - federal	Acquisition Admin and Planning Economic Development Housing Public Improvements Public Services	14,901,309.00	14,750,000.00	0.00	29,651,309.00	70,709,894.00	Kansas requires all CDBG funds to be matched by receiving communities. While not federally required, leveraging CDBG dollars maximizes the benefit to LMI persons.

Program	Source of Funds	Uses of Funds	Expected Amount Available Year 1				Expected Amount Available Remainder of ConPlan \$	Narrative Description
			Annual Allocation: \$	Program Income: \$	Prior Year Resources: \$	Total: \$		
HOME	public - federal	Acquisition Homebuyer assistance Homeowner rehab Multifamily rental new construction Multifamily rental rehab New construction for ownership TBRA	6,030,622.47	0.00	0.00	6,030,622.47	18,091,867.00	The First Time Homebuyers Program and the HOME Rental Program both require a local match.

Program	Source of Funds	Uses of Funds	Expected Amount Available Year 1				Expected Amount Available Remainder of ConPlan \$	Narrative Description
			Annual Allocation: \$	Program Income: \$	Prior Year Resources: \$	Total: \$		
HOPWA	public - federal	Permanent housing in facilities Permanent housing placement Short term or transitional housing facilities STRMU Supportive services TBRA	806,986.00	0.00	0.00	806,986.00	3,200,976.00	Kansas HOPWA funds to be matched by receiving communities, especially through paring funding with local non-profits. While not required by HUD, leveraging HOPWA funds maximizes benefits for persons with aids.

Program	Source of Funds	Uses of Funds	Expected Amount Available Year 1				Expected Amount Available Remainder of ConPlan \$	Narrative Description
			Annual Allocation: \$	Program Income: \$	Prior Year Resources: \$	Total: \$		
ESG	public - federal	Conversion and rehab for transitional housing Financial Assistance Overnight shelter Rapid re-housing (rental assistance) Rental Assistance Services Transitional housing	1,653,121.00	0.00	0.00	1,653,121.00	4,959,363.00	Conversion and rehab for transitional housing Financial Assistance Overnight shelter Rapid re-housing (rental assistance) Rental Assistance Services Transitional housing

Program	Source of Funds	Uses of Funds	Expected Amount Available Year 1				Expected Amount Available Remainder of ConPlan \$	Narrative Description
			Annual Allocation: \$	Program Income: \$	Prior Year Resources: \$	Total: \$		
HTF	public - federal	Acquisition Admin and Planning Homebuyer assistance Multifamily rental new construction Multifamily rental rehab New construction for ownership	3,134,373.20	0.00	0.00	3,134,373.20	9,403,119.60	The Housing Trust Fund does not require matching funds.

Table 5 - Expected Resources – Priority Table

Explain how federal funds will leverage those additional resources (private, state and local funds), including a description of how matching requirements will be satisfied

The State of Kansas makes every attempt to leverage CDBG, HOME, ESG, and HOPWA funds with additional non-federal funding resources. In the past CDBG funds have typically seen a greater than 50% match on most projects, bringing in other federal dollars, state funds, or local government/private funds.

HOME funds leverage private mortgages, grants, other federal programs, bond financing, and tax credits. Match for the HOME Program will be met through a combination of cash from non-federal sources, foregone fees, bond financing, and donated land and labor.

All subrecipients and/or the ESG funded agency must make matching contributions to supplement the ESG program in an amount that equals the amount of the ESG award. Match contributions may be cash or non-cash and may be from any source. The 100% match requirement for ESG will be met through reporting of the subrecipient or ESG funded agency contributions.

For the Low-Income Housing Tax Credit (LIHTC) program KHRC will collaborate with cities, counties, and regions of the state to determine high need areas for rental housing. The HOME staff and Low-Income Housing Tax Credit staff work closely together to ensure the most efficient use of rental housing funding.

KCTH uses HOPWA funds to collaborate with Shelter Plus Care, Section 8 Housing, LIEAP, and other food pantry resources. KCTH also closely collaborates with the Kansas STI/HIV Care Program, which has provided Ryan White Part B rebate funding to KCTH since 2017.

If appropriate, describe publicly owned land or property located within the jurisdiction that may be used to address the needs identified in the plan

Not applicable to State Grantee

Discussion

While leveraged funds and support from outside partners broadens the accomplishments of each program, the historical trend of funding reductions significantly impacts the CDBG and HOME programs. Reduced federal funding makes it more difficult to leverage supplemental resources and provide technical assistance on other resource opportunities. Therefore, the federal reductions reduce the amounts that can be leveraged.

Annual Goals and Objectives

AP-20 Annual Goals and Objectives – 91.320(c)(3)&(e)

Goals Summary Information

Sort Order	Goal Name	Start Year	End Year	Category	Geographic Area	Needs Addressed	Funding	Goal Outcome Indicator
1	Water and Sewer Improvements	2024	2028	Water and sewer improvements		Water & Sewer Improvements	CDBG: \$3,500,000.00	Public Facility or Infrastructure Activities other than Low/Moderate Income Housing Benefit: 5000 Persons Assisted
2	Increase the quality of affordable housing	2024	2028	Affordable Housing		Affordable Housing	CDBG: \$1,500,000.00	Homeowner Housing Rehabilitated: 30 Household Housing Unit
3	Community Facilities	2024	2028	Non-Housing Community Development		Community Facility Improvements	CDBG: \$21,500,000.00	Public Facility or Infrastructure Activities other than Low/Moderate Income Housing Benefit: 30000 Persons Assisted
4	Public Services	2024	2028	Non-Housing Community Development		Public Service	CDBG: \$450,000.00	Public service activities other than Low/Moderate Income Housing Benefit: 50 Persons Assisted
5	Commercial Rehabilitation	2024	2028			Downtown Commercial Rehabilitation	CDBG: \$1,500,000.00	Facade treatment/business building rehabilitation: 5 Business

Sort Order	Goal Name	Start Year	End Year	Category	Geographic Area	Needs Addressed	Funding	Goal Outcome Indicator
6	Urgent Need	2024	2028	Affordable Housing Non-Housing Community Development		Affordable Housing	CDBG: \$200,000.00	Other: 1 Other
7	State Administration and Technical Assistance	2024	2028	Administration		Affordable Housing	CDBG: \$547,000.00 HOME: \$587,150.00	Other: 1 Other
8	First Time Homebuyers	2024	2028	Affordable Housing		Affordable Housing	HOME: \$502,560.00	Direct Financial Assistance to Homebuyers: 30 Households Assisted
9	HOME Rental Development	2024	2028	Affordable Housing		Affordable Housing	HOME: \$2,500,000.00	Rental units constructed: 10 Household Housing Unit Rental units rehabilitated: 3 Household Housing Unit
10	Tenant Based Rental Assistance	2024	2028	Affordable Housing		Affordable Housing	HOME: \$2,300,000.00	Tenant-based rental assistance / Rapid Rehousing: 700 Households Assisted
11	Emergency Solutions Grant (ESG) Program	2024	2028	Homeless			ESG: \$1,645,105.00	Homelessness Prevention: 2579 Persons Assisted Housing for Homeless added: 322 Household Housing Unit

Sort Order	Goal Name	Start Year	End Year	Category	Geographic Area	Needs Addressed	Funding	Goal Outcome Indicator
12	Housing Opportunities for Persons with AIDS - HOPWA	2024	2028	Homeless			HOPWA: \$806,986.00	Homelessness Prevention: 1350 Persons Assisted Housing for People with HIV/AIDS added: 200 Household Housing Unit HIV/AIDS Housing Operations: 500 Household Housing Unit Other: 0 Other
13	Housing Trust Fund (HTF)	2024	2028	Affordable Housing		Affordable Housing	HTF: \$3,134,373.20	Rental units constructed: 13 Household Housing Unit Rental units rehabilitated: 5 Household Housing Unit
14	Economic Development	2024	2028	Non-Housing Community Development		Economic Development	CDBG: \$750,000.00	Jobs created/retained: 55 Jobs Businesses assisted: 3 Businesses Assisted

Table 6 – Goals Summary

Goal Descriptions

1	Goal Name	Water and Sewer Improvements
	Goal Description	
2	Goal Name	Increase the quality of affordable housing
	Goal Description	

3	Goal Name	Community Facilities
	Goal Description	
4	Goal Name	Public Services
	Goal Description	
5	Goal Name	Commercial Rehabilitation
	Goal Description	
6	Goal Name	Urgent Need
	Goal Description	
7	Goal Name	State Administration and Technical Assistance
	Goal Description	
8	Goal Name	First Time Homebuyers
	Goal Description	
9	Goal Name	HOME Rental Development
	Goal Description	
10	Goal Name	Tenant Based Rental Assistance
	Goal Description	
11	Goal Name	Emergency Solutions Grant (ESG) Program
	Goal Description	
12	Goal Name	Housing Opportunities for Persons with AIDS -HOPWA
	Goal Description	

13	Goal Name	Housing Trust Fund (HTF)
	Goal Description	
14	Goal Name	Economic Development
	Goal Description	

AP-25 Allocation Priorities – 91.320(d)

Introduction:

The State of Kansas will distribute development resources in proportion to development needs in the state. In general, KDC, KHRC, and KDHE will approve funding for development projects which satisfy one or more of the following criteria:

- **Community Need** - Comparison of development needs between cities, counties, and regions of the state. Development resources will be allocated to areas of greatest need, i.e., unmet need.
- **Community Effort** - Comparison of the shares of assisted development between cities, counties, and regions of the state. Areas with low shares of assisted development will be encouraged to seek a fair share of development resources.
-
- **Resident Need** - Comparison of income eligible persons within cities, counties, and regions of the state. Development resources will be allocated first to the lowest income eligible persons within an area.
- **Resident Risk** - Comparison of persons with multiple risks versus single risks, within cities, counties, and regions of the state, i.e., unemployment, cost burden, racial minority, single parent, physical disability, etc. Development resources will be allocated first to persons with multiple risks within an area.
- **Preventive Action** - Preventing shortages of development resources within cities, counties, and regions of the state. Development resources will be allocated early to areas undergoing economic development and/or deinstitutionalization of persons with disabilities.

Note that in the table below the amount for HOME funds, the CHDO Operating Reserve Set-aside is added into Home Rental Development. The

percentage for the HOME Participating Jurisdiction Administrative Reserve is 10% listed under state administration.

Funding Allocation Priorities

	Water and Sewer Improvements (%)	Increase the quality of affordable housing (%)	Community Facilities (%)	Public Services (%)	Commercial Rehabilitation (%)	Urgent Need (%)	State Administration and Technical Assistance (%)	First Time Homebuyers (%)	HOME Rental Development (%)	Tenant Based Rental Assistance (%)	Emergency Solutions Grant (ESG) Program (%)	Opportunity Fund (%)
CDBG	21	10	48	3	14	1	3	0	0	0	0	
HOME	0	0	0	0	0	0	10	8	44	38	0	
HOPWA	0	0	0	0	0	0	0	0	0	0	0	
ESG	0	0	0	0	0	0	0	0	0	0	100	
HTF	0	0	0	0	0	0	0	0	0	0	0	

Table 7 – Funding Allocation Priorities

Reason for Allocation Priorities

Infrastructure:

Water and sewer improvements are consistently requested projects for funding assistance due to rural characteristics and aging infrastructure. To make limited funding go farther, the infrastructure grants are focused on the highest need projects (those with health/safety violations) and regional planning grants are available. The regional planning grants provide a funding source to consolidate systems and encourage areas working together for the benefit of all.

Housing:

A State Housing Strategy outlined a list of the customer priorities to address housing issues in Kansas:

- 1) Owners

2) Renters

3) Vulnerable populations

4) Homeless persons

Economic Development:

Economic development and job creation were identified as a key part of the identified goals and objectives for Kansas.

Homelessness:

Addressing homelessness in Kansas is a critical issue. Kansas Housing Resources Corporation (KHRC) will use ESG funds for Street Outreach, Emergency Shelters, Homelessness Prevention, Rapid Re-Housing, HMIS, and administrative activities.

Community Facility and Services

Community facility improvements, with projects ranging from improving bridges and streets, were identified as a high priority during community meetings and feedback from stakeholders. Creating communities of opportunity and supporting economic opportunities for target areas is the basis for the high priority given to downtown commercial rehabilitation. Addressing downtown commercial districts by assisting private property owners in the rehabilitation of blighted buildings is one method of addressing downtown redevelopment. All projects must meet the “slum and blight” national objective.

HOPWA:

HOPWA formula and competitive funding have provided statewide housing resources for persons living with HIV/AIDS in Kansas.

How will the proposed distribution of funds will address the priority needs and specific objectives described in the Consolidated

Plan?

The State of Kansas will distribute development resources in proportion to development needs in the State. In general, KDC, KHRC, and KDHE will approve funding for development projects which satisfy one or more of the following criteria: (1) Community Need, (2) Community Effort, (3) Resident Need, (4) Resident Risk, and (5) Preventive Action.

The statewide priority needs include: Water and Sewer Improvements, Affordable Housing, Economic Development, Homeless Prevention and Housing, Community Facility Improvements, and Downtown Commercial Rehabilitation. All of these are considered high priorities.

AP-30 Methods of Distribution – 91.320(d)&(k)

Introduction:

The matrix below discusses in detail how activities funded through CDBG, HOME, HTF, ESG, and HOPWA will be distributed.

Distribution Methods

Table 8 - Distribution Methods by State Program

1	State Program Name:	Commercial Rehabilitation
	Funding Sources:	CDBG
	Describe the state program addressed by the Method of Distribution.	The purpose of the program is to help communities improve the quality of their downtown commercial districts by assisting private property owners in the rehabilitation of blighted buildings. All projects must meet the slum and blight national objective.

<p>Describe all of the criteria that will be used to select applications and the relative importance of these criteria.</p>	<p>The State of Kansas will distribute development resources in proportion to development needs in the state. In general, the Kansas Department of Commerce will approve funding for development projects which satisfy one or more of the following criteria: 1. Community Need, 2. Community Effort, 3. Resident Need, 4. Resident Risk, 5. Preventive Action. Applicants can access application manuals and other resources at: https://kansasdepartmentofcommerce.submittable.com/submit/246569/cdbg-commercial-rehabilitation-application</p>
<p>If only summary criteria were described, how can potential applicants access application manuals or other state publications describing the application criteria? (CDBG only)</p>	<p>Applicants can access application manuals and other resources at: https://www.kansascommerce.gov/cdbg/commercial-district-rehabilitation/</p>

<p>Describe the process for awarding funds to state recipients and how the state will make its allocation available to units of general local government, and non-profit organizations, including community and faith-based organizations. (ESG only)</p>	<p>N/A</p>
<p>Identify the method of selecting project sponsors (including providing full access to grassroots faith-based and other community-based organizations). (HOPWA only)</p>	

<p>Describe how resources will be allocated among funding categories.</p>	<p>This program operates on a monthly application basis, with submissions accepted year-round.</p>
<p>Describe threshold factors and grant size limits.</p>	<p>The maximum amount of CDBG funds that can be applied for is \$300,000. Applicants can access application manuals and other resources at: https://www.kansascommerce.gov/cdbg/commercial-district-rehabilitation/</p>

	<p>What are the outcome measures expected as a result of the method of distribution?</p>	<p>The CDBG program hopes to rehabilitate five downtown buildings that will house five viable businesses in the downtown district.</p>
2	<p>State Program Name:</p>	<p>Community Facilities</p>
	<p>Funding Sources:</p>	<p>CDBG</p>

<p>Describe the state program addressed by the Method of Distribution.</p>	<p>Projects may include a wide range of CDBG-eligible activities under the Community Facilities Small and Large Categories. Eligible applicants include cities and counties. This program operates on a monthly application basis with a reduced match requirement.</p> <p>The Blueprint to Build Grant Program helps small communities construct new community centers by offering three pre-designed, modern, and energy-efficient building plans eliminating costly design work and saving time. Funded with \$14 million in 2025, the program supports construction that benefits low- to moderate-income residents and requires local matching funds. Projects are selected based on need, readiness, impact, and sustainability.</p> <p>Applications will be accepted year-round, with those submitted by the 15th of each month reviewed by the 30th. Award letters will be issued shortly after review. A pre-application phase will also be required to evaluate project readiness prior to submitting a full application. All applications must meet a minimum score of 75 to be considered for funding.</p>
---	--

<p>Describe all of the criteria that will be used to select applications and the relative importance of these criteria.</p>	<p>Requirements and criteria are further outlined in the Community Facilities application: www.kansascommerce.com/cdbg Community Facilities: Large Grants Community Facilities: Small Grants https://www.kansascommerce.gov/wp-content/uploads/2025/05/CDBG-Community-Facilities-Small-Guidelines-2025.pdf https://www.kansascommerce.gov/wp-content/uploads/2025/05/CDBG-Community-Facilities-Large-Guidelines-2025.pdf https://www.kansascommerce.gov/cdbg/blueprint-to-build/ https://kansascommerce.my.site.com/Grants/s/</p>
<p>If only summary criteria were described, how can potential applicants access application manuals or other state publications describing the application criteria? (CDBG only)</p>	<p>Application packets with the full rating and ranking criteria can be found at: www.kansascommerce.com/cdbg</p>

<p>Describe the process for awarding funds to state recipients and how the state will make its allocation available to units of general local government, and non-profit organizations, including community and faith-based organizations. (ESG only)</p>	<p>N/A</p>
<p>Identify the method of selecting project sponsors (including providing full access to grassroots faith-based and other community-based organizations). (HOPWA only)</p>	<p>N/A</p>

<p>Describe how resources will be allocated among funding categories.</p>	<p>It is estimated that from 74% of CDBG funds will be expended on community facilities in any given year, depending on the level of need for public facilities during the five-year period.</p>
<p>Describe threshold factors and grant size limits.</p>	<p>The maximum grant for the Community Facilities Small Category is \$210,000 with a required 10% local match, while the Community Facilities Large Category offers up to \$1,500,000 with a 25% local match.</p> <p>The maximum funding award under the Blueprint to Build Grant Program depends on community population size:</p> <ul style="list-style-type: none"> • Up to \$1.5 million for cities and counties with populations under 2,500 • Up to \$2.5 million for communities with populations above 2,500 <p>Communities are required to provide a 50% local match toward the requested grant amount.</p>

	<p>What are the outcome measures expected as a result of the method of distribution?</p>	<p>Outcome measures will focus on the number of individuals served, with a particular emphasis on low- to moderate-income (LMI) populations. Funded projects are expected to improve access to critical services such as emergency response, healthcare, childcare, and community gathering spaces. The program aims to ensure that each awarded project delivers measurable benefits to LMI residents, as tracked by the number of persons assisted through the enhanced facility or infrastructure.</p>
<p>3</p>	<p>State Program Name:</p>	<p>Economic Development</p>
	<p>Funding Sources:</p>	<p>CDBG</p>
	<p>Describe the state program addressed by the Method of Distribution.</p>	<p>Economic Development funds may be used by a local unit of government to provide infrastructure or business financing assistance for a new business locating in or an existing business expanding in, a community.</p>

<p>Describe all of the criteria that will be used to select applications and the relative importance of these criteria.</p>	<p>Economic development application and all guidelines can be found at: https://www.kansascommerce.gov/cdbg/economic-development/</p>
<p>If only summary criteria were described, how can potential applicants access application manuals or other state publications describing the application criteria? (CDBG only)</p>	<p>Technical assistance is available from the State during preparation of the application to ensure that the application will meet threshold requirements. https://www.kansascommerce.gov/cdbg/economic-development/</p>

<p>Describe the process for awarding funds to state recipients and how the state will make its allocation available to units of general local government, and non-profit organizations, including community and faith-based organizations. (ESG only)</p>	
<p>Identify the method of selecting project sponsors (including providing full access to grassroots faith-based and other community-based organizations). (HOPWA only)</p>	

<p>Describe how resources will be allocated among funding categories.</p>	<p>This program operates on a monthly application basis, with submissions accepted year-round. Funds for Economic Development projects will come from existing state Program Income.</p>
<p>Describe threshold factors and grant size limits.</p>	<p>Business finance grants to cities or counties can be loaned to private businesses to provide gap financing that creates or retains permanent jobs. Funding is also available for infrastructure improvements that directly create or retain permanent jobs. Eligible activities include infrastructure, land acquisition, fixed assets and working capital. The funding ceiling is \$35,000 per job created or retained with a maximum of \$750,000. Funding comes from program income.</p>

	<p>What are the outcome measures expected as a result of the method of distribution?</p>	<p>Outcome measures will include the number of businesses assisted and the number of jobs created or retained, with a focus on supporting low- to moderate-income (LMI) individuals. Each project must meet the public benefit standard of one full-time equivalent job per \$35,000 of CDBG assistance. For the upcoming year, the program anticipates assisting 1 business and retaining or creating approximately 20 jobs. These measures will help demonstrate the program’s contribution to local economic development and improved employment opportunities for LMI residents.</p>
4	<p>State Program Name:</p>	Emergency Solutions Grant Program
	<p>Funding Sources:</p>	ESG
	<p>Describe the state program addressed by the Method of Distribution.</p>	<p>Kansas Housing Resources Corporation (KHRC) administers the Emergency Solutions Grant (ESG) for the State to address homelessness. ESG is allocated to the state through a formula-funded program by the Department of Housing and Urban Development.</p> <p>KHRC will use ESG funds for street outreach, emergency shelters, homelessness prevention, rapid re- housing, HMIS, and administrative activities. These activities will be targeted at households that are literally homeless or at risk of homelessness whose income is 0-30% of Area Median Family Income and to individuals and families that are in the following at risk homeless categories: Chronically homeless, HIV/AIDS, elderly, veterans, mental health, youth, domestic violence victims and substance abuse.</p>

<p>Describe all of the criteria that will be used to select applications and the relative importance of these criteria.</p>	<p>KHRC is awarded these funds annually and makes them available for application to local units of government of non ESG entitlement communities of Kansas. As part of their application, local units of government allocate funds for specific activities to private nonprofit organizations that provide services to the homeless in their community. A recipient nonprofit organization must be tax exempt under Section 501 (c) (3) of the Internal Revenue Code and must have an acceptable accounting system, have a voluntary board, and practice non-discrimination in hiring practices and the provision of services.</p> <p>ESG funds must be matched dollar-for-dollar by the local recipient. KHRC will require all sub recipients to make matching contributions to supplement the ESG program at an amount that equals the amount of ESG funds provided by KHRC. The sub-recipient must identify the source of the match at the time of applying for ESG. Matching contributions may be obtained from any source, including any Federal source other than the ESG program, as well as state, local, and private sources.</p> <p>The ESG regulations provide that up to 7.5% of a grantee’s funds may be spent for administering the grant. KHRC will pass on 2.5% of this allocation to local units of government.</p> <p>The scoring criteria will include a project description, identified need, coordination of potential local homeless assistance and housing programs, past performance and administrative capacity.</p> <p>A link to the application and other resources can be found at: https://kshousingcorp.org/</p>
<p>If only summary criteria were described, how can potential applicants access application manuals or other state publications describing the application criteria? (CDBG only)</p>	

<p>Describe the process for awarding funds to state recipients and how the state will make its allocation available to units of general local government, and non-profit organizations, including community and faith-based organizations. (ESG only)</p>	<p>KHRC will utilize the application process for the Emergency Solutions Grant (ESG) program. KHRC will sub-grant ESG funds to cities and counties in non- ESG entitlement funded areas. KHRC recognizes the importance of individual cities and counties to identify sub-recipients and coordinate the specific services outlined in ESG for their individual jurisdictions. KHRC will also accept applications and provide direct funding to agencies and organizations that serve at-risk homeless populations and are capable of providing ESG services on a statewide level for that at risk homeless population.</p> <p>KHRC will announce the Notice of Funding Availability (NOFA) for the ESG funds and begin to accept and receive applications as described above. Depending on when HUD signs the grant agreement, deadlines for receipt of applications will be established. An Application Review Committee will rank applications received in response to the NOFA.</p>
<p>Identify the method of selecting project sponsors (including providing full access to grassroots faith-based and other community-based organizations). (HOPWA only)</p>	

<p>Describe how resources will be allocated among funding categories.</p>	<p>The Emergency Solutions Grant funds are awarded annually through a competitive grant application process. Each year, Kansas Housing posts the ESG Notice of Funding Availability inviting units of local government/municipalities and non-profit community agencies to apply for the ESG funding. The ESG funding can be used for the five program activities: Street Outreach, Emergency Shelter, Homeless Prevention, Rapid Rehousing, and HMIS. In the ESG funding application, the applicants describe the needs in their community and how the Emergency Solutions Grant program will address the needs. Applicants must describe how they collaborate with the CoC and other homeless service providers to avoid duplication of effort. Funding recommendations are made by a review committee, including a representative from the Kansas BoS Continuum of Care.</p>
<p>Describe threshold factors and grant size limits.</p>	<p>No more than 60% of the total ESG funds may be used for emergency shelter and street outreach activities. The remaining funds will be used for the Homeless Prevention, Rapid Re-Housing and HMIS activities.</p>

	<p>What are the outcome measures expected as a result of the method of distribution?</p>	<p>The ESG funds expect to assist 7,750 persons in homeless prevention and 1,500 individuals in rapid- rehousing services over a five-year span.</p> <p>The State of Kansas supports a continuum of care approach among State ESG recipients. KHRC collaborates on a recurring basis with the Kansas Balance of State CoC (KS-507) and the Johnson County CoC (KS-505). All funds from the State’s ESG funding are made available to the non-ESG entitlement continuums.</p> <p>Continuum of Care components include affordable, accessible, and integrated permanent housing and homeless services that enable individuals and families to reach the maximum degree of self-sufficiency possible. In reviewing ESG applications, the State relies on local units of government to determine what their communities’ unique homeless needs may be, and how the ESG program can assist with those needs. This approach allows local jurisdictions to determine their own priorities and needs in addressing homelessness in their communities.</p> <p>The ESG program has set the following performance outcomes for the ESG subrecipient agencies:</p> <ul style="list-style-type: none"> • Shelter: 75% of clients with more than 90 days in shelter exit to permanent destinations • Shelter: 75% of clients with less than 90 days in shelter exit to destination other than the streets • Steet Outreach: 50% of clients will access housing (ES, TH, SH, PH, or PSH) • Street Outreach: 75% of clients will access Essential Services • Homeless Prevention: 75% of clients will obtain or maintain Permanent Housing for six months <p>Rapid Rehousing: 75% of clients will obtain or maintain permanent housing</p>
5	<p>State Program Name:</p> <p>Funding Sources:</p> <p>Describe the state program addressed by the Method of Distribution.</p>	<p>First Time Homebuyers</p> <p>HOME</p> <p>The First Time Homebuyers (FTHB) program will be administered in partnership with approved lending institutions. The State will enter into written agreements with lenders to provide leveraging of the funds allotted to the program. The State has established a lender’s consortium that will provide first mortgage home loans to leverage First Time Homebuyers down payment assistance. The applicants can find a list of lenders on our website: www.kshousingcorp.org.</p>

<p>Describe all of the criteria that will be used to select applications and the relative importance of these criteria.</p>	<p>Assisted households must meet HUD's definition of low-income, with household income at or below 80% of area median gross income (AMGI) as published annually by HUD. They must qualify as first-time homebuyers as defined in 24CFR Part 92 and agree to occupy the home purchased as their principal residence for the required affordability period.</p>
<p>If only summary criteria were described, how can potential applicants access application manuals or other state publications describing the application criteria? (CDBG only)</p>	

<p>Describe the process for awarding funds to state recipients and how the state will make its allocation available to units of general local government, and non-profit organizations, including community and faith-based organizations. (ESG only)</p>	
<p>Identify the method of selecting project sponsors (including providing full access to grassroots faith-based and other community-based organizations). (HOPWA only)</p>	

<p>Describe how resources will be allocated among funding categories.</p>	<p>Funds are distributed to eligible applicants on a first-come, first-serve basis until allocated funds are depleted.</p>
<p>Describe threshold factors and grant size limits.</p>	<p>For FTHB, up to 20 percent of the purchase price of the home may be provided to an approved buyer at closing to assist with down payment, closing costs, and legal fees. Households must pay no more than 30% of their income towards their housing, and no less than 15%.</p>

	<p>What are the outcome measures expected as a result of the method of distribution?</p>	<p>HOME funds for the FTHB program are expected to provide financial assistance to 170 households over a five-year span.</p>
6	<p>State Program Name:</p>	HOME Rental Development
	<p>Funding Sources:</p>	HOME

<p>Describe the state program addressed by the Method of Distribution.</p>	<p>Eligible activities under the HOME Rental Development Program (HOME Rental) will be acquisition and/or rehabilitation of existing rental housing and new construction of rental housing. In compliance with 24CFR Part 92, HOME-assisted rental units will be subject to rent and income restrictions contained in that statute. KHRC will provide a competitive advantage to applications for funding which commit to income and rent targeting at lower levels than required by statute.</p> <p>KHRC will fund rental development activities which support the objectives of the HOME program to provide affordable housing to lower income households by expanding and maintaining the supply of decent, safe, sanitary, accessible, and affordable rental housing, expanding the capacity of non-profit housing providers, strengthening the ability of state and local governments to provide housing, and leveraging private sector participation. To satisfy the Community Housing Development Organization (CHDO) set-aside requirements of the HOME program, KHRC shall reserve at least 15% of the total HOME allocation for CHDOs acting as owner, developer, or sponsor of a housing development.</p> <p>KHRC may also allocate no more than five percent of the total HOME allocation for eligible CHDO operating expenses. The amount awarded is entirely at the discretion of the KHRC, and subject to 24 CFR, Part 92. Funds from this pool that are not utilized for CHDO operating expenses may be used for other HOME-eligible activities.</p>
---	--

<p>Describe all of the criteria that will be used to select applications and the relative importance of these criteria.</p>	<p>A formal system will be used to evaluate, select, and fund applications for loans. The selection criteria are designed to facilitate an objective assessment of need for the proposed housing, the applicant’s capacity to develop and manage affordable housing, and the specific characteristics of the proposed activity (including but not limited to location and site planning, building design and construction, affordability, cost reasonableness, and financial sustainability). When the application becomes available it will be posted on KHRC’s website: www.kshousingcorp.org, and reasonable attempts will be made to notify active Community Housing Development Organizations of its availability. The application dates and review period will coincide with those of KHRC’s Low Income Housing Tax Credit (LIHTC) and National Housing Trust Fund (HTF) application rounds, to facilitate the combining and leveraging of those resources to develop affordable housing.</p> <p>Applicants will be evaluated for the capacity and experience necessary to build and manage a successful project, and the ability to ensure viability over the statutory affordability period.</p> <p>Applications will be scored on the following criteria:</p> <ol style="list-style-type: none"> 1) Location and need for the housing 2) Development characteristics 3) Applicant Qualifications 4) Proposed tenant population characteristics, and 5) Sustainability and Financial Viability. <p>Specific scoring numbers and criteria are subject to adjustment and will be published along with the funding application and application guidelines.</p> <p>The applicant must be a Community Housing Development Organization (CHDO), or a partnership (LP or LLC) of which a CHDO is a managing member or partner. The applicant must have the experience and capacity to carry out any activity proposed to use HOME funds.</p> <p>Projects will be selected for geographic diversity including urban and rural communities across the state.</p>
--	---

<p>If only summary criteria were described, how can potential applicants access application manuals or other state publications describing the application criteria? (CDBG only)</p>	
<p>Describe the process for awarding funds to state recipients and how the state will make its allocation available to units of general local government, and non-profit organizations, including community and faith-based organizations. (ESG only)</p>	

<p>Identify the method of selecting project sponsors (including providing full access to grassroots faith-based and other community-based organizations). (HOPWA only)</p>	
<p>Describe how resources will be allocated among funding categories.</p>	<p>The application process for HOME rental housing development funds is competitive. See above process for details.</p>

<p>Describe threshold factors and grant size limits.</p>	<ul style="list-style-type: none"> • Before an application is scored and ranked, it must meet threshold requirements for the program: • The application must be for a qualified residential rental development that meets the HOME Program requirements at 24 CFR Part 92, as amended; • The development must meet the low-income housing priorities as identified in the applicable state or local Consolidated Plan;The development is ready to proceed as documented by: • Evidence of appropriate site control; • Zoning approval or application for zoning approval with a letter from the zoning administrator citing that the zoning request is consistent with the local plan or that the local plan could be changed to be consistent with the zoning request; • Evidence of availability of adequate utilities at the site; • Commitment letters for all sources of financing;3. Rural Development (RD) Form AD 622 commitment, if applicable; • Applicants for HOME CHDO Set-Aside funds must meet the following criteria: • The applicant must be a Community Housing Development Organization (CHDO) certified as such by the Kansas Housing Resources Corporation. • The CHDO must have the capacity to Own, Develop, or Sponsor affordable rental housing, as appropriate to the application, and as defined at 24 CFR 92.300. • A complete application - any application that is not complete may be automatically rejected. • Loan awards will not exceed \$500,000.
---	---

	<p>What are the outcome measures expected as a result of the method of distribution?</p>	<p>HOME funds for the Home Rental Development program are expected to provide assistance to 145 rental units over a five-year span.</p>
7	<p>State Program Name:</p>	<p>Housing Opportunities for Persons with AIDS</p>
	<p>Funding Sources:</p>	<p>HOPWA</p>

<p>Describe the state program addressed by the Method of Distribution.</p>	<p>The Kansas Department of Health and Environment (KDHE) manages the Housing Opportunities for Persons with AIDS (HOPWA) program to ensure affordable housing and prevent homelessness among HIV positive individuals and their families.</p> <p>HOPWA funding provides housing assistance and related supportive services to develop community- wide strategies and form partnerships with area nonprofit organizations. HOPWA funds may be used for a wide range of housing, social services, program planning, and development costs. Ongoing analysis of quality of life through surveys and Steering Committee recommendations indicate the highest priority of need based on reduced funding will be for long-term tenant-based rental assistance (TBRA) and permanent housing placement.</p>
<p>Describe all of the criteria that will be used to select applications and the relative importance of these criteria.</p>	<p>See above and below.</p>

<p>If only summary criteria were described, how can potential applicants access application manuals or other state publications describing the application criteria? (CDBG only)</p>	
<p>Describe the process for awarding funds to state recipients and how the state will make its allocation available to units of general local government, and non-profit organizations, including community and faith-based organizations. (ESG only)</p>	<p>N/A</p>

<p>Identify the method of selecting project sponsors (including providing full access to grassroots faith-based and other community-based organizations). (HOPWA only)</p>	<p>The HOPWA funding will be distributed to landlords, utility providers, and individual clients through the Ryan White CARE case management system. This system consists of 7 case management sites funded by the Health Resources and Services Administration (HRSA), Ryan White CARE Act, Part B.</p> <p>The University of Kansas, School of Medicine-Wichita, Medical Practice Association (UKSM-W MPA), is the program sponsor for the Kansas HOPWA Program. In 1993, the UKSM-W MPA received federal funding to administer a statewide Ryan White, Part C, CARE Act program under the medical direction of Dr. Donna E. Sweet. The UKSM-W MPA HIV program provides primary care for 60 percent of the clients in the Kansas Ryan White Part B program and over 80 percent of clients in Western, South Central, and Southeast Kansas.</p>
<p>Describe how resources will be allocated among funding categories.</p>	<p>As stated above, the HOPWA funding will be distributed to landlords, utility providers and individual clients through the Ryan White CARE case management system. This system consists of 7 case management sites funded by the Health Resources and Services Administration (HRSA), Ryan White CARE Act, Part B.</p> <p>The UKSM-W MPA HIV program will administer the payment of HOPWA housing assistance and other requests for assistance submitted through the Ryan White case management system.</p>

Describe threshold factors and grant size limits.	The service area for HOPWA formula and competitive funding includes all Kansas counties except Leavenworth, Wyandotte, Johnson, Miami, Franklin, and Lynn. Kansas counties in the Kansas City metropolitan area receive HOPWA formula funding through the City of Kansas City, Missouri. The Kansas service area is classified as rural. HOPWA formula and competitive funding has provided statewide housing resources for persons living with HIV/AIDS in Kansas.
--	---

	<p>What are the outcome measures expected as a result of the method of distribution?</p>	<p>The primary outcome measures for the HOPWA grant are:</p> <ul style="list-style-type: none"> • number of households served; • number of preventions of homelessness; and • number of people transitioned into permanent/stable housing.
8	<p>State Program Name:</p>	<p>Housing Rehabilitation</p>
	<p>Funding Sources:</p>	<p>CDBG</p>
	<p>Describe the state program addressed by the Method of Distribution.</p>	<p>\$1 million is set aside for Housing Rehabilitation. Local units of government may apply for funds for Homeowner Rehabilitation, Rental Rehabilitation, Reconstruction, Relocation, Demolition, and/or neighborhood development. Funding limit is \$500,000, with \$300,000 maximum for housing rehabilitation and \$200,000 for neighborhood development.</p>

<p>Describe all of the criteria that will be used to select applications and the relative importance of these criteria.</p>	<p>Grant applications are evaluated for funding based on project need, readiness, impact, sustainability and matching funds source and availability. All applications must meet a minimum score of 75 to be considered for funding. This program funds housing improvement projects to benefit low- to moderate-income households in a target area. If the community selects to include demolition the national objective is slum and blight. Single-family/owner-occupied or rental housing rehabilitation, upper-story housing, or renovation of a building to create housing.</p> <ul style="list-style-type: none"> • Demolition of housing units and outbuildings on the same property. • Neighborhood development for housing rehabilitation or demolition, plus public facility improvements including street, drainage, curbs and public sidewalks. • Up to 20% of rehabilitation funds may be used in emergencies. • Other eligible activities include removal of architectural barriers in residential properties, energy use strategy activities relating to housing and relocation of households from dilapidated residences. • Administration costs for grant funds.
<p>If only summary criteria were described, how can potential applicants access application manuals or other state publications describing the application criteria? (CDBG only)</p>	<p>Applicants can access application manuals and other resources at: https://www.kansascommerce.gov/cdbg/housing/ https://kansascommerce.my.site.com/Grants/s/login/?ec=302&startURL=%2FGrants%2Fs%2F</p>

<p>Describe the process for awarding funds to state recipients and how the state will make its allocation available to units of general local government, and non-profit organizations, including community and faith-based organizations. (ESG only)</p>	
<p>Identify the method of selecting project sponsors (including providing full access to grassroots faith-based and other community-based organizations). (HOPWA only)</p>	

<p>Describe how resources will be allocated among funding categories.</p>	<p>This program operates on a monthly application basis, with submissions accepted year-round.</p>
<p>Describe threshold factors and grant size limits.</p>	<p>Communities can receive up to \$300,000 for housing rehabilitation. Application with threshold factors can be found at: http://kansascommerce.gov/757/Housing-Rehabilitation</p>

	<p>What are the outcome measures expected as a result of the method of distribution?</p>	<p>Outcome measures will be tracked using the number of housing units rehabilitated and the number of households assisted. Based on typical rehabilitation costs, the program anticipates rehabilitating approximately 25 to 30 housing units across homeowner and rental properties over the course of the year. These outcomes will contribute to the preservation of affordable housing stock and revitalization of neighborhoods in participating communities.</p>
9	<p>State Program Name:</p>	Housing Trust Fund
	<p>Funding Sources:</p>	HTF

<p>Describe the state program addressed by the Method of Distribution.</p>	<p>Distribution of Funds:</p> <p>KHRC will not distribute HTF funds through local jurisdiction subgrantees.</p> <p>HTF funds will be distributed statewide, including HOME and CDBG Entitlement Communities to eligible recipients whose applications address the criteria outlined in this allocation plan as well as priority housing needs as identified in the state’s Consolidated Plan.</p> <p>HTF funds will be offered as a loan, with payments deferred for the duration of the statutory affordability period, provided the activity is completed per the written agreement, and remains compliant with the terms of both the statute and written agreement for the duration of that affordability period.</p> <p>Eligible activities under Housing Trust Fund (HTF) are acquisition and/or rehabilitation of existing rental housing and new construction of rental housing. In compliance with 24CFR Part 93, HTF-assisted rental units will be subject to rent and income restrictions contained in that statute for a minimum of 30 years. KHRC will provide a competitive advantage to applications for funding which demonstrate project sustainability well beyond the statutory 30-year affordability period.</p> <p>KHRC will fund rental development activities which support the objectives of the HTF program to provide affordable housing to extremely-low-income households by expanding and maintaining the supply of decent, safe, sanitary, accessible, and affordable rental housing and leveraging private sector participation.</p> <p>KHRC may also allocate no more than one third of the total HTF allocation for eligible operating cost assistance and reserves in accordance with 24 CFR 93.201(e). The amount awarded is entirely at the discretion of the KHRC, and subject to the project underwriting requirements contained in the statute.</p> <p>When the application becomes available, it is posted on our website: www.kshousingcorp.org. The application also coincides with the tax credit and HOME rental development application rounds.</p>
---	--

<p>Describe all of the criteria that will be used to select applications and the relative importance of these criteria.</p>	<p>Applicants will be evaluated for the capacity and experience necessary to build and manage a successful project, and the ability to ensure viability over the statutory affordability period.</p> <p>The applicant must be a for-profit or non-profit developer with experience and capacity to carry out any activity proposed to use HTF funds.</p> <p>Eligible applicants will include for-profit and non-profit developers and public housing agencies (but may not be used for public housing except as described at 24 CFR 93.203). HTF funds will <i>not</i> be distributed through grants to subgrantees, including state or local units of government.</p> <p>A formal system will be used to evaluate, select, and fund applications for loans. The selection criteria are designed to facilitate an objective assessment of need for the proposed housing, the applicant’s capacity to develop and manage affordable housing, and the specific characteristics of the proposed activity (including but not limited to location and site planning, building design and construction, affordability, cost reasonableness, and financial sustainability). When the application becomes available it will be posted on KHRC’s website: www.kshousingcorp.org, and reasonable attempts will be made to notify potential applicants of its availability. The application dates and review period will coincide with those of KHRC’s Low Income Housing Tax Credit (LIHTC) and HOME Rental Development application rounds, in order to facilitate the combining and leveraging of those resources to develop affordable housing.</p> <ol style="list-style-type: none"> 1. Projects will be selected for geographic diversity including urban and rural communities across the state. 2. Applications will be evaluated for local need. Geographic priorities will be communities (cities, counties, geographic regions, neighborhoods) with significantly higher rates of poverty or shortage of housing for Extremely Low Income (ELI) households compared to other locations. 3. Applications will receive consideration only if it can be demonstrated to be financially viable, at a minimum, throughout the 30-year affordability period. Applications will be evaluated and prioritized for sustainability beyond that minimum threshold, including through the availability of project based rental assistance. <p>Continued at bottom of screen</p>
--	---

<p>If only summary criteria were described, how can potential applicants access application manuals or other state publications describing the application criteria? (CDBG only)</p>	
<p>Describe the process for awarding funds to state recipients and how the state will make its allocation available to units of general local government, and non-profit organizations, including community and faith-based organizations. (ESG only)</p>	

<p>Identify the method of selecting project sponsors (including providing full access to grassroots faith-based and other community-based organizations). (HOPWA only)</p>	
<p>Describe how resources will be allocated among funding categories.</p>	<p>HTF funds will be used exclusively for rental housing development, including new construction, acquisition and/or rehabilitation. No more than one-third of the annual allocation may be used for operating deficit assistance. Up to 10% of the total allocation will be used for eligible administrative and planning costs. The application process for HTF rental housing development funds is competitive among eligible recipients.</p>

<p>Describe threshold factors and grant size limits.</p>	<p>Before an application is scored and ranked, it must meet threshold requirements for the program:</p> <ol style="list-style-type: none"> 1. The application must be for a qualified residential rental development that meets the HTF Program requirements at 24 CFR Part 93; 2. The development must meet the extremely-low-income housing priorities as identified in the applicable state or local Consolidated Plan; 3. KHRC will consider applications from eligible recipients as follows: Recipients, as defined at 24 CFR 92.2, are organizations, agencies or other entities (for-profit or non-profit) that receive HTF funds to undertake an eligible project. HTF funds will not be sub granted by KHRC to units of local government. The development is ready to proceed as documented by: <ul style="list-style-type: none"> • Evidence of appropriate site control; Zoning approval or application for zoning approval with a letter from the zoning administrator citing that the zoning request is consistent with the local plan or that the local plan could be changed to be consistent with the zoning request; Evidence of availability of adequate utilities at the site; Commitment letters for all sources of financing; <ol style="list-style-type: none"> 1. A complete application - any application that is not complete may be automatically rejected; 2. Awards will be limited to an amount not to exceed the per unit subsidy limit for the number of HTF assisted units identified in the application and are subject to underwriting and subsidy layering review. Depending on the number and quality of applications received, and the amount requested, if uncommitted funds remain after the initial application round, KHRC may consider increasing the amount of some awards in exchange for additional units or deeper rent targeting; or may elect to hold a second round of competitive applications.
---	---

	<p>What are the outcome measures expected as a result of the method of distribution?</p>	<p>A goal of 15 HTF assisted rental units will be acquired, rehabilitated, or constructed for households with extremely low income (ELI).</p>
10	<p>State Program Name:</p>	<p>Public Services</p>
	<p>Funding Sources:</p>	<p>CDBG</p>
	<p>Describe the state program addressed by the Method of Distribution.</p>	<p>Public service funds may be used for a wide variety of public service activities, including but not limited to those concerned with employment, crime prevention, childcare, health, drug abuse, education, energy conservation, welfare or recreation needs. The primary focus will be on youth job training.</p>

<p>Describe all of the criteria that will be used to select applications and the relative importance of these criteria.</p>	<p>Priority will be given to programs that assist job training in industries highlighted in the Framework for Growth. Priority should also be given to youth training in trades or employment sectors that are in high demand within the applicant’s community.</p> <ul style="list-style-type: none"> • Public service employment training – including assistance to increase self-sufficiency, literacy, resume writing, job coaching or training students in a particular field or skill when there is no tie to a specific position or business. • At least 51% of all program participants must meet LMI (low- to moderate-income) requirements – which is at or below 80% of the Average Median Income for the county in which the family resides. • Communities who have not been awarded a CDBG Grant in the annual competition within the last five years in Housing, Community Facilities, or Water and Sewer will receive 10 bonus points on their application rating. <p>Applicants must submit a pre-application to confirm eligibility before applying for CDBG funding. This process allows us to provide early feedback and address any eligibility concerns before applicants complete the full application, and ensures projects align with program goals and are prepared for funding. The form requires a brief project description, estimated budget, eligibility status, and readiness to proceed.</p> <p>Commerce will review submissions within ten days and provide further instructions. Only those with an approved pre-application may submit a full application, but pre-approval does not ensure grant funding. All applications must meet a minimum score of 75 to be considered for funding.</p>
--	---

<p>If only summary criteria were described, how can potential applicants access application manuals or other state publications describing the application criteria? (CDBG only)</p>	<p>Technical assistance is available from the State during preparation of the application to ensure that the application will meet threshold requirements. https://www.kansascommerce.gov/cdbg/youth-job-training/</p>
<p>Describe the process for awarding funds to state recipients and how the state will make its allocation available to units of general local government, and non-profit organizations, including community and faith-based organizations. (ESG only)</p>	<p>N/A</p>

<p>Identify the method of selecting project sponsors (including providing full access to grassroots faith-based and other community-based organizations). (HOPWA only)</p>	<p>N/A</p>
<p>Describe how resources will be allocated among funding categories.</p>	<p>This program operates on a monthly application basis, with submissions accepted year-round.</p> <p>If any funds allocated to this category remain unawarded by October of the award year, they will be redirected to the Community Facilities category for final awards in November of the award year.</p>

Describe threshold factors and grant size limits.	Funds for Public Services will come from 2% of available CDBG funds. There is a 10% match requirement. This program operates on a monthly application basis. Applications will be accepted year-round, with those submitted by the 15th of each month reviewed by the 30th. Award letters will be issued shortly after review. A pre-application phase will also be required to evaluate project readiness prior to submitting a full application. All applications must meet a minimum score of 75 to be considered for funding.
--	---

	<p>What are the outcome measures expected as a result of the method of distribution?</p>	<p>Outcome measures will be tracked under the Public Service Activities category and measured by the number of persons assisted. The program anticipates serving approximately 50 youth participants statewide during the program year. These outcomes will support long-term workforce development and economic stability by equipping young individuals with the tools and experience needed to secure meaningful employment.</p>
<p>11</p>	<p>State Program Name:</p>	<p>State Administration and Technical Assistance</p>
	<p>Funding Sources:</p>	<p>CDBG HOME</p>
	<p>Describe the state program addressed by the Method of Distribution.</p>	<p>The State will use no more than \$100,000 plus three percent of the total CDBG grant amount, program income, and revolving loan funds for State administration and technical assistance of the program. Not more than 20 percent of the total CDBG grant may be used for administrative, planning, and/or technical assistance combined costs from both state and local levels.</p>

<p>Describe all of the criteria that will be used to select applications and the relative importance of these criteria.</p>	
<p>If only summary criteria were described, how can potential applicants access application manuals or other state publications describing the application criteria? (CDBG only)</p>	

<p>Describe the process for awarding funds to state recipients and how the state will make its allocation available to units of general local government, and non-profit organizations, including community and faith-based organizations. (ESG only)</p>	
<p>Identify the method of selecting project sponsors (including providing full access to grassroots faith-based and other community-based organizations). (HOPWA only)</p>	

<p>Describe how resources will be allocated among funding categories.</p>	
<p>Describe threshold factors and grant size limits.</p>	

	<p>What are the outcome measures expected as a result of the method of distribution?</p>	
12	<p>State Program Name:</p>	<p>Tenant Based Rental Assistance</p>
	<p>Funding Sources:</p>	<p>HOME</p>
	<p>Describe the state program addressed by the Method of Distribution.</p>	<p>TBRA funding will be allocated under written agreement to local jurisdictions and non-profits that apply as third-party program administrators, referred to as sub-recipients, on a competitive basis, after meeting organizational capacity and threshold requirements for administering a rental assistance program in their communities. Funding is distributed monthly through direct deposit to sub-recipient agencies. Rental assistance is paid month by month by the sub-recipient directly to the landlord and/or the local utility (electric, gas, water) provider.</p>

<p>Describe all of the criteria that will be used to select applications and the relative importance of these criteria.</p>	<p>There are four application ratings criteria for the program: Project Need (300 Points); Project Impact (300 Points); Capacity (100 Points); and Non-local HOME PJ (50 Points).</p> <p>Project Need relates to special populations addressed in the application, such as the homeless, involuntarily displaced, etc. Points are awarded to those paying more than 30 percent of income for rent, more than 50 percent of income for rent, the number of homeless persons identified in the application, the number of identified single parent households, poverty levels to be targeted, length of the agency’s waiting list, special population needs, and overall community need. Project Impact relates to the measures of success in relationship to self-sufficiency and the degree of community impact on identified needs. Capacity relates to the ability and experience to operate and maintain a rental subsidy program. Non-local HOME PJ relates to local jurisdictions that do not receive a direct allocation of HOME funds.</p> <p>Eligibility for the program is based on income. Consistent with 24CFR Part 92, families assisted must be at 60 percent or below the area median income. Sub-recipients may establish Tenant Based Rental Assistance (TBRA) preferences, such as those for persons with disabilities, the elderly, very low income, and homeless Kansans. Housing Authorities, non-profit agencies, and other may apply for funding.</p>
<p>If only summary criteria were described, how can potential applicants access application manuals or other state publications describing the application criteria? (CDBG only)</p>	

<p>Describe the process for awarding funds to state recipients and how the state will make its allocation available to units of general local government, and non-profit organizations, including community and faith-based organizations. (ESG only)</p>	
<p>Identify the method of selecting project sponsors (including providing full access to grassroots faith-based and other community-based organizations). (HOPWA only)</p>	

<p>Describe how resources will be allocated among funding categories.</p>	<p>Funds will be distributed, on a competitive basis, after thresholds have been met and applicants have demonstrated organizational capacity to deliver a federally funded rental assistance program. KHRC notifies previous TBRA grantees when the application is available. Additionally, the application is available on the website at least 60 days before the due date: www.kshousingcorp.org.</p>
<p>Describe threshold factors and grant size limits.</p>	<p>Grant applications may not exceed \$600,000. An allowance for administrative costs is added to the total awarded the sub-recipient.</p>

	<p>What are the outcome measures expected as a result of the method of distribution?</p>	<p>HOME funds for the TBRA program are expected to provide assistance to 3,090 households over a five- year span.</p>
13	<p>State Program Name:</p>	<p>Urgent Need</p>
	<p>Funding Sources:</p>	<p>CDBG</p>
	<p>Describe the state program addressed by the Method of Distribution.</p>	<p>Project activities must address an urgent need resulting from a sudden and severe natural or other disaster that has created conditions that pose a serious and immediate threat to the health or welfare of the community. Awards will be made to address only the solution to the immediate problem and not necessarily the long-term solution. The conditions must have become urgent within six months following the event. Applications are accepted on an as-needed basis at a maximum amount of \$100,000 per grant. CDBG Staff attends Kansas Hazard Mitigation Team meetings on a quarterly basis in which team members discuss hazard mitigation coordination and available resources, including any recent state disasters.</p>

<p>Describe all of the criteria that will be used to select applications and the relative importance of these criteria.</p>	<p>Applications are accepted on an as-needed basis at a maximum amount of \$100,000 per grant.</p>
<p>If only summary criteria were described, how can potential applicants access application manuals or other state publications describing the application criteria? (CDBG only)</p>	<p>See above. For application packet see: chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/https://www.kansascommerce.gov/wp-content/uploads/2022/12/2023-Urgent-Need-Guidelines-for-web-12-29-2022.pdf</p>

<p>Describe the process for awarding funds to state recipients and how the state will make its allocation available to units of general local government, and non-profit organizations, including community and faith-based organizations. (ESG only)</p>	
<p>Identify the method of selecting project sponsors (including providing full access to grassroots faith-based and other community-based organizations). (HOPWA only)</p>	

<p>Describe how resources will be allocated among funding categories.</p>	<p>CDBG Staff attends Kansas Hazard Mitigation Team meetings on a quarterly basis in which team members discuss hazard mitigation coordination and available resources, including any recent state disasters. Applications are accepted and awarded on an a first-come/first-serve basis at a maximum amount of \$100,000 per grant.</p>
<p>Describe threshold factors and grant size limits.</p>	<p>Awards will be made to address only the solution to the immediate problem and not necessarily the long-term solution. The conditions must have become urgent within six months following the event. The maximum grant amount is \$100,000.</p>

	<p>What are the outcome measures expected as a result of the method of distribution?</p>	<p>To address an urgent need resulting from a sudden and severe natural or other disaster that has created conditions that pose a serious and immediate threat to the health or welfare of the community.</p>
<p>14</p>	<p>State Program Name:</p>	<p>Water and Sewer Improvements</p>
	<p>Funding Sources:</p>	<p>CDBG</p>
	<p>Describe the state program addressed by the Method of Distribution.</p>	<p>A total of \$3,500,000 is available for Water and Sewer Infrastructure and Regional Water Planning and Implementation. Funding may support a wide range of eligible water and sewer infrastructure projects, including both regional planning and implementation efforts and local system improvements. Regional water and sewer projects will continue to be accepted on a rolling basis. All applications must meet a minimum score of 75 to be considered for funding.</p>

<p>Describe all of the criteria that will be used to select applications and the relative importance of these criteria.</p>	<p>Grant applications for both the Regional Water Infrastructure and Water and Sewer Infrastructure programs are evaluated based on project need, readiness, impact, sustainability, and the source and availability of matching funds. Applicants must demonstrate that alternative solutions have been explored to address infrastructure needs, and at least 51% of beneficiaries must meet low- to moderate-income (LMI) requirements, defined as households earning at or below 80% of the county's Area Median Income For feasibility studies under the Regional Water program, systems must form a legally recognized entity such as a Public Wholesale Water Supply District or operate under an Interlocal Agreement.</p>
<p>If only summary criteria were described, how can potential applicants access application manuals or other state publications describing the application criteria? (CDBG only)</p>	<p>The State of Kansas will distribute development resources in proportion to development needs in the state. In general, the Kansas Department of Commerce (Commerce) will approve funding for development projects which satisfy one or more of the following criteria: 1. Community Need, 2. Community Effort, 3. Resident Need, 4. Resident Risk, 5. Preventive Action. Applicants can access application manuals and other resources at: chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/https://www.kansascommerce.gov/wp-content/uploads/2022/11/2023-General-Application-Requirements-12-19-2022-update-1.pdf</p>

<p>Describe the process for awarding funds to state recipients and how the state will make its allocation available to units of general local government, and non-profit organizations, including community and faith-based organizations. (ESG only)</p>	
<p>Identify the method of selecting project sponsors (including providing full access to grassroots faith-based and other community-based organizations). (HOPWA only)</p>	

<p>Describe how resources will be allocated among funding categories.</p>	<p>It is estimated that from 10% to 40% of CDBG funds will be expended on water and sewer facilities in any given year, depending on the level of need for public facilities during the five-year period.</p>
<p>Describe threshold factors and grant size limits.</p>	<p>The funding ceiling for a water or sewer infrastructure grant is \$2,000 per beneficiary, with a maximum grant of \$600,000 for communities with a population under 5,000 and \$800,000 for those over 5,000, requiring a 25% local match. Regional Water Implementation projects may receive up to \$2,000,000 with a 10% local match.</p>

<p>What are the outcome measures expected as a result of the method of distribution?</p>	<p>Outcome measures will focus on the number of individuals benefiting from infrastructure improvements, with funding levels tied to \$2,000 per beneficiary. Based on available funds and the per-beneficiary cap, the program anticipates assisting approximately 1,600 to 2,000 residents through awarded infrastructure projects during the program year. This includes both individual community grants of up to \$600,000 or \$800,000—depending on population size—and larger regional implementation grants of up to \$2,000,000 with reduced local match requirements.</p> <p>These investments are expected to increase water system reliability, address compliance and capacity issues, and advance regional cooperation on long-term water planning goals.</p>
---	---

Discussion:

HTF Criteria Continued

- Applications will be scored based on the applicant's ability to obligate HTF funds and undertake the project in a timely manner, as evidenced by current and past performance, commitment of other funding sources, site control, local support, development capacity, etc.
- Applications which include a long-term commitment for project based rental assistance will be prioritized for the ability to maintain positive cash flow while keeping rents affordable to ELI households.
- Applications may provide housing for specific subpopulations that are understood to have a higher rate of household poverty (such as elderly, disabled, victims of domestic abuse, persons aging out of foster care or transitioning from institutions, homeless families and individuals, etc.), or if they integrate extremely low-income households into more economically diverse neighborhoods or housing developments. HTF activities may limit beneficiaries or provide preferences to specific populations with extremely low income as allowed by the HTF Interim Rule at 24 CFR 93.303(d)(3). Consistent with the Kansas Annual Action Plan AP-30, proposed HTF projects may provide limitations or preferences for elderly, households covered by the Housing for Older Persons Act (HOPA), disabled, victims of domestic abuse, persons aging out of the foster care system or transitioning from institutions, and homeless families or individuals; provided those preferences do not violate the nondiscrimination requirements at 24 CFR 93.350. The tenant protections enumerated at 24 CFR 93.303 apply to all HTF-assisted housing regardless of beneficiary limitations or preference, or other program requirements.
- Applications will be prioritized based on the extent to which a project is located near essential services, transportation, and supportive services necessary for the health and independence of the target population, and the extent to which there is a commitment from the applicant or associated entities to provide supportive services. Acceptance of supportive services cannot, however, be a requirement for occupancy of an HTF assisted unit, nor can refusal of services be grounds for termination or non-renewal of a lease.
- Applications will be evaluated based on the extent to which other resources are leveraged, from both federal and non-federal sources. Priority will be given to projects that successfully leverage non-federal sources of funds to create a sustainable project.

AP-35 Projects – (Optional)

Introduction:

The projects within this plan will support the three overarching objectives identified in the 2024 - 2028 Consolidated Plan:

- Providing decent affordable housing
- Creating suitable living environments
- Creating economic opportunities

The State conducts a competitive application process to select eligible projects and award funds to subrecipients. The projects to be funded for the first year of the Consolidated Plan have not been selected as of the submission date of the plan.

#	Project Name

Table 9 – Project Information

Describe the reasons for allocation priorities and any obstacles to addressing underserved needs

State funding is allocated in such a way as to address areas of greatest need and the needs determined by communities through their participation in the development of the priority needs as part of the Strategic Plan. Obstacles to addressing underserved needs relate to limited capacity and limited funding that fail to grant resources to all qualified applicants.

AP-38 Project Summary

Project Summary Information

Project Name	Target Area	Goals Supported	Needs Addressed	Funding	Description	Target Date	Esti and tha from acti
<TYPE=[pivot_table] REPORT_GUID=[54A4ED67473EDAEE248792836A1D83B0]>							

AP-40 Section 108 Loan Guarantee – 91.320(k)(1)(ii)

Will the state help non-entitlement units of general local government to apply for Section 108 loan funds?

No

Available Grant Amounts

N/A

Acceptance process of applications

N/A

AP-45 Community Revitalization Strategies – 91.320(k)(1)(ii)

Will the state allow units of general local government to carry out community revitalization strategies?

No

State’s Process and Criteria for approving local government revitalization strategies

N/A

AP-50 Geographic Distribution – 91.320(f)

Description of the geographic areas of the state (including areas of low-income and minority concentration) where assistance will be directed

The State of Kansas has chosen not to target particular geographical areas for special assistance. Rather, Kansas allows all the non-entitlement communities to submit applications in our funding categories on a competitive basis. The Housing Trust Fund is available statewide, on a competitive basis. See below for further discussion.

Geographic Distribution

Target Area	Percentage of Funds

Table 10 - Geographic Distribution

Rationale for the priorities for allocating investments geographically

The State will distribute development resources in proportion to development needs and based on a competitive application process for all funding sources. In general, KDC, KHRC, and KDHE will approve funding for development projects which satisfy one or more of the following criteria: (1) Community Need, (2) Community Effort, (3) Resident Need, (4) Resident Risk, and (5) Preventive Action.

The rating system for the highest priority needs listed above includes points for those applications demonstrating the highest percentage of low- moderate-income persons. A bonus is granted to communities who have not applied for funds in the last five years. It is through this means that the geographic priorities are established for the CDBG program funds that will be awarded where the greatest need exists.

Discussion

The Housing Trust Fund applications will be evaluated for local need. Geographic priorities will be communities (cities, counties, geographic regions, neighborhoods) with significantly higher rates of poverty or shortage of housing for Extremely Low Income (ELI) households compared to other locations. Applications will receive higher scoring if located in a city or county with more than 20% of total people living below the poverty line. Applications will receive higher scoring if 30% or more of households in the community are paying gross rent equal to 35% or more of household income. Applications demonstrating a greater need for units affordable to ELI households, as supported by a market study or analysis will be prioritized over those which have lesser need or have not clearly documented the local market. Age of local housing stock: Subject to housing need, applications will score higher in communities where more than 80% of local housing stock was built prior to 1980.

Affordable Housing

AP-55 Affordable Housing – 24 CFR 91.320(g)

Introduction:

The one-year goals vary by program and the population to be served. Some of the data in the following tables may overlap due to some programs that assist households in addition to individuals. Those served by the Tenant Based Rental Assistance (TBRA) program, for instance, may be homeless receiving rental assistance, in addition to those receiving TBRA who aren't homeless but have special needs.

One Year Goals for the Number of Households to be Supported	
Homeless	255
Non-Homeless	400
Special-Needs	106
Total	761

Table 11 - One Year Goals for Affordable Housing by Support Requirement

One Year Goals for the Number of Households Supported Through	
Rental Assistance	700
The Production of New Units	23
Rehab of Existing Units	8
Acquisition of Existing Units	30
Total	761

Table 12 - One Year Goals for Affordable Housing by Support Type

Discussion:

The above goals and metrics are reported annually in the Consolidated Annual Performance Report (CAPER).

AP-60 Public Housing - 24 CFR 91.320(j)

Introduction:

The State will from time to time provide support and technical assistance to PHAs upon local request.

Specific financial assistance to PHAs under any of the Consolidated Plan formula grant programs will be considered as any other application competing for those funds unless the administering State agency determines that both cause and authority exist to prioritize such funding under the current Consolidated Plan and the program's guidelines.

Actions planned during the next year to address the needs to public housing

This Annual Plan is for a State grantee. No summary information is available on the actions planned for the multiple public housing authorities in Kansas.

Actions to encourage public housing residents to become more involved in management and participate in homeownership

To encourage public housing residents to become more involved in homeownership, KHRC has begun sending emails to the PHAs regarding the First Time Homebuyer Program. KHRC will ask that they post the information in a common area for residents viewing.

If the PHA is designated as troubled, describe the manner in which financial assistance will be provided or other assistance

As this plan is for a State grantee, no summary information is available on the actions planned for the multiple public housing authorities in Kansas.

Discussion:

AP-65 Homeless and Other Special Needs Activities – 91.320(h)

Introduction

The Emergency Solutions Grant (ESG) program works closely with the Kansas Balance of State CoC and Johnson County CoC, as well as the other Kansas continuum of care networks and other community partners to better serve the needs of communities and homeless people across the state.

Describe the jurisdictions one-year goals and actions for reducing and ending homelessness including

Reaching out to homeless persons (especially unsheltered persons) and assessing their individual needs

The Emergency Solutions Grants Program (ESG) is a federal block grant authorized by subtitle B of the McKinney Vento Homelessness Assistance Act and is administered by the U.S. Department of Housing and Urban Development.

ESG funds are to be used for services to homeless and near homeless individuals and families.

The Emergency Solutions Grants Program (ESG) program provides funding for the following eligible activities:

- Street Outreach
- Emergency Shelter, Homeless Prevention, Rapid Rehousing, HMIS.

The one-year goal for ESG housing programs includes: In total 2,579 Households assisted and 322 homeless prevention cases.

Addressing the emergency shelter and transitional housing needs of homeless persons

The Kansas Balance of State Continuum of Care (BoS CoC) will continue to utilize Homeless Prevention Rapid Rehousing through the ESG Program and existing BoS CoC HUD funded projects to move individuals and families from homelessness to permanent housing. In 2022, the BoS CoC was awarded funding through the HUD CoC Special NOFO – Rural Set Aside funding. This was a highly competitive grant process. This included \$1,009,568 being awarded to Southeast Kansas for permanent supportive housing, \$1,227,420 being awarded to McPherson Housing Coalition for permanent supportive housing, \$167,418 being awarded to Kansas Housing Resources Corporation for HMIS funds dedicated to the rural set aside projects and \$197,419 being awarded to KSHC for coordinated entry expansion to southeast Kansas. In 2024, the U.S. Department of Housing and Urban Development awarded the Kansas Continuum of Care a total of \$13,207,880 as part of the annual CoC competition. Of this total,

Overland Park/Johnson County received \$1,061,657 and the Balance of State CoC received \$4,042,627.

The Kansas BoS CoC has a total of 1089 emergency shelter, safe haven and transitional housing beds. In the 2024 PIT count, a total of 1089 people reported being literally homeless: Sheltered in Emergency Shelter Total Persons - 597, Sheltered in Transitional Housing Total Persons - 190, Unsheltered Total Persons - 302.

The Johnson County CoC has a total of 201 emergency shelter and transitional housing beds In the 2024 PIT count for Johnson County, a total of 250 people reported being literally homeless: Sheltered in Emergency Shelter Total Persons – 166, Sheltered in Transitional Housing Total Persons – 26, Unsheltered Total Persons – 58.

The American Rescue Plan (ARP) provided funding to be allocated through the HOME formula to Participating Jurisdictions for the purpose of addressing the housing needs of the Qualifying Populations. The Kansas participating jurisdictions received \$38,957,954. Kansas Housing Resources Corporation received \$22,548,530 for non-entitlement communities statewide. Kansas Housing held multiple public meetings with stakeholders to develop the needs assessment and Allocation Plan for the HOME-ARP program. Providers throughout the state were invited to submit funding applications for the HOME-ARP funding. In 2024-2025, HOME-ARP has been awarded to multiple agencies statewide to provide supportive services, develop affordable rental housing, and to develop non-congregate shelters.

Helping homeless persons (especially chronically homeless individuals and families, families with children, veterans and their families, and unaccompanied youth) make the transition to permanent housing and independent living, including shortening the period of time that individuals and families experience homelessness, facilitating access for homeless individuals and families to affordable housing units, and preventing individuals and families who were recently homeless from becoming homeless again

The Kansas Balance of State Continuum of Care (BoS CoC) Coordinated Entry Committee (CEC) oversees the Coordinated Entry process to ensure that those who request or need assistance in all 8 regions are matched with appropriate housing and services. To standardize the process, the CEC developed and implemented policies and procedures including a policy for the 8 Regional Coordinated Entry Teams (RCET) to use the Vulnerability Index – Service Prioritization Decision Assistance Tool (VI-SPDAT) along with policies that focus on client choice and safety. To date, all RCETs have been trained on the policies and procedures as well as on the VI-SPDAT. The RCETs include Continuum of Care (CoC), Emergency Solutions Grant (ESG), Projects for Assistance in Transition from Homelessness (PATH), and Supportive Services for Veterans Families (SSVF) funded organizations. This also includes community-based organizations that serve at-risk populations. The RCETs meet monthly as does the CEC to review the regional and BoS CoC master lists to ensure that clients are receiving the resources they need. Apart from domestic violence providers, the shared Homeless Management Information System (HMIS) is

used to enter the VI-SPDAT data and generate the by-name master list for the BoS CoC, that can be sorted by region.

Additionally, the Kansas Statewide Homeless Coalition (KSHC) received a Coordinated Entry Improvement Project grant that was implemented at the end of 2019 to increase the capacity of the BoS CoC to support the CEC and RCETs in their implementation of coordinated entry. Partnerships between KHRC and KSHC and other integral organizations will be essential for assuring the continued success of coordinated entry across the state. Coordinated Entry is a critical component of providing the transition to permanent housing and independent living to prevent individuals and families from returning to homelessness.

Helping low-income individuals and families avoid becoming homeless, especially extremely low-income individuals and families and those who are: being discharged from publicly funded institutions and systems of care (such as health care facilities, mental health facilities, foster care and other youth facilities, and corrections programs and institutions); or, receiving assistance from public or private agencies that address housing, health, social services, employment, education, or youth needs

Destination Home:

The Destination Home program, in collaboration with all CoCs in Kansas, developed a Housing First Monitoring Tool and completed housing first monitoring for CoC funded agencies throughout the state. No agencies require Technical Assistance based on score. The monitoring tool was developed in conjunction with Dr. Sam Tsemberis as part of his consulting contract. During FY 2024, Dr. Tsemberis also provided 6 Housing First trainings across the state. By the end of FY 2024, at least 5 cohorts had started Life Coaching Certification training, with over 60 participants. More than 10 housing specialist trainings were created and more than 175 individuals across the state accessed those trainings, which are housed on KSHC's online learning management system.

Boundary Spanners:

Throughout FY 2024, the state was served by 3 boundary spanners: 1 in Balance of State, 1 in Topeka, and 1 in Wichita. Boundary Spanners received over 160 referrals, with 88 of those residing in NFMHs and 117 residing in the community as diversion cases. The Boundary Spanners housed at least 22 individuals last year. They completed more than 78 Coordinated Entry Assessments for those residing in NFMHs and for diversion cases who were residing in the community. The Boundary Spanner program

was expanded to include Johnson County and Wyandotte County in 2025.

Built for Zero Initiative:

105 Inside: BfZ Kansas: During FY 2024, Built for Zero was launched statewide. In April 2025, in conjunction with the Summit on Homelessness and Housing, key members of communities across the state met to officially launch the first action cycle. During this first action cycle, Wichita/Sedgwick County accomplished reaching the quality data threshold for Veterans - the first step in achieving functional zero homelessness. Additionally, Douglas County achieved a perfect score on the BfZ scorecard and is working on Quality Data verification. 105 Inside also launched the State Strategy team, whose job is to help clear barriers to housing for people experiencing homelessness at a state level.

Section 811 Award:

In FY 2024, the Kansas Housing Resources Corporation (KHRC) was awarded HUD's Section 811 Project Rental Assistance (PRA) grant, securing resources to connect 128 accessible homes with low-income Kansans with disabilities. Through an inter-agency partnership agreement, KDADS and KDHE are collaborating with KHRC to ensure these homes are paired with rental assistance and supportive services.

Housing Trust Fund

It is expected that the Housing Trust Fund will create new permanent rental housing opportunities for Extremely Low-Income families, including homeless families.

Discussion

The ESG program is designed to identify sheltered and unsheltered homeless persons, as well as those at risk of homelessness, and provide the services necessary to help those persons and/or families quickly regain stability in permanent housing after experiencing a housing crisis and/or homelessness.

The State will conduct a competitive application process to solicit proposals from subrecipients to fund street outreach programs. Programs selected for funding will include activities that reach out to persons experiencing homelessness and connect them with essential services including emergency shelter, housing, or critical services and provide urgent, non-facility based care to unsheltered homeless people who are unwilling or unable to access emergency shelter. The activities that are expected to be funded include engagement, case management, emergency health services, emergency mental health services, transportation, and services for special populations. The implementation of these activities is intended to meet the goal of supporting homeless households to achieve permanent and sustainable housing.

AP-70 HOPWA Goals – 91.320(k)(4)

One year goals for the number of households to be provided housing through the use of HOPWA for:	
Short-term rent, mortgage, and utility assistance to prevent homelessness of the individual or family	100
Tenant-based rental assistance	50
Units provided in permanent housing facilities developed, leased, or operated with HOPWA funds	0
Units provided in transitional short-term housing facilities developed, leased, or operated with HOPWA funds	50
Total	200

AP-75 Barriers to affordable housing – 91.320(i)

Introduction:

The State’s current Fair Housing Action Plan emphasizes activities that will increase knowledge of fair housing rights and reporting mechanisms among the general public, key service providers and policy makers. These include informing housing providers and consumers about fair housing rights and responsibilities, mandating State funded housing providers to promote fair housing choice and enlisting decision makers to advance the cause of fair housing.

As part of the Consolidated Planning process, the State of Kansas updated its AI for 2024.

Actions it planned to remove or ameliorate the negative effects of public policies that serve as barriers to affordable housing such as land use controls, tax policies affecting land, zoning ordinances, building codes, fees and charges, growth limitations, and policies affecting the return on residential investment

See Unique Appendix

Discussion:

Section MA-40 has a summary of the impediments to fair housing choice identified through the process.

AP-85 Other Actions – 91.320(j)

Introduction:

In addition to the actions detailed in the previous sections of this plan, Kansas will continue to address the other issues including the following:

Actions planned to address obstacles to meeting underserved needs

The greatest obstacle to meeting the underserved needs in the State, aside from lack of funding, is the lack of professional organizations and private providers of grant-writing and administrative capabilities in the areas needed. The CDBG program attempts to overcome this challenge by utilizing the assistance of 7 Regional Program Managers by KDC to help locate and identify available services and resources.

Actions planned to foster and maintain affordable housing

KHRC, KDC, and the USDA Rural Development conduct quarterly interagency meetings to plan and review collaborative efforts related to housing. KHRC has also been placed on e-mail/ mailing lists for upcoming events held by Kansas African American Affairs Commission and Kansas Hispanic & Latino Affairs Commission.

Actions planned to reduce lead-based paint hazards

The State will follow, and monitor grantees to ensure compliance with, the HUD lead-based paint regulations implementing Title X of the Housing and Community Development Act of 1992. These regulations cover the CDBG, HOME, ESG, and HOPWA programs, and identify the appropriate type of activity to control lead paint hazards, in projects using federal funds. The \$25,000 abatement threshold in Title X has not been adjusted since it was established, while construction/ rehabilitation costs have escalated. This precludes a number of homes from being rehabilitated because abatement costs make it financially unfeasible. The State will further comply with LBP regulations of the EPA and those enacted by the State of Kansas, including KDHE's licensing requirements for rehabilitation contractors.

KHRC will coordinate with KDHE for training, education and other resources related to lead based paint hazards and will require that grantees and sub grantees utilize staff and contractors that have the appropriate training and certification. KHRC is represented on the Healthy Homes Advisory Committee, a body organized and coordinated by KDHE, and which meets quarterly to review current issues related to LBP. The Kansas Healthy Homes Program can be found here: <http://www.kshealthyhomes.org/>

Actions planned to reduce the number of poverty-level families

The State developed an Economic Development Strategic Plan to facilitate statewide economic development. The plan is based on a belief that State government has two fundamental roles to play in

the process of economic development. First, it must establish a business environment that motivates as much risk-taking and competition as possible in the context of a level playing field. Second, it must steward taxpayer resources in the most effective manner possible; when the government strives to do its job well with as few resources as possible, it leaves more resources available for risk-taking and competition.

The State, in partnership with non-profit agencies and businesses, can influence the chances of moving families and individuals up and out of poverty by supporting local and regional efforts to improve family incomes.

State and regional projects and initiatives that will impact the employment and economic levels of employees and residents, such as infrastructure improvements to water and sewer systems, community facilities, and downtown commercial rehabilitation, will create a positive economic environment.

Actions planned to develop institutional structure

The biggest gap in the institutional delivery system is the large territory that must be covered by a limited number of staff members. Additionally, the distance and time required to travel makes it a difficult situation. KHRC will continue to work with other State agencies and local communities to overcome the gaps in institutional structure.

Actions planned to enhance coordination between public and private housing and social service agencies

KHRC continues to enhance collaboration and coordination with public and private housing and social service agencies, including USDA Rural Development and KDADS and KDHE. KHRC will also cooperate with cities, counties, and regions of the state for the best locations for affordable housing development using Low Income Housing Tax Credit (LIHTC), HTF, HOME, and the State Housing Trust Fund (SHTF).

Discussion:

Program Specific Requirements

AP-90 Program Specific Requirements – 91.320(k)(1,2,3)

Introduction:

Community Development Block Grant Program (CDBG)

Reference 24 CFR 91.320(k)(1)

Projects planned with all CDBG funds expected to be available during the year are identified in the Projects Table. The following identifies program income that is available for use that is included in projects to be carried out.

1. The total amount of program income that will have been received before the start of the next program year and that has not yet been reprogrammed	0
2. The amount of proceeds from section 108 loan guarantees that will be used during the year to address the priority needs and specific objectives identified in the grantee's strategic plan.	0
3. The amount of surplus funds from urban renewal settlements	0
4. The amount of any grant funds returned to the line of credit for which the planned use has not been included in a prior statement or plan	0
5. The amount of income from float-funded activities	0
Total Program Income:	0

Other CDBG Requirements

1. The amount of urgent need activities	0
2. The estimated percentage of CDBG funds that will be used for activities that benefit persons of low and moderate income. Overall Benefit - A consecutive period of one, two or three years may be used to determine that a minimum overall benefit of 70% of CDBG funds is used to benefit persons of low and moderate income. Specify the years covered that include this Annual Action Plan.	85.00%

HOME Investment Partnership Program (HOME)

Reference 24 CFR 91.320(k)(2)

1. A description of other forms of investment being used beyond those identified in Section 92.205 is as follows:

Kansas utilizes only the forms of investment included in Section 92.205

2. A description of the guidelines that will be used for resale or recapture of HOME funds when used for homebuyer activities as required in 92.254, is as follows:

A description of the guidelines that will be used for resale or recapture of HOME funds when used for homebuyer activities as required in 92.254, is as follows:

Federal Recapture (hereinafter "Recapture") provisions require that KHRC recoups all or a portion of the HOME assistance to the homebuyers if the housing subsidized does not continue to be the principal residence of the family for the duration of the period of affordability. The period of affordability is based upon the total amount of HOME funds subject to Recapture described in 24 CFR 92.254 (a)(5)(ii)(A)(5). For Note Holder, this period is ten (10) years for homebuyers assisted by the HOME Program. The HOME investment that is subject to Recapture is based on the amount of HOME assistance that enabled the homebuyer to buy the dwelling unit.

If Borrower sells the property during the 10 year period of affordability, Note Holder shall calculate the Recapture amount using the *Reduction method*. Under this method, the terms of forgiveness shall be as follows:

Principal amounts of less than fifteen thousand dollars (\$15,000) shall be reduced by a pro rata monthly reduction of one-half (1/2) of the principal balance over a period of sixty (60) months and the remaining one-half (1/2) of principal shall be forgiven after one hundred twenty (120) months, *provided* all rules and regulations associated with the Program are complied with.

Principal amounts of fifteen thousand dollars (\$15,000) or greater shall be reduced on a pro rata monthly reduction for one-half (1/2) of the principal balance over a period of one hundred twenty (120) months and the remaining one-half (1/2) of principal shall be forgiven after one hundred twenty (120) months, *provided* that all rules and regulations associated with the Program are complied with.

However, should a property's appraised value be below the amount required for full repayment, or the property has been on the market for over 6 months without a contract, the *Shared Net Proceeds* method may be used. The net proceeds are the sales price minus loan repayment (other than HOME funds) and closing costs. The net proceeds may be divided proportionally as set forth in the following mathematical formulas:

$$\text{HOME Investment} / (\text{HOME Investment} + \text{Homeowner investment}) = \text{HOME Percentage}$$

$$\text{Homeowner Investment} / (\text{HOME Investment} + \text{Homeowner investment}) = \text{Homeowner Percentage}$$

If the property goes into foreclosure or Borrower deeds the property in lieu of foreclosure, Note Holder shall calculate the Recapture amount using the *Shared Net Proceeds method*. Under this method, if there are no net proceeds or the net proceeds are insufficient to repay the HOME

investment due, Note Holder will only Recapture the net proceeds, if any. The net proceeds are the sales price minus superior loan repayment (other than HOME funds) and any closing costs. The net proceeds may be divided proportionally as set forth in the following mathematical formulas:

$$\text{HOME Investment} / (\text{HOME Investment} + \text{Homeowner investment}) = \text{HOME Percentage}$$
$$\text{Homeowner Investment} / (\text{HOME Investment} + \text{Homeowner investment}) = \text{Homeowner Percentage}$$

THIS TEXT BOX DOES NOT ALLOW SPACE FOR THE FULL RESALE/RECAPTURE PROVISIONS, THUS WAS CUT OFF WHEN SAVING. PLEASE SEE THE REMAINING RESPONSE IN THE FAR BELOW DISCUSSION. OUR APOLOGIES, AS THIS BOX DOES NOT ACCOMODATE THE FULL CORRECT RESPONSE.

3. A description of the guidelines for resale or recapture that ensures the affordability of units acquired with HOME funds? See 24 CFR 92.254(a)(4) are as follows:

A period of affordability of units acquired with HOME funds will be followed per CFR 92.254(a)(4). The soft second mortgage will be forgiven over a 60 month period or 120 month period depending upon the level of assistance received.

4. Plans for using HOME funds to refinance existing debt secured by multifamily housing that is rehabilitated with HOME funds along with a description of the refinancing guidelines required that will be used under 24 CFR 92.206(b), are as follows:

HOME funds will not be used to refinance existing debt secured by multifamily housing that is rehabilitated with HOME funds.

5. If applicable to a planned HOME TBRA activity, a description of the preference for persons with special needs or disabilities. (See 24 CFR 92.209(c)(2)(i) and CFR 91.220(l)(2)(vii)).

At this time, HOME TBRA activities do not give preference to persons with special needs or disabilities. Sub-recipients may establish Tenant Based Rental Assistance (TBRA) preferences, such as those for persons with disabilities, the elderly, very low income, and homeless Kansans.

6. If applicable to a planned HOME TBRA activity, a description of how the preference for a specific category of individuals with disabilities (e.g. persons with HIV/AIDS or chronic mental illness) will narrow the gap in benefits and the preference is needed to narrow the gap in benefits and services received by such persons. (See 24 CFR 92.209(c)(2)(ii) and 91.220(l)(2)(vii)).

At this time, HOME TBRA activities do not give preference to persons with special needs or

disabilities. Sub-recipients may establish Tenant Based Rental Assistance (TBRA) preferences, such as those for persons with disabilities, the elderly, very low income, and homeless Kansans.

7. If applicable, a description of any preference or limitation for rental housing projects. (See 24 CFR 92.253(d)(3) and CFR 91.220(l)(2)(vii)). Note: Preferences cannot be administered in a manner that limits the opportunities of persons on any basis prohibited by the laws listed under 24 CFR 5.105(a).

At this time, there is no preference or limitations for rental housing projects.

Emergency Solutions Grant (ESG) Reference 91.320(k)(3)

1. Include written standards for providing ESG assistance (may include as attachment)

KHRC will require ESG awardees to have established and implemented written standards for providing ESG assistance prior to executing grant award contracts.

KHRC will require awardees to establish written standards that include:

- a) Standard policies and procedures for evaluating individuals' and families' eligibility for assistance under Emergency Solutions Grant (ESG).
- b) Policies and procedures for coordination among emergency shelter providers, essential service providers, homelessness prevention and rapid re-housing assistance providers, other homeless assistance providers, and mainstream service and housing providers.
- c) Policies and procedures for determining and prioritizing which eligible families and individuals will receive homelessness prevention assistance and which eligible families and individuals will receive rapid re-housing assistance.
- d) Standards for determining the share of rent and utilities costs that each program participant

must pay, if any, while receiving homelessness prevention or rapid re-housing assistance.

e) Standards for determining how long a particular program participant will be provided with rental assistance and whether and how the amount of that assistance will be adjusted over time.

f) Standards for determining the type, amount, and duration of housing stabilization and/or relocation services to provide a program participant, including the limits, if any, on the homelessness prevention or rapid re-housing assistance that each program participant may receive, such as the maximum amount of assistance, maximum number of months the program participants receives assistance; or the maximum number of times the program participants may receive assistance.

2. If the Continuum of Care has established centralized or coordinated assessment system that meets HUD requirements, describe that centralized or coordinated assessment system.

The State of Kansas supports a continuum of care approach among State ESG recipients. KHRC collaborates on a recurring basis with the Balance of State CoC and the Johnson County CoC. All funds from the State's ESG funding are made available to the non ESG entitlement continuums. Continuum of Care components include affordable, accessible, and integrated permanent housing and homeless services that enable individuals and families to reach the maximum degree of self-sufficiency possible. In reviewing ESG applications, the State relies on local units of government to determine what their communities' unique homeless needs may be, and how the ESG program can assist with those needs. This approach allows local jurisdictions to determine their own priorities and needs in addressing homelessness in their communities.

The State requires all subrecipients of ESG funding to participate in the coordinated entry process designated by their local Continuum of Care (CoC), which includes an assessment system based upon the individual community needs. Subrecipients that operate within the Kansas Balance of State BoS CoC utilize the Vulnerability Index Services Prioritization Decision Tool (VI-SPADT).

3. Identify the process for making sub-awards and describe how the ESG allocation available to private nonprofit organizations (including community and faith-based organizations).

Funds are made available annually to local units of government, who in turn distribute them to agencies in their community that assist the homeless.

KHRC is awarded these funds annually and makes them available for application to local units of government of non ESG entitlement communities of Kansas. As part of their application, local units of government allocate funds for specific activities to private nonprofit organizations that provide services to the homeless in their community. A recipient nonprofit organization must be tax exempt under Section 501 (c) (3) of the Internal Revenue Code and must have an acceptable accounting system, have a voluntary board, and practice non-discrimination in hiring practices and the provision of services.

4. If the jurisdiction is unable to meet the homeless participation requirement in 24 CFR 576.405(a), the jurisdiction must specify its plan for reaching out to and consulting with homeless or formerly homeless individuals in considering policies and funding decisions regarding facilities and services funded under ESG.

576.405(a), the jurisdiction must specify its plan for reaching out to and consulting with homeless or formerly homeless individuals in considering policies and funding decisions regarding facilities and services funded under ESG.

This requirement does not apply to states.

5. Describe performance standards for evaluating ESG.

Performance standards will be established and continue to evolve over the next few years as the ESG Interim Rule is implemented and as ESG program outcomes are determined through the evaluation of Homeless Management Information System (HMIS) data and through integration of ESG services into their local continuum of care. The program's focus has changed from addressing the needs of homeless people in emergency or transitional shelters to assisting people to quickly regain stability in permanent housing after experiencing a housing crisis and/or homelessness.

The State requires subrecipients to establish written standards for their ESG programs and submit those standards along with policies to KHRC when applying for funds. KHRC establishes minimum standards acceptable for subrecipients for all programs, as well as specific standards for Street Outreach, Emergency Shelter, Homelessness Prevention, and Rapid Re-housing. A copy of those minimum standards is included in the unique appendices.

Housing Trust Fund (HTF)
Reference 24 CFR 91.320(k)(5)

1. How will the grantee distribute its HTF funds? Select all that apply:

Applications submitted by eligible recipients

2. If distributing HTF funds through grants to subgrantees, describe the method for distributing HTF funds through grants to subgrantees and how those funds will be made available to state agencies and/or units of general local government. If not distributing funds through grants to subgrantees, enter "N/A".

KHRC will not distribute HTF funds through local jurisdiction subgrantees.

3. If distributing HTF funds by selecting applications submitted by eligible recipients,

a. Describe the eligibility requirements for recipients of HTF funds (as defined in 24 CFR § 93.2). If not distributing funds by selecting applications submitted by eligible recipients, enter "N/A".

See above.

b. Describe the grantee's application requirements for eligible recipients to apply for HTF funds. If not distributing funds by selecting applications submitted by eligible recipients, enter "N/A".

A formal system will be used to evaluate, select, and fund applications for loans. The selection criteria are designed to facilitate an objective assessment of need for the proposed housing, the applicant's capacity to develop and manage affordable housing, and the specific characteristics of the proposed activity (including but not limited to location and site planning, building design and construction, affordability, cost reasonableness, and financial sustainability). When the application becomes available it will be provided on request, and reasonable attempts will be made to notify potential applicants of its availability. The application dates and review period will coincide with those of KHRC's Low Income Housing Tax Credit (LIHTC) and HOME Rental Development application rounds, in order to facilitate the combining and leveraging of those resources to develop affordable housing. Additional HTF application rounds may be scheduled if necessary to distribute the available funds.

c. Describe the selection criteria that the grantee will use to select applications submitted by eligible recipients. If not distributing funds by selecting applications submitted by eligible recipients, enter "N/A".

Projects will be selected for geographic diversity including urban and rural communities across the state.

d. Describe the grantee's required priority for funding based on geographic diversity (as defined by the grantee in the consolidated plan). If not distributing funds by selecting applications submitted by eligible recipients, enter "N/A".

HTF funds will be distributed statewide, including HOME and CDBG Entitlement Communities to eligible recipients whose applications address the criteria outlined in this allocation plan as well as priority housing needs as identified in the state's Consolidated Plan. Applications will be evaluated for local need. Geographic priorities for the development of housing for general occupancy will be communities (cities, counties, geographic regions, neighborhoods) with significantly higher rates of poverty or shortage of housing for Extremely Low Income (ELI) households compared to other locations. Developments which preserve housing with PBRA, or which target housing for populations with historically higher rates of ELI, such as elderly, disabled, or homeless households, may receive priority regardless of other geographic factors.

e. Describe the grantee's required priority for funding based on the applicant's ability to obligate HTF funds and undertake eligible activities in a timely manner. If not distributing funds by selecting applications submitted by eligible recipients, enter "N/A".

Applications for funding are approved, in part, based on the conditional commitment of other funding sources, documentation of preliminary site control, and other evidence that the project will be ready to proceed ahead of any deadlines for HTF funding commitment.

f. Describe the grantee's required priority for funding based on the extent to which the rental project has Federal, State, or local project-based rental assistance so that rents are affordable to extremely low-income families. If not distributing funds by selecting applications submitted by eligible recipients, enter "N/A".

The funding application review includes scoring advantages for developments that have a commitment for project based rental assistance, or documentation of the intent of the PRBA provider to commit such assistance.

g. Describe the grantee’s required priority for funding based on the financial feasibility of the project beyond the required 30-year period. If not distributing funds by selecting applications submitted by eligible recipients, enter “N/A”.

Applications are evaluated for feasibility and sustainability, including cash flow and reserves projections to indicate the property will be viable over the 30-year affordability period.

h. Describe the grantee’s required priority for funding based on the merits of the application in meeting the priority housing needs of the grantee (such as housing that is accessible to transit or employment centers, housing that includes green building and sustainable development features, or housing that serves special needs populations). If not distributing funds by selecting applications submitted by eligible recipients, enter “N/A”.

Application scoring gives preference to proposals that meet the above and other identified priorities.

i. Describe the grantee’s required priority for funding based on the extent to which the application makes use of non-federal funding sources. If not distributing funds by selecting applications submitted by eligible recipients, enter “N/A”.

The application process provides scoring advantage to proposals that effectively leverage non-federal sources of funds.

4. Does the grantee’s application require the applicant to include a description of the eligible activities to be conducted with HTF funds? If not distributing funds by selecting applications submitted by eligible recipients, select “N/A”.

Yes

5. Does the grantee’s application require that each eligible recipient certify that housing units assisted with HTF funds will comply with HTF requirements? If not distributing funds by selecting applications submitted by eligible recipients, select “N/A”.

Yes

6. Performance Goals and Benchmarks. The grantee has met the requirement to provide for performance goals and benchmarks against which the grantee will measure its progress, consistent with the grantee's goals established under 24 CFR 91.315(b)(2), by including HTF in its housing goals in the housing table on the SP-45 Goals and AP-20 Annual Goals and Objectives screens.

Yes

7. Maximum Per-unit Development Subsidy Amount for Housing Assisted with HTF Funds.

Enter or attach the grantee's maximum per-unit development subsidy limits for housing assisted with HTF funds.

The limits must be adjusted for the number of bedrooms and the geographic location of the project. The limits must also be reasonable and based on actual costs of developing non-luxury housing in the area.

If the grantee will use existing limits developed for other federal programs such as the Low Income Housing Tax Credit (LIHTC) per unit cost limits, HOME's maximum per-unit subsidy amounts, and/or Public Housing Development Cost Limits (TDCs), it must include a description of how the HTF maximum per-unit development subsidy limits were established or a description of how existing limits developed for another program and being adopted for HTF meet the HTF requirements specified above.

The limits must be adjusted for the number of bedrooms and the geographic location of the project. The limits must also be reasonable and based on actual costs of developing non-luxury housing in the area.

If the grantee will use existing limits developed for other federal programs such as the Low Income Housing Tax Credit (LIHTC) per unit cost limits, HOME's maximum per-unit subsidy amounts, and/or Public Housing Development Cost Limits (TDCs), it must include a description of how the HTF maximum per-unit development subsidy limits were established or a description of how existing limits developed for another program and being adopted for HTF meet the HTF requirements specified above.

The limits must be adjusted for the number of bedrooms and the geographic location of the project. The limits must also be reasonable and based on actual costs of developing non-luxury housing in the area.

If the grantee will use existing limits developed for other federal programs such as the Low Income Housing Tax Credit (LIHTC) per unit cost limits, HOME's maximum per-unit subsidy amounts, and/or Public Housing Development Cost Limits (TDCs), it must include a description of how the HTF maximum per-unit development subsidy limits were established or a description of how existing limits developed for another program and being adopted for HTF meet the HTF requirements specified above.

Beginning in 2020, HTF per-unit subsidy limits are the same as for the HOME program.

8. Rehabilitation Standards. The grantee must establish rehabilitation standards for all HTF-assisted housing rehabilitation activities that set forth the requirements that the housing must meet upon project completion. The grantee's description of its standards must be in sufficient detail to determine the required rehabilitation work including methods and materials. The standards may refer to applicable codes or they may establish requirements that exceed the minimum requirements of the codes. The grantee must attach its rehabilitation standards below.

In addition, the rehabilitation standards must address each of the following: health and safety; major systems; lead-based paint; accessibility; disaster mitigation (where relevant); state and local codes, ordinances, and zoning requirements; Uniform Physical Condition Standards; Capital Needs Assessments (if applicable); and broadband infrastructure (if applicable).

Rehabilitation Standards

For HOME and Housing Trust Fund Rental Development

At a minimum, housing to be rehabilitated using HOME and/or Housing Trust Fund financing must be rehabilitated or repaired to meet the following requirements:

1. **HEALTH AND SAFETY:** The property must be inspected for health and safety hazards and deficiencies, and any such deficiencies must be addressed immediately (within 48 hours) after acquisition (or commitment of funds, if later), if the affected unit is to remain occupied, or the affected common area is to remain in use.
2. **BUILDING CODE:** In the absence of local building codes, the housing must be rehabilitated to meet the International Existing Building Code of the International Code Council. The general contractor or architect shall certify compliance with the applicable code.
3. **LEAD BASED PAINT:** Buildings must be rehabilitated in compliance with the HUD Lead Based Paint standard at 24 CFR Part 35, Subpart J. If necessary, developer must provide for relocation of any occupants from units or buildings where rehabilitation has the potential to create or disturb lead paint hazards. http://www.ecfr.gov/cgi-bin/text-idx?tpl=/ecfrbrowse/Title24/24cfr35_main_02.tpl
4. **UPCS:** Rehabilitation must, *at a minimum*, ensure that all buildings and units, on completion, meet the Uniform Physical Condition Standards for Multifamily and Single Family Housing Rehabilitation. Appendix A identifies the minimum UPCS requirements to be addressed in the rehabilitation inspection and Scope of Work. <https://www.hudexchange.info/onecpd/assets/File/HTF-FAQ-Appendices-UPCS-for-Multifamily-and-Single-Family-Housing-Rehabilitation.pdf>
5. **SYSTEMS:** Major systems, including structural support, roofing, cladding and weatherproofing, plumbing, electrical and HVAC, must be replaced or repaired based on an estimated useful life of the systems. If the estimated life is less than 5 years, the system should be replaced. If the useful life of any component is estimated at less than the affordability period, adequate

reserve contributions must be scheduled to ensure funds for replacement when anticipated.

6. CAPITAL NEEDS ASSESSMENT: For projects of 12 units or more, a capital needs assessment must be performed by an independent party, and scope of work determined based on that assessment. The CNA and scope of work must be reviewed and approved by KHRC prior to commencement of work.
7. ACCESSIBILITY: The accessibility requirements of Section 504 of the Rehabilitation Act of 1973 apply, as well as Titles II and III of the ADA, and the requirements of the Fair Housing Act. HUD Notice CPD-00-09 (<https://www.hudexchange.info/resources/documents/Notice-CPD-00-09-Section-504-Fair-Housing-Act-HOME-CDBG.pdf>) describes the requirements of Section 504 as they relate to the HOME and CDBG programs. Kansas projects funded using the HTF may use this notice as guidance.
 - a. For multifamily projects (4 or more units) undergoing 'substantial alterations' (15 or more units total, with rehab costs at or above 75% of replacement cost of the completed facility), at least 5% of the units must meet UFAS standards for physical accessibility, and 2% must be accessible to individuals with sensory impairments.
 - b. For rehabilitation below that threshold, units must be made accessible to the maximum extent feasible, up to the 5%/2% requirement; and if alteration of elements within a unit amount to a 'substantial alteration' of that unit, it must be made accessible to UFAS standards, up to 5% of the total units.
 - c. All modifications, regardless of project size or building configuration, must take accessibility into account. When moving or altering entrances and doorways, installing walkways, remodeling bathrooms, relocating switches and controls, etc., reasonable measures must be taken to enhance usability and accessibility.
8. ENERGY EFFICIENCY: The scope of work must include measures to improve the energy efficiency and reduce water usage in the unit. If replacing HVAC equipment, doors and windows, appliances, lighting equipment, etc., such replacement must be with equipment that meets or exceeds current standards for energy efficiency. If equipment is not to be replaced during rehab, but is budgeted with reserves for later replacement, the subsequent

replacement must be with energy efficient equipment. Buildings undergoing 'substantial alteration' shall be improved to meet the current energy standard for federally assisted housing (currently IECC 2009).

- a. Furnaces shall be a minimum 92% efficient.
 - b. Air conditioning shall be a minimum of 14 SEER.
 - c. Air source heat pumps shall be a minimum HSPF of 8.5.
 - d. Windows shall have a U-value of <.30.
 - e. Appliance replacement must be with Energy Star units, if available.
 - f. Insulation shall be added where possible to a minimum attic value of R-38 (R-49 preferred). Wall insulation should be evaluated, and blown in cellulose or similar used, when feasible, to get an R-13 rating.
 - g. Careful attention must be paid to air sealing, including doors and windows, wall or attic penetrations, access panels, etc.
 - h. Certification by an approved energy rater of post-rehab HERS scores at 85 or below is an acceptable substitute for specific prescriptive specifications, and may provide design flexibility.
 - i. Energy rating by an approved rater, with blower door test and recommendations is required for projects involving 'substantial rehabilitation, or of 6 units or more. For multifamily buildings, a representative sampling is acceptable.
 - j. EXCEPTIONS: Waivers may be granted to specific elements or requirements for projects where doing so is not architecturally feasible (e.g., restoration of an historic property).
9. LOCAL AND STATE REQUIREMENTS: All housing rehabilitated with HOME and/or HTF funds shall comply with state and local building codes, property standards, occupancy standards, disaster mitigation requirements, and other ordinances and zoning requirements.
10. ENVIRONMENTAL REVIEW: Projects funded with HOME or HTF are subject to an environmental review process, which may result in specific requirements as conditions of approval. The scope of work must address any such conditions, and documentation must be provided to verify compliance. Examples include, but are not limited to, asbestos removal, radon mitigation, noise attenuation, historic preservation, lead hazard

remediation, etc. No rehabilitation may take place prior to completion and approval of the environmental review.

Reference: 24 CFR Parts 92 and 93, the IEBC, 24 CFR Parts 8 and 35, 24 CFR 100.205, and the UPCS Standards at 24 CFR 5.703 are incorporated in this document by reference, and should be consulted for a complete understanding of the requirements.

Kansas Housing Resources Corporation reserves the right to update and amend this document periodically to incorporate new or revised information.

Annual Action Plan
2023

130

OMB Control No: 2506-0117 (exp. 09/30/2021)

Annual Action Plan
2026

130

OMB Control No: 2506-0117 (exp. 09/30/2021)

IHRC Rehabilitation Standards - UAC's Inacceptable Items

IHRC Rehab Standards Appendix A: Uniform Physical Condition Standards for Multifamily Housing of Single Family Rehabilitation	NOTE: Deficiencies highlighted in yellow are life-threatening and must be addressed immediately, if occupied or before occupancy.		
Inspectable Item	Observable Deficiency	Type and Degree of Deficiency that must be addressed	Minimum Rehab Standard
Health, Safety and Life Threatening Conditions - All Areas			
Air quality	Air Quality - fire Hazard - Propane/Natural Gas/Methane Gas	Any propane, natural gas or methane leaks or odors detected that could pose a risk of explosion/ fire and/or health risk from inhalation	All gas lines and appliances must be inspected for leaks or potential leaks, and corrected by a licensed professional. Immediate evacuation or occupied buildings and adjacent areas is required if detected.
Electrical	Electrical Hazards - Exposed Wires/Open Panels	Any exposed bare wires or openings in electrical panels	Entire electrical system shall be inspected and hazards or potential hazards corrected
	Electrical Hazards - Water Leaks on/near Electrical Equipment	Any water leaking, puddling or ponding on or immediately near any electrical apparatus	Electrical system shall be inspected for proximity to water sources, and potential hazards corrected or eliminated by qualified professionals

KHRC Rehabilitation Standards - UAC's Inaccessible Items

Fire Safety and Ramenables	Emergency Fire Exits - Emergency Fire Exits Blocked/Unusable	An exit which is not accessible or easily usable because a door or window is nailed shut, a lock is broken, panic hardware is damaged, clutter, storage, or other obstructions exist.	All fire exits including egress windows shall be inspected and determined to be clear, usable, and accessible; and any corrections made prior to occupancy.
	Emergency Fire Exits - Missing Exit Signs	Exit signs that clearly identify all emergency exits are missing or there is no illumination in the area of the sign.	Exit signs, if required by state or local codes or regulations, shall be present, in good condition, and illuminated.
	Windows - Security Bars Present/Inoperable	The ability to exit through the window is limited by security bars that do not function properly and, therefore, pose safety risks.	If present, window bars must be in good condition and easily operated to allow safe, quick egress.
	Fire Escape - Blocked Egress/Ladders	Obstructions restrict or block people from exiting.	Routes to, from and through the unit must be accessible and clear of obstructions, with a minimum 36" clear route and 32" clear openings where feasible. Window egress, fire escapes and ladders, if present, must be unobstructed.
	Smoke Detector Missing/Inoperable	Operable smoke detectors are required in each bedroom or sleeping area, in the vicinity outside of sleeping rooms, and on each level of the common living area. Hard wired, interconnected, with battery backup.	Smoke detectors must be present and operable in each bedroom, sleeping area, and in any other locations as required by applicable state or local codes and regulations. Smoke detectors are to be hard wired and interconnected with battery backup.

KHRC Rehabilitation Standards - UAC's Insectable Items

	Flammable Materials Improperly Stored	Flammable materials are improperly stored, causing the potential risk of fire or explosion	Any flammable materials that must be stored onsite shall be in secure and fire-safe storage.
	Missing/Damaged/Expired Extinguishers	There is missing, damaged or expired fire extinguisher in any area of the building where a fire extinguisher is required	Fire extinguishers, if required, or otherwise provided by owner, shall be inspected and maintained as required by state or local codes and regulations and shall have inspection tags verifying such.
	Misaligned Chimney/Ventilation System	A misalignment of an exhaust system on a combustion fuel-fired unit (oil, natural gas, propane, wood pellets etc.) that causes improper or dangerous venting of gases	Ventilation of exhaust gases from combustion appliances must be in conformance with local codes and manufacturer specifications, and must provide positive ventilation of such gases from the building.
Fire Protection	Missing Sprinkler Head	Sprinkler system is missing parts for operation	Required or otherwise present, sprinkler systems must be complete, intact, operational, and subject to regular inspection by qualified professional.
Other Health and Safety - All Areas			
Health, Safety and Life-Threatening Conditions	Address all above as applicable		
Air Quality	Sewer odors	Sewer odors, any	DWV shall be inspected by a qualified professional and must in intact condition, free of obstructions, and must drain and vent properly. Necessary corrections to be performed by a licensed plumber.

KHRC Rehabilitation Standards - UAC's Inspectable Items

Air Quality	Radon	Tested radon levels at or above 4.0 pCi/l	Each building ground floor level shall be tested by a qualified radon professional. If levels >4.0 pCi/l are detected, retesting at same location is required. If below 4.0, test a third time. If two readings are above 4.0, submit a mitigation plan to KHRC for approval.
Air Quality	Mold and/or mildew	Evidence of mold or mildew	All interior surfaces must be free of mold, mildew, or insect conditions which are conducive to the growth of such. Rehab scope shall include clearing, repair and correction of any mold inducing conditions, and shall provide for adequate ventilation and air exchange within the buildings, including powered mechanical ventilation if indicated.
Electrical	Missing/Broken Cover Plates	An outlet or switch has a broken cover plate over a junction box or the cover plate is missing or not fitting correctly	All outlets, switches and boxes must have intact covers that are appropriate to each fixture.
Other Hazards	Garbage and Debris - Indoors and Outdoors	Inadequate storage capacity, or storage in areas not sanctioned for staging or storing garbage or debris	Rehab scope shall provide for secure, accessible storage for solid waste in an appropriate location, and of adequate volume to contain garbage and debris generated between removal times. Removal times shall be not less than weekly.

KHRC Rehabilitation Standards - UAC's Inaccessible Items

Other Hazards	Hazards - Sharp Edges	Any physical defect that could cause cutting or laceration of human skin or other bodily harm	Site and buildings shall be free of hazards involving sharp edges, such as exposed rebar or other metal, broken glass, etc. Inspections shall identify, and scope of work shall include mitigation or correction of any such hazards.
Other Hazards	Hazards - Tripping	Any physical defect in walkways or other traveled area that poses a tripping risk	Walkways and traveled areas shall be safe and free of defects or unnecessary obstructions or abrupt and unexpected elevation changes
Other Hazards	Elevator - Tripping	An elevator is misaligned with the floor by more than 3/8 of an inch. The clearance does not level as it should, which causes a tripping hazard	Elevators, if present, shall operate properly and be free of tripping hazards. Regular inspections shall be performed by qualified professionals.
Pool or other areas	Fencing - Damaged/Not Intact	Any damage that could compromise the integrity of the fence	If present, pools and other potentially dangerous areas must be securely fenced and functional, and must comply with state or local codes.
Pests	Infestation - Insects	Evidence of infestation of insects including roaches and ants	The property shall be free of infestations or conditions which might create or harbor infestations, including overgrowth of vegetation, unsealed areas where pests can enter, sources of water and food, etc. If signs of infestation are present, treatment shall be provided by a licensed pest control firm.

IFHC Rehabilitation Standards - UAC's Inspectable Items

Pests	Infestation - Rats/Mice/Vermin	Evidence of rats or mice - signings, rat or mouse holes, or droppings	Property shall be inspected for indications of infestation. If present, mitigation by a qualified professional is required. Clean area, bait or trap for rodents, inspect for, repair and seal access points in area and building.
Other Hazards	Hazards - Other	Any general defects or hazards that pose risk of bodily injury	The property shall be inspected for any potential hazards not otherwise identified in this document, and scope of work shall include mitigation of any such hazard.
Site Requirements			
Health, Safety and Life Threatening Conditions	Address all above as applicable		
Mailboxes/Project Signs	Mail box missing/damaged	Mail box cannot be locked or is missing	Mailboxes shall be provided, whether individual or central, that are lockable and compliant with USPS requirements. May be in common area inside of buildings if permitted by USPS.

RHC Rehabilitation Standards - UACs Insectable Items

Grounds	Erosion and drainage	Site does not drain positively away from buildings. Runoff is displacing or may displace soils or eroding surfaces around structures and an usable area of the site.	Site must drain positively away from buildings with minimal to no erosion. Repair eroded or damaged soil areas, and any structures, paving or other features which have been affected. Fill grade and/or slope as appropriate to provide positive drainage, eliminate erosion or ponding, and to create vegetative or other means of stabilizing and holding soil.
Grounds	Overshoot/Penetrating Vegetation	Overshoot of vegetation risks damaging a component, area or system of the property or makes areas unusable for the intended purpose.	Site and buildings shall be free from overgrown or penetrating vegetation. Remove vegetation as needed. Replacement should be with appropriate low maintenance, drought tolerant species and landscape materials to create an attractive, safe, and usable outdoor space. Repair or replace any site or building components damaged by overshoot.
Grounds	Signs Damaged or missing	Property signage including those required for traffic control, accessibility, and visitor/donor convenience are missing, damaged, incorrectly placed or illegible.	Required signage (e.g., handicapped parking, fire lanes, etc.) must be present. Ensure that required signage is in good condition, legible, properly sized and placed. Required accessibility signage must be present and compliant with applicable regulations and requirements.

PHC Rehabilitation Standards - UACs Inspectable Items

Parking Lots/Driveways/Roads	Cracks, ponding, potholes, loose material, settlement/heaving	Paving is to be structurally sound with smooth surfaces free of significant defects (cracks, potholes, settling, trip hazards or other safety risks, or loose materials (unless designed as such, e.g. for permeability)	Paving materials shall be inspected to ensure they are structurally sound, smooth, and free of significant defects. The scope of work shall include needed repairs or replacement.
Play Areas and Equipment	Damaged/Broken Equipment, deteriorated surfaces	Paving is to be structurally sound with smooth surfaces free of significant defects (cracks, potholes, settling, trip hazards or other safety risks, or loose materials (unless designed as such, e.g. for permeability)	Play equipment and surfaces shall be safe, maintained in good condition, and free from hazards such as lead paint, sharp or protruding objects, rusty or deteriorating components. Remove or fully repair damaged equipment. Replace as appropriate to property use and amenities agreed to in project proposal.
Refuse Disposal	Broken/Damaged Enclosure; Inappropriate Outside Storage Space	A wall or gate of the enclosure is damaged; gate is not easily operable; trash container is too small to store refuse until disposal; or trash storage is not accessible to persons with mobility impairments	Trash enclosures shall be structurally sound, and adequately sized to contain the respective bins. Repair or replace trash enclosures as necessary to ensure safe, accessible and adequate storage area for occupants to deposit trash until scheduled disposal.

KHRC Rehabilitation Standards - UAC's Inaccessible Items

Retaining Walls	Collapsed/Falling/Leaning	A retaining wall is damaged and does not function as it should or is a safety risk.	Retaining walls, where present, must be in good repair and structurally sound. Repair or replace damaged wall if needed for soil retention, erosion prevention, management of run-off, etc., or is desired for aesthetic purposes.
Storm Drainage	Blocked/Obstructed	The system is partially or fully blocked by debris, or design is such that it is vulnerable to blockage from runoff.	Stormwater system shall be adequately sized and free flowing to divert runoff away from buildings and areas of use. Repair as needed, and correct any problems including incorrect grading or swales, need for fencing or other features to catch debris before entering the system, etc.
Walkways/Steps	Broken/Rising or non-compliant Hand Railing	A hand rail is missing, damaged, loose or otherwise defective, or does not meet local codes or requirements for accessibility.	Hand rails shall be intact, structurally sound, free of defects and shall be in compliance with state and/or local codes and requirements, Fair Housing Act, ADA and Section 504 requirements, as applicable.

IFHC Rehabilitation Standards - UACs Inspectable Items

Walkways/Steps	Cracks/Settlement/Heaving/Spalling/Other deterioration	Any defects other than very minor one with only cosmetic impact.	Walkways and steps must be safe, sound, and free from trip, hazard or other hazards. Repair or replace affected section or entire component to ensure safe, sound, hazard free surfaces. If replaced, must meet State, local and Federal requirements for accessibility unless it is infeasible for other reasons.
Walkways/Steps	Damaged wood, composites or other materials	Any structural or surface damage, missing paint or sealant, cracking, splitting etc. which creates a hazard or impacts the use of the component.	Walkways and steps must be in sound condition and good repair. Repair or replace with like materials or suitable, durable substitute.
Building Exterior			
Health, Safety and Life-Threatening Conditions	Address all above as applicable		
Grffiti	Grffiti	Any graffiti on any exposed surface.	If graffiti is present, remove or cover/paint to match or blend with surrounding area.
Doors	Damaged Frames/Thresholds/Insets/Trim	Any door that is not functioning or cannot be locked because of damage to the frame, threshold, lintel or trim, or that has visible damage to any of those components.	Doors and door structure must be intact, in good condition, and operable as designed. Replace damaged component with like materials, or replace entire door assembly.

KHRC Rehabilitation Standards - UAC's Inspectable Items

Doors	Damaged Hardware/Locks	Any door that does not function as it should or cannot be locked easily and securely because of damage to the door's hardware	Doors must function smoothly and easily. Lever handles are preferable, and shall be installed when replacing doors or hardware. Replacement components shall be appropriate to the type of door (elevator, interior, security needs, etc.).
Doors	Damaged surfaces	Any door that has a hole or holes, warped or deteriorated surfaces, peeling/cracking/no paint or rust that affects the integrity or appearance of the door surface, or broken/missing glass	Door surfaces and panels shall be intact, in good repair, and free from damage or defects. Replace door or repair and/or refinish to like-new condition.
Doors	Doors - Damaged/Missing Screens/Storm/Security Door	Any screen door or storm door that is damaged or is missing screens or glass—shown by an empty frame or frame or any security door that is not functioning or is missing	Screen or storm doors must be free of damage, must operate smoothly, and must have intact glass and screens that are free of rust, holes or tears. Repair or replace components or doors as indicated.
Doors	Deteriorated/Missing Caulking/Seals	The seals/caulking is missing on any entry door, or they are so damaged that they do not function as they should	Caulking, seals, and weatherstripping shall be intact, in good condition, and shall meet the intended purpose. Replace as needed with materials designed for 10 year lifespan

IFHC Rehabilitation Standards - UAC's Inspectable Items

Doors	Missing Door	Any exterior door that is missing	If door is not present, install new door or entire door assembly, with hardware. If feasible, ensure that new door meets accessibility requirements (minimum 32" clear opening, lever handles, 1/2" maximum threshold).
Doors	Visible Missing Components	Any component is not present, including hardware, handles, windows or screens, panels, trim, etc.	Doors must be complete, with all components as designed. Repair or replace as needed.
Foundations	Cracks/Gaps/Movement	Large cracks in foundation more than 3/8 inches wide by 3/8 inches deep by 6 inches long that present a possible sign of a serious structural problem, or opportunity for water penetration or sections of wall or floor that are broken apart	Foundation walls must be intact, reasonably level and plumb, and must support the structure as designed. Troop and address all grading, structural integrity of foundation. Shore up as needed with structural supports and seal all cracks or gaps with appropriate materials. Architect, engineer or local code official shall certify integrity of walls.
Foundations	Spalling/Exposed Rebar	Significant spalled areas affecting foundation wall or any exposed reinforcing material-rebar or other	Concrete must have structural integrity and be free of significant spalling or deterioration, and must not have exposed rebar. Repair or replace affected areas.
Lighting	Broken Fixtures/Bulbs	Broken lighting fixtures or bulbs	Exterior lighting must be present and adequate for safety and security. Fixtures must be intact, operable as designed, and in good condition.

KHRC Rehabilitation Standards - UAC's Insectable Items

Roofs	General Roof Condition	Limited useful life.	All roofing shall be inspected, and an estimate of useful life, and replacement plan shall be included in the Capital Needs Assessment and Scope of Work. Replace if less than 5 years.
Roofs	Damaged Soffits/Fascia	Soffits or fascia that should be there are missing or so damaged that water penetration is visible possible.	Replace all or replace missing or damaged components with like materials and finishes.
Roofs	Damaged Vents	Vents are missing or so visibly damaged that further roof damage is possible.	Replace missing or damaged components with like materials and finishes.
Roofs	Damaged/Clogged Drains	The drain is damaged or partially clogged with debris or the drain no longer functions.	Roof drain and gutter system shall be in good repair and effective in directing water away from the building and foundation. Repair or replace as necessary.
Roofs	Damaged/Torn Membrane/Missing Ballast	Roof has shifted and no longer functions as it should or there is damage to the roof membrane that may result in water penetration.	Flat roofing shall be intact, in good repair, and free from damage, distress, or evidence of being near its useful life. Replace as needed.
Roofs	Missing/Damaged Components from Downspout/Gutter	Drainage system components are missing or damaged causing visible damage to the roof, structure, exterior wall surface, or interior.	Roof drain and gutter system shall be in good repair and effective in directing water away from the building and foundation. Repair or replace.
Roofs	Missing/Damaged Shingles	Roofing shingles are missing or damaged enough to create a risk of water penetration.	Shingle roofing shall be in good repair, with no missing or damaged shingles or components. Replace roofing as indicated, with minimum 30 year 3-tab or synthetic or 150 year recommended.

IFHC Rehabilitation Standards - UAC's Inspectable Items

Roofs	Ponding	Evidence of standing water on roof, causing potential or visible damage to roof surface or underlying materials	Inspect and correct cause of ponding water, including any structural settling or deflection; replace roof surface and underlying materials
Walls	Cracks/Chips	Any crack or gap that presents a possible sign of structural problem or opportunity for water penetration	Inspect and correct structural problems; repair or replace wall components to correct damage. Finish to match
Walls	Damaged Chimneys	Part or all of the chimney has visibly separated from the adjacent wall or there are cracked or missing pieces large enough to present a sign of chimney failure or there is a risk of falling pieces that could create a safety hazard	Remove chimney if not required. Replace to code if needed.
Walls	Missing/Damaged Caulking/Mortar	Any exterior wall caulking or mortar deterioration that presents a risk of water penetration or risk of structural damage	Caulking or mortar shall be intact with no cracking or other significant deterioration, and shall function as designed. Remove and replace affected caulking or mortar with like colors
Walls	Missing Pieces/Chips/Spalling	Any exterior wall deterioration or holes of any size that present a risk of water penetration or risk of structural damage	Wall surfaces shall be provide an unbroken barrier from external elements. Repair or replace affected wall cladding with like materials and colors, or replace all.
Walls	Stained/Peeling/Needs Paint	Any exterior paint is peeling or paint is missing and siding surface is exposed thereby exposing siding to water penetration and deterioration	Exterior wall finish shall provide a barrier to exposure from water penetration. Repair any damaged siding, prime and paint two coats to match.

IFHC Rehabilitation Standards - UAC's Inspectable Items

Windows	Broken/Missing/Cracked Panes	Any missing panes of glass or cracked panes of glass	Windows shall be intact and weathertight. Reglaze or replace affected window(s). Replacement shall be with energy efficient units.
Windows	Damaged Sills/Frames/Urinals/Trim	Sills, frames, lintels, or trim are missing or damaged, exposing the side of the surrounding walls and compromising its weather tightness.	Window components shall be intact and undamaged. Repair or replace damaged components, prime and paint or cover with vinyl, aluminum or similar.
Windows	Missing/Missing Screens	Missing screens or screens with holes greater than 1 inch by 1 inch or tears greater than 2 inches in length	Windows shall have removable screens or storm windows with screens that are intact, operate smoothly as designed and are free of significant holes or tears.
Windows	Missing/Deteriorated Caulking/Seals/Glazing Compound	There are missing or deteriorated caulk or seals with evidence of leaks or damage to the window or its mounting structure	Caulking, glazing and mechanical seals shall be intact and function as designed. Repair or replace as necessary, and repair or replace any damaged house components
Windows	Peeling/Needs Paint	Any exterior window paint is peeling or paint is missing and window frame surface is exposed thereby exposing window frame to water penetration and deterioration	Repair any damage, prime and paint two coats, or cover with metal or vinyl cladding.
Building Systems			
Health, Safety and Life Threatening Conditions	Address all above as applicable		

KHRC Rehabilitation Standards - UAC's Inaccessible Items

Domestic Water	Leaking Central Water Supply	Leaking water from water supply line is observed	Water supply is to be inspected, and shall be in good condition, with no leaks or evidence of corrosion which is likely to lead to failure. Water pressure must be adequate for service to all units, fixtures and common areas. Replace any leaking, restricted or deteriorating pipes, valves, joints, unions, etc. with new.
Domestic Water	Missing Pressure Relief Valve	There is no pressure relief valve or pressure relief valve does not drain down to the floor	Hot water heater must have a functioning TPR valve with an outlet no more than 2" from the floor. Inspect all water heaters, and replace components as indicated.
Domestic Water	Rust/Corrosion on Heater Chimney	The water heater chimney shows evidence of flaking, discoloration, pitting, or crevices that may create holes that could allow toxic gases to leak from the chimney.	Gas water heaters must have intact functioning vent system to completely exhaust combustion gases to the exterior of the building.
Domestic Water	Plumbing - Leaking Faucet/Pipes	Any leaking pipes, faucets or fixtures	All plumbing shall be inspected, and leaking pipes, fixtures, valves, etc. included in scope of work for repair or replacement.
Domestic Water	Water Supply Inoperable	There is no running water in any area of the building where there should be	Water supply must provide adequate water pressure to all fixtures inside and on the exterior of the building. Inspect all fixtures and replace or repair pipes, valves or fixtures as necessary.

KIRC Rehabilitation Standards - UACs Inspectable Items

DWV/Sanitary	Broken/Leaking/Clogged Pipes or Drains	Evidence of active leaks in or around the system components or evidence of standing water, puddles or ponding—a sign of leaks or clogged drains.	Inspection by qualified professional from local fixture out to sewer main. Camera inspection recommended. Repair or replace as necessary.
DWV/Sanitary	Missing - Clogged Burns	Drain is completely or partially clogged or deteriorated.	DWV system shall be inspected and any needed repairs or replacement included in the scope of work.
DWV/Sanitary	Missing Drains/Cleanouts/Washhole Covers	A protective cover is missing.	Repair and replace as needed.
Hot Water Heater	Misaligned Chimney/Ventilation System	Any misalignment that may cause improper or dangerous venting of gases.	Repair or replace vent/Chimney as required, or install electric heater.
Hot Water Heater	Inoperable Unit/Components	Hot water from hot water taps is no warmer than open temperature indicating hot water heater is not functioning properly.	Water heaters must be capable of providing adequate hot water to common messengers and for domestic use by the expected household size. Inspection of all water heaters by a qualified professional and replacement if indicated.
Hot Water Heater	Leaking Valves/Tanks/Pipes	There is evidence of active water leaks from hot water heater or related components.	Inspect water heater for leaks. Repair or replace if indicated.
Hot Water Heater	Pressure Relief Valve Missing	There is no pressure relief valve or pressure relief valve does not drain down to the floor.	TPR valve must be present, and outlet shall terminate no more than 2" from the floor. Inspect and correct if needed.
Hot Water Heater	Rust/Corrosion	Significant formations of metal oxides, flaking, or discoloration on a tank or chassis.	Water heater must be in good condition, with no evidence of significant rust or corrosion. Replacement by licensed plumber.

IFHC Rehabilitation Standards - UAC's Inaccessible Items

Electrical System	Blocked Access/Improper Storage	One or more fixed items or items of sufficient size and weight impede access to the building system's electrical panel during an emergency	Electrical panel must be clear of obstructions and accessible according to state or local code. Remove obstacles or relocate panel by licensed electrician and require electrician to sign off on proper location of panel
Electrical	GFI - Inoperable	The GFI does not function	GFI outlets required for all 15 A and 20A bathroom receptacles, those that serve kitchen or wet bar counting surfaces, storage or work areas (including garage and accessory buildings) and any outdoor receptacles. Applicable state or local code, when stricter, will take precedence. Install or replace as needed.
Electrical System	Burnt/Insect	Carbon residue, melted breakers or arcing scars are evident	inspect panel and breaker by licensed electrician. Repair as indicated
Electrical System	Evidence of Leaks/Corrosion	Any corrosion that affects the condition of the components that carry current or are stains or rust on the interior of electrical enclosures, or any evidence of water leaks in the enclosure or hardware	Correct to stop leak, clean and repair affected areas. Relocate source of water away from electrical components if practical
Electrical System	Frayed Wiring	Any frisk, abrasion, or fraying of the insulation that exposes any conducting wire	Wiring must be intact and fully insulated with no bare or exposed wires. Inspection, and replacement if indicated by licensed electrician

IFHC Rehabilitation Standards - UAC's Inaccessible Items

Electrical System	Missing Breakers/Fuses	Any open and/or exposed breaker part	Breaker parts must contain functional breakers, or be covered. Correction by licensed electrician.
Electrical System	Lighting fixture missing, damaged or inoperable	An outlet or switch is missing	Light fixtures or switched outlets must be present in living areas. Fixtures must be in safe, operable condition with bulbs which provide appropriate illumination for the location, and no broken components. Repair or replace fixtures, replace bulbs with energy efficient ones.
Elevators	Not Operable	The elevator does not function at all or the elevator doors open when the cab is not there	If present, elevators must function as designed. Inspection and current certification shall be obtained per state and local codes.
Emergency Power	Auxiliary lighting inoperable (if applicable)	Auxiliary lighting does not function	If present or required, emergency lighting and power must function as designed. Correction by licensed electrician.
HVAC	General	Energy Efficiency	Replacement HVAC units must be energy efficient. For gas furnaces, a minimum AFUE rating of 82% is required. For AC units at least 14 SEER is required, and air source heat pumps shall have a minimum HSPF of 8.5. Higher efficiency units are recommended.

HVAC Rehabilitation Standards - UAC's Inspectable Items

HVAC	Boiler/Pump Leaks	Evidence of water or steam leaking in piping or pump packing	If system is steam or hot water, boiler system must be inspected by a qualified professional. Repair or replace as needed.
HVAC	HVAC - Inoperable	HVAC does not function as designed. It does not provide the heating and cooling it should. The system does not respond when the controls are engaged	HVAC system shall be functional, and provide heating and cooling appropriate to the unit and climate zone. All controls shall operate, and HVAC components shall respond as designed. All HVAC units shall be inspected and addressed in the capital needs assessment and/or scope of work.
HVAC	Fuel Supply Leaks	Evidence of any amount of fuel leaking from the supply tank or piping	Inspection by certified HVAC professional. Repair or replace as indicated
HVAC	General Rust/Corrosion	Significant formations of metal oxides, significant flaking, discoloration, or the development of a noticeable salt or residue	Inspection by certified HVAC professional. Repair or replace as indicated
HVAC	HVAC - Rattling/Vibrating/Leaking	HVAC system shows signs of abnormal vibrations, other noise, or leaks when engaged	All HVAC components are to be inspected and tested, and repaired or replaced to operate as designed.
HVAC	Misaligned Chimney/Ventilation System	A misalignment of an exhaust system on a combustion fuel-fired unit (oil, natural gas, propane, wood pellets, etc.) that causes improper or dangerous venting of gases	Inspection by certified HVAC professional. Repair or replace as indicated
Roof Exhaust System	Roof Exhaust Fan(s) Inoperable	The roof exhaust fan unit does not function	Inspect and repair or replace as indicated

KHRC Rehabilitation Standards - UAC's Insectable Items

Common Areas and Living Units			
Health, Safety and Life-Threatening Conditions	Address all above as applicable		
Laundry	Dryer Vent - Missing/Damaged/Inoperable	The dryer vent is missing or it is not functioning because it is blocked. Dryer exhaust is not effectively vented to the outside.	Dryer vent must be present, intact, clear of lint, and function as designed to exhaust dryer to outside. Replace as necessary.
Kitchen	Cabinets - Missing/Damaged	Any portion of cabinet, doors, or shelves are missing or the laminate is separating.	Repair or replace with like materials and finishes.
Kitchen	Plumbing - Clogged Drains	Drain is substantially or completely clogged or has suffered extensive deterioration.	Clean out drain, repair or replace as needed.
Kitchen	Dishwasher/Garbage Disposal - Inoperable	The dishwasher or garbage disposal does not operate as it should.	Dishwasher and garbage disposal shall be free of visible corrosion or damage, and shall function as designed. Inspect, test and replace as indicated.
Kitchen	Countertops - Missing/Damaged	Any portion of the countertop working surface is missing, deteriorated, or damaged below the laminate — not a sanitary surface to prepare food.	Countertops are to be intact and free of deterioration, cracking, separation of laminate or other damage. Replace if damaged.
Kitchen	Range Hood / Exhaust Fans -	Inoperable or not by fan, missing or damaged screen, accumulation of grease or dirt.	Range hoods or fans, if present, shall be in good condition, free of damage, rust or corrosion, and operate as designed. Repair or replace as needed.

KHRC Rehabilitation Standards - UAC's Insectable Items

Kitchen	Range/Stove - Missing/Damaged/Inoperable	One or more burners, oven or other component are not functioning as designed, or there is visible damage or rust, or missing or broken controls.	Appliances shall be new or near new condition, or shall be replaced in the scope of work. Appliances shall function as designed with no visible damage or deterioration. Replacement appliances shall be Energy Star certified.
Kitchen	Refrigerator - Damaged/Inoperable	The refrigerator has accumulation of ice or the seals around the doors are deteriorated or is damaged in any way which impacts its performance or appearance.	Appliances shall be new or near new condition, or shall be replaced in the scope of work. Appliances shall function as designed with no visible damage or deterioration. Replacement appliances shall be Energy Star certified.
Kitchen	Plumbing - Leaking Faucet/Pipes	Any leaking pipes, faucets or fixtures.	Pipes and fixtures shall be free of leaks or condensation (corrosion, mineral buildup in joints, etc.) indicating potential failure. Repair or replacement as needed.
Kitchen	Sink - Damaged/Missing	Any cracks in sink or extensive discoloration over any portion of the sink surface or sink is missing.	Sink shall be present, and in good condition with no significant visible damage, staining or corrosion, and shall function as intended.
Bathroom	Restroom Cabinet - Damaged/Missing	Damaged or missing shelves, vanity top, drawers, missing or peeling paint or veneer, evidence of water damage, or doors that are not functioning as intended.	Cabinets shall be sound and complete, with no visible damage or missing components, and shall function as intended.

IFHC Rehabilitation Standards - UAC's Inspectable Items

Bathroom	Shower/Tub Damaged/Missing	Any cracks in tub or shower through which water can seep or extensive discoloration of tub or shower surface or tub or shower is missing	Tub or shower shall be present and in good condition with no significant visible damage other than minor scratching, scuffing or small areas of discoloration. Replace damaged or missing fixtures.
Bathroom	Water Closet/Toilet Damaged/Clogged/Missing	Fixture elements: seat, flush handle, cover etc., are missing or damaged or the toilet seat is cracked or has a broken hinge or toilet cannot be flushed	Each toilet shall be inspected and tested for proper operation. Toilet shall be present, in undamaged condition, and shall operate as designed. Toilets that are damaged or inoperable, or that are designed to require more than 1.5 gallons per flush shall be replaced.
Bathroom	Lavatory Sink - Damaged/Missing	Sink has extensive discoloration or cracks in the basin or the sink or associated hardware have failed or are missing	Sink shall be present, and in good condition with no significant visible damage, and shall function as intended.
Bathroom	Ventilation/Exhaust System - Inoperable	exhaust fan is not functioning or window designed for ventilation does not open	Bathroom shall have an exhaust fan that operates as intended with no visible rust or deterioration, and shall operate quietly and without squeaking, rattling or other noises that would indicate potential failure. Replacement fans shall be Energy Star certified. If fan is not present, bathroom shall have a window that is easily operable for ventilation without unduly compromising privacy.

IFHC Rehabilitation Standards - UAC's Inspectable Items

Call for Aid	Call for Aid - Inoperable	The system does not function as it should	If present or required, must function as designed. Repair or replace, or remove if not required.
Stairs/Ramps	Broken/Damaged/Missing Steps	A step is missing or broken	Steps must be in good repair, free of trip or other hazards, and code compliant for rise and run.
Stairs	Broken/Missing Hand-Railing	The hand rail is missing, damaged, loose or otherwise unusable	Hand rails must be intact, secure, free of damage or deterioration, and code compliant for location.
Stairs	Baluster/Side Railings Damaged	Any damaged, missing or incorrectly spaced balusters or side rails that limit the safe use of an area	Inspect and measure height, spacing of spindles, etc. for code compliance. Repair or replace as indicated.
Ramp	Podestrian/Wheelchair Ramp	A walkway or ramp is damaged and cannot be safely used by people on foot, in wheelchairs, or using walkers; or shows evidence of continuing deterioration	Walkways and ramps shall be intact, free of deterioration or obstructions, and when impinged or replaced shall meet Fair Housing accessibility standard.
Ceiling	Ceiling - Holes/Missing Tiles/Fansels/Cracks	Any holes in ceiling, missing tiles or cracks	Ceiling shall be intact surface with minimal deterioration and good finish. Repair or replace and paint as needed.
Ceiling	Ceiling - Peeling/Chord; Paint	Ceiling has peeling paint or is missing paint	Paint is intact with no peeling, cracking, cracking or missing portions. Remove loose paint and touch up, or prime and repaint entire surface.

IFHC Rehabilitation Standards - UAC's Inspectable Items

Ceiling	Ceiling - Water Stains/Water Damage/Mold/Mildew	Evidence of a leak, mold or mildew—such as a darkened area over a ceiling area greater than 1 foot square	Ceiling is free of any evidence of water or moisture damage. Inspect, identify source of moisture and correct. Replace damaged sections, prime with stain hiding product and repaint, or cover with appropriate surface material.
Doors	Doors - Damaged Frames/Threshold/Linoleum/Trim	Any door that is not functioning or cannot be locked because of damage to the frame, threshold, lintel or trim	Doors and frames must be complete and free of damage, with all components as designed. Repair or replace as necessary.
Doors	Doors - Damaged Hardware/Locks	Any door that does not function as it should or cannot be locked because of damage to the door's hardware	Inspect all doors. Door hardware must function as designed, must open smoothly and easily, and must be easy to close, latch and lock. Repair or replace as indicated.
Doors	Doors - Damaged Surface (Holes/Print/Scuff/Glass)	Any door that has a hole or holes greater than 1/8 inch in diameter, significant peeling/cracking of paint or rust that affects the integrity of the door surface, or broken/missing glass	Door surfaces and panels must be intact and undamaged, with no rust, holes, broken glass or deteriorating paint. Repair and replace as indicated.
Doors	Doors - Deteriorated/Missing Seals (Entry Only)	The seals/weatherstripping is missing on any entry door, or they are so damaged that they do not function as they should	Exterior doors must be weathertight, and must operate smoothly and easily. Repair or replace seals, weatherstripping, caulking etc. as necessary.

KHRC Rehabilitation Standards - UAC's Inspectable Items

Doors	Doors - Missing Door	Any door that is missing that is required for the functional use of the space	Doors must be present where required for functional use of space, including bedrooms, bathrooms, closets, and other spaces where privacy or security are needed. Repairs to match closely other existing doors.
Floors	Floors - Bulging/Buckling	Any flooring that is bulging, buckling or sagging or a problem with alignment between flooring types	Floors must be structurally sound, level, and free of trip hazards, including abrupt or non-transitioning changes in elevation. Repair substructure and floor, replace floor covering if indicated
Floors	Floors - Floor Covering Damaged	Floor covering has stains, surface burns, shallow cuts, small holes, tears, loose areas or spalled seams.	Floor coverings are to be intact, in good condition, with minimal to no staining, fraying, cuts or tears or other damage. Replace with like materials and finishes.
Floors	Floors - Missing Floor/Tiles	Floor tile or other flooring components are missing	Floor coverings including tile, laminates or similar shall cover the entire floor area, except for area rugs used for appearance and comfort. Repair with like materials, or replace entirely.
Floors	Floors - Peeling/Needs Paint	Any painted flooring that has peeling or missing paint.	Floor finish shall be complete, intact, and undamaged. Scrape, sand and repaint; or cover with suitable flooring material

KHRC Rehabilitation Standards - UACs Insectable Items

Floors	Floors - Rot/Deteriorated Subfloor	Any rotted or deteriorated subflooring greater than 6 inches by 6 inches	Floor and subfloor shall be structurally sound. Repair any damaged substructure and subfloor, and replace floor covering if indicated.
Floors	Floors - Water Stains/Water Damage/Mold/Mildew	Evidence of a leak, mold or mildew—such as a darkened area covering a flooring area greater than 1 foot square	Floors shall be free of staining, damage, mold or mildew from moisture. Locate and eliminate water source, repair and refinish or install new floor material or cover.
General	Mailbox - Missing/Damaged	The US Postal Service mailbox cannot be locked or is missing	Mailbox meeting USPS specs must be provided for each unit in an accessible location, and shall be located in a location regularly accessed by others.
Walls	Walls - Bulging/Buckling	Bulging, buckling or sagging walls or a lack of horizontal alignment	Walls shall be sound, plumb, and free of bulging or buckling. Correct structural causes. Repair or remove wall components and replace as needed to obtain smooth walls that are plumb and square with adjacent surfaces.
Walls	Walls - Damaged	Any hole in wall including multiple nail holes	Walls shall be generally free of holes, patches, cracks, prime and paint, or cover with alternative wall treatment (e.g., wallpaper, paneling)
Walls	Walls - Damaged/Deteriorated Trim	Wall trim is damaged	Wall trim is to be intact, secured as designed, and undamaged. Repair or replace as needed.
Walls	Walls - Peeling/Needs Paint	Interior wall paint is damaged, peeling or missing	Patch, prime and paint.

IFHC Rehabilitation Standards - UAC's Inspectable Items

Walls	Walls - Water Stains/Water Damage/Mold/Mildew	Evidence of a leak, mold or mildew—such as a corner area	Surfaces are to be free of staining or evidence of mold, mildew or moisture. Locate and repair sources of moisture, patch, prime and repaint surfaces.
Windows	Windows - Cracked/Broken/Missing Panes	Any missing panes of glass or cracked panes of glass	Windows shall be intact and weather-tight. Replace or repair windows(s). Replacement with energy efficient units.
Windows	Windows - Damaged Window Sill	The sill is damaged or deteriorated, including deep gouges, cracked, split or rotted wood, missing or peeling paint, separation from the framing or surrounding trim	Sills shall be intact and solid with no visible damage or misalignment. Repair as needed.
Windows	Windows - Inoperable/Not Lockable	Any window that is not functioning or cannot be secured because lock is broken	Windows shall be secure, shall operate as designed without undue effort, and shall be lockable from the inside.
Windows	Windows - Missing/Deteriorated Caulking/Seals/Glazing Compound	There are missing or deteriorated caulk or seals	Window seals, glazing and weatherstripping shall be in good condition and function as designed. Repair as needed.
Windows	Windows - Peeling/Needs Paint	Interior window paint is peeling or missing	Window paint shall be intact and shall be determined free of lead hazards. Repair as needed, clean, prime and repaint following LIP protocols.

IFHC Rehabilitation Standards - UACs Inspectable Items

Trash Collection Areas - Interior	Chutes - Damaged/Missing Components	Garbage has backed up into chutes, because the collection structure is missing or broken or compactors or components—chute, chute door, and other components—have failed.	Trash collection chutes or devices must operate as designed for safe and sanitary disposal of garbage.
-----------------------------------	-------------------------------------	---	--

Housing Trust Fund (HTF) FAQ
Appendices:
Uniform Physical Condition
Standards for Multifamily and
Single Family Housing
Rehabilitation

Annual Action Plan
2023

160

OMB Control No: 2506-0117 (exp. 09/30/2021)

Annual Action Plan
2026

160

OMB Control No: 2506-0117 (exp. 09/30/2021)

Table of Contents

Appendix A: Uniform Physical Condition Standards for Multifamily Housing Rehabilitation	2
Requirements for Site	3
Requirements for Building Exterior	4
Requirements for Building Systems	5
Requirements for Common Areas	6
Requirements for Unit	8
Requirements for Site	10
Appendix B: Uniform Physical Condition Standards for Single Family Housing Rehabilitation	11
Requirements for Building Exterior	12
Requirements for Unit	13

Appendix A: Uniform Physical Condition Standards for Multifamily Housing Rehabilitation

2

Annual Action Plan
2023

162

OMB Control No: 2506-0117 (exp. 09/30/2021)

Annual Action Plan
2026

162

OMB Control No: 2506-0117 (exp. 09/30/2021)

**Uniform Physical Condition Standards for Multifamily Housing Rehabilitation –
Requirements for Site**

Inspectable Item	Observable Deficiency
Fencing and Gates	Damaged/Falling/Leaning
	Holes
	Missing Sections
Grounds	Erosion/Rutting Areas
	Overgrown/Penetrating Vegetation
	Ponding/Site Drainage
Health & Safety	Air Quality - Sewer Odor Detected
	Air Quality - Propane/Natural Gas/Methane Gas Detected
	Electrical Hazards - Exposed Wires/Open Panels
	Electrical Hazards - Water Leaks on/near Electrical Equipment
	Flammable Materials - Improperly Stored
	Garbage and Debris - Outdoors
	Hazards - Other
	Hazards - Sharp Edges
	Hazards - Tripping
	Infestation - Insects
Infestation - Rats/Mice/Vermin	
Mailboxes/Project Signs	Mailbox Missing/Damaged
	Signs Damaged
Parking Lots/Driveways/Roads	Cracks
	Ponding
	Porches/Loose Material
	Settlement/Heaving
Play Areas and Equipment	Damaged/Broken Equipment
	Deteriorated Play Area Surface
Refuse Disposal	Broken/Damaged Enclosure-Inadequate Outside Storage Space
Retaining Walls	Damaged/Falling/Leaning
Storm Drainage	Damaged/Obstructed
Walkways/Steps	Broken/Missing Hand Railing
	Cracks/Settlement/Heaving
	Spalling/Exposed rebar

**Uniform Physical Condition Standards for Multifamily Housing Rehabilitation –
Requirements for Building Exterior**

Inspectable Item	Observable Deficiency
Doors	Damaged Frames/Threshold/Lintels/Trim
	Damaged Hardware/Locks
	Damaged Surface (Holes/Paint/Rusting/Glass)
	Damaged/Missing Screen/Storm/Security Door
	Deteriorated/Missing Caulking/Seals
	Missing Door
Fire Escapes	Blocked Egress/doors
	Visibly Missing Components
Foundations	Cracks/Gaps
	Spalling/Exposed Rebar
Health and Safety	Electrical Hazards - Exposed Wires/Open Panels
	Electrical Hazards - Water Leaks on/near Electrical Equipment
	Emergency Fire Exits - Emergency/Fire Exits Blocked/Unusable
	Emergency Fire Exits - Missing Exit Signs
	Flammable/Combustible Materials - Improperly Stored
	Garbage and Debris - Outdoors
	Hazards - Other
	Hazards - Sharp Edges
	Hazards - Tripping
	Infestation - Insects
Infestation - Rats/Mice/Vermin	
Lighting	Broken Fixtures/Bulbs
Roofs	Damaged Soffits/Fascia
	Damaged Vents
	Damaged/Clogged Drains
	Damaged/Torn Membrane/Missing Ballast
	Missing/Damaged Components from Downspout/Gutter
	Missing/Damaged Shingles
	Ponding
Walls	Cracks/Gaps
	Damaged Chimneys
	Missing/Damaged Caulking/Mortar
	Missing Pieces/Holes/Spalling
	Stained/Peeling/Needs Paint
Windows	Broken/Missing/Cracked Panes
	Damaged Sills/Frames/Lintels/Trim
	Damaged/Missing Screens
	Missing/Deteriorated Caulking/Seals/Glazing Compound
	Peeling/Needs Paint
	Security Bars Prevent Egress

4

Annual Action Plan
2023

164

OMB Control No: 2506-0117 (exp. 09/30/2021)

Annual Action Plan
2026

164

OMB Control No: 2506-0117 (exp. 09/30/2021)

**Uniform Physical Condition Standards for Multifamily Housing Rehabilitation –
Requirements for Building Systems**

Inspectable Item	Observable Deficiency
Domestic Water	Leaking Central Water Supply
	Missing Pressure Relief Valve
	Rust/Corrosion on Heater Chimney
	Water Supply Inoperable
Electrical System	Blocked Access/Improper Storage
	Burnt Breakers
	Evidence of Leaks/Corrosion
	Frayed Wiring
	Missing Breakers/Fuses
	Missing Outlet Covers
Elevators	Not Operable
Emergency Power	Auxiliary Lighting Inoperable (if applicable)
Fire Protection	Missing Sprinkler Head
	Missing/Damaged/Expired Extinguishers
Health & Safety	Air Quality - Mold and/or Mildew Observed
	Air Quality - Propane/Natural Gas/Methane Gas Detected
	Air Quality - Sewer Odor Detected
	Electrical Hazards - Exposed Wires/Open Panels
	Electrical Hazards - Water Leaks on/near Electrical Equipment
	Elevator - Tripping
	Emergency Fire Exits - Emergency/Fire Exits Blocked/Unusable
	Emergency Fire Exits - Missing Exit Signs
	Flammable Materials - Improperly Stored
	Garbage and Debris - Indoors
	Hazards - Other
	Hazards - Sharp Edges
	Hazards - Tripping Hazards
	Infestation - Insects
Infestation - Rats/Mice/Vermin	
HVAC	Boiler/Pump Leaks
	Fuel Supply Leaks
	General Rust/Corrosion
	Misaligned Chimney/Ventilation System
Roof Exhaust System	Roof Exhaust Fan(s) Inoperable
Sanitary System	Broken/Leaking/Clogged Pipes or Drains
	Missing Drain/Cleanout/Manhole Covers

**Uniform Physical Condition Standards for Multifamily Housing Rehabilitation –
Requirements for Common Areas**

Inspectable Item Location	Observable Deficiency
Basement/Garage/Carport	Baluster/Side Railings - Damaged
Closet/Utility/Mechanical	Cabinets - Missing/Damaged
Community Room	Call for Aid - Inoperable
Halls/Corridors/Stairs	Ceiling - Holes/Missing Tiles/Panels/Cracks
Kitchen	Ceiling - Peeling/Needs Paint
Laundry Room	Ceiling - Water Stains/Water Damage/Mold/Mildew
Lobby	Countertops - Missing/Damaged
Office	Dishwasher/Garbage Disposal - Inoperable
Other Community Spaces	Doors - Damaged Frames/Threshold/Lintels/Trim
Patio/Porch/Balcony	Doors - Damaged Hardware/Locks
Restrooms	Doors - Damaged Surface (Holes/Paint/Rust/Glass)
Storage	Doors - Damaged/Missing Screen/Storm/Security Door
	Doors - Deteriorated/Missing Seals (Entry Only)
	Doors - Missing Door
	Dryer Vent -Missing/Damaged/Inoperable
	Electrical - Blocked Access to Electrical Panel
	Electrical - Burnt Breakers
	Electrical - Evidence of Leaks/Corrosion
	Electrical - Frayed Wiring
	Electrical - Missing Breakers
	Electrical - Missing Covers
	Floors - Bulging/Buckling
	Floors - Floor Covering Damaged
	Floors - Missing Floor/Tiles
	Floors - Peeling/Needs Paint
	Floors - Rot/Deteriorated Subfloor
	Floors - Water Stains/Water Damage/Mold/Mildew
	GFI - Inoperable
	Graffiti
	HVAC - Convection/Radiant Heat System Covers Missing/Damaged
	HVAC - General Rust/Corrosion
	HVAC - Inoperable
	HVAC - Misaligned Chimney/Ventilation System
	HVAC - Noisy/Vibrating/Leaking
	Lavatory Sink - Damaged/Missing
	Lighting - Missing/Damaged/Inoperable Fixture
	Mailbox - Missing/Damaged
	Outlets/Switches/Cover Plates - Missing/Broken
	Pedestrian/Wheelchair Ramp
	Plumbing - Clogged Drains
	Plumbing - Leaking Faucet/Pipes
	Range Hood /Exhaust Fans - Excessive Grease/Inoperable
	Range/Stove - Missing/Damaged/Inoperable
	Refrigerator - Damaged/Inoperable
	Restroom Cabinet - Damaged/Missing

6

Annual Action Plan
2023

166

OMB Control No: 2506-0117 (exp. 09/30/2021)

Annual Action Plan
2026

166

OMB Control No: 2506-0117 (exp. 09/30/2021)

Inspectable Item Location	Observable Deficiency
	Shower/Tub - Damaged/Missing
	Sink - Missing/Damaged
	Smoke Detector - Missing/Inoperable
	Stairs - Broken/Damaged/Missing Steps
	Stairs - Broken/Missing Hand Railing
	Ventilation/Exhaust System - Inoperable
	Walls - Bulging/Buckling
	Walls - Damaged
	Walls - Damaged/Deteriorated Trim
	Walls - Peeling/Needs Paint
	Walls - Water Stains/Water Damage/Mold/Mildew
	Water Closet/Toilet - Damaged/Clogged/Missing
	Windows - Cracked/Broken/Missing Panes
	Windows - Damaged Window Sill
	Windows - Inoperable/Not Lockable
	Windows - Missing/Deteriorated Caulking/Seals/Glazing Compound
	Windows - Peeling/Needs Paint
	Windows - Security Bars Prevent Egress
Health & Safety	Air Quality - Mold and/or Mildew Observed
	Air Quality - Propane/Natural Gas/Methane Gas Detected
	Air Quality - Sewer Odor Detected
	Electrical Hazards - Exposed Wires/Open Panels
	Electrical Hazards - Water Leaks on/near Electrical Equipment
	Emergency Fire Exits - Emergency Fire Exits Blocked/Unusable
	Emergency Fire Exits - Missing Exit Signs
	Flammable/Combustible Materials - Improperly Stored
	Garbage and Debris - Indoors
	Garbage and Debris - Outdoors
	Hazards - Other
	Hazards - Sharp Edges
	Hazards - Tripping
	Infestation - Insects
	Infestation - Rats/Mice/Vermin
Pools and Related Structures	Fencing - Damaged/Not Intact
Trash Collection Areas	Chutes - Damaged/Missing Components

**Uniform Physical Condition Standards for Multifamily Housing Rehabilitation –
Requirements for Unit**

Inspectable Item	Observable Deficiency
Bathroom	Bathroom Cabinets - Damaged/Missing
	Lavatory Sink - Damaged/Missing
	Plumbing - Clogged Drains, Faucets
	Plumbing - Leaking Faucet/Pipes
	Shower/Tub - Damaged/Missing
	Ventilation/Exhaust System – Absent/Inoperable
	Water Closet/Toilet - Damaged/Clogged/Missing
Call-for-Aid (if applicable)	Inoperable
Ceiling	Bulging/Buckling/Leaking
	Holes/Missing Tiles/Panels/Cracks
	Peeling/Needs Paint
	Water Stains/Water Damage/Mold/Mildew
Doors	Damaged Frames/Threshold/Lintels/Trim
	Damaged Hardware/Locks
	Damaged/Missing Screen/Storm/Security Door
	Damaged Surface - Holes/Paint/Rusting/Glass/Rotting
	Deteriorated/Missing Seals (Entry Only)
	Missing Door
Electrical System	Blocked Access to Electrical Panel
	Burnt Breakers
	Evidence of Leaks/Corrosion
	Frayed Wiring
	GFI - Inoperable
	Missing Breakers/Fuses
	Missing Covers
Floors	Bulging/Buckling
	Floor Covering Damage
	Missing Flooring Tiles
	Peeling/Needs Paint
	Rot/Deteriorated Subfloor
	Water Stains/Water Damage/Mold/Mildew
Health & Safety	Air Quality - Mold and/or Mildew Observed
	Air Quality - Sewer Odor Detected
	Air Quality - Propane/Natural Gas/Methane Gas Detected
	Electrical Hazards - Exposed Wires/Open Panels
	Electrical Hazards - Water Leaks on/near Electrical Equipment
	Emergency Fire Exits - Emergency/Fire Exits Blocked/Unusable
	Emergency Fire Exits - Missing Exit Signs
	Flammable Materials - Improperly Stored
	Garbage and Debris - Indoors
	Garbage and Debris - Outdoors
	Hazards - Other
	Hazards - Sharp Edges

8

Annual Action Plan
2023

168

OMB Control No: 2506-0117 (exp. 09/30/2021)

Annual Action Plan
2026

168

OMB Control No: 2506-0117 (exp. 09/30/2021)

Inspectable Item	Observable Deficiency
	Hazards - Tripping
	Infestation - Insects
	Infestation - Rats/Mice/Vermin
Hot Water Heater	Misaligned Chimney/Ventilation System
	Inoperable Unit/Components
	Leaking Valves/Tanks/Pipes
	Pressure Relief Valve Missing
	Rust/Corrosion
HVAC System	Convection/Radiant Heat System Covers Missing/Damaged
	Inoperable
	Misaligned Chimney/Ventilation System
	Noisy/Vibrating/Leaking
	Rust/Corrosion
Kitchen	Cabinets - Missing/Damaged
	Countertops - Missing/Damaged
	Dishwasher/Garbage Disposal - Inoperable
	Plumbing - Clogged Drains
	Plumbing - Leaking Faucet/Pipes
	Range Hood/Exhaust Fans - Excessive Grease/Inoperable
	Range/Stove - Missing/Damaged/Inoperable
	Refrigerator-Missing/Damaged/Inoperable
	Sink - Damaged/Missing
Laundry Area (Room)	Dryer Vent - Missing/Damaged/Inoperable
Lighting	Missing/Inoperable Fixture
Outlets/Switches	Missing
	Missing/Broken Cover Plates
Patio/Porch/Balcony	Baluster/Side Railings Damaged
Smoke Detector	Missing/Inoperable
Stairs	Broken/Damaged/Missing Steps
	Broken/Missing Hand Railing
Walls	Bulging/Buckling
	Damaged
	Damaged/Deteriorated Trim
	Peeling/Needs Paint
	Water Stains/Water Damage/Mold/Mildew
Windows	Cracked/Broken/Missing Panes
	Damaged Window Sill
	Missing/Deteriorated Caulking/Seals/Glazing Compound
	Inoperable/Not Lockable
	Peeling/Needs Paint
	Security Bars Prevent Egress

9

Annual Action Plan
2023

169

OMB Control No: 2506-0117 (exp. 09/30/2021)

Annual Action Plan
2026

169

OMB Control No: 2506-0117 (exp. 09/30/2021)

Uniform Physical Condition Standards for Single Family Housing Rehabilitation –
Requirements for Site

Inspectable Item	Observable Deficiency
Fencing and Gates	Damaged/Falling/Leaning
	Holes
	Missing Sections
Grounds	Erosion/Rutting Areas
	Overgrown/Penetrating Vegetation
	Ponding/Site Drainage (affecting unit)
Health & Safety	Air Quality - Sewer Odor Detected
	Air Quality - Propane/Natural Gas/Methane Gas Detected
	Electrical Hazards - Exposed Wires/Open Panels
	Electrical Hazards - Water Leaks on/near Electrical Equipment
	Flammable Materials - Improperly Stored
	Garbage and Debris - Outdoors
	Play Equipment – Broken or Damaged
	Hazards – Other (e.g., outbuildings)
	Hazards - Sharp Edges
	Hazards - Tripping
	Infestation - Insects
	Infestation - Rats/Mice/Vermin
Mailboxes/Project Signs	Mailbox Missing/Damaged
	Signs Damaged
Driveways	Cracks
	Porches/Loose Material
	Settlement/Heaving
Retaining Walls	Damaged/Falling/Leaning
Storm Drainage	Damaged/Obstructed
Walkways/Steps	Broken/Missing Hand Railing
	Cracks/Settlement/Heaving
	Spalling

10

Annual Action Plan
2023

170

OMB Control No: 2506-0117 (exp. 09/30/2021)

Annual Action Plan
2026

170

OMB Control No: 2506-0117 (exp. 09/30/2021)

Appendix B: Uniform Physical Condition Standards for Single Family Housing Rehabilitation

11

Annual Action Plan
2023

171

OMB Control No: 2506-0117 (exp. 09/30/2021)

Annual Action Plan
2026

171

OMB Control No: 2506-0117 (exp. 09/30/2021)

Requirements for Building Exterior

Inspectable Item	Observable Deficiency
Doors	Damaged Frames/Threshold/Lintels/Trim
	Damaged Hardware/Locks
	Damaged Surface (Holes/Paint/Rusting/Glass)
	Damaged/Missing Screen/Storm/Security Door
	Deteriorated/Missing Caulking/Seals
	Missing Door
Foundations	Cracks/Gaps
	Spalling/Exposed Rebar
Health and Safety	Electrical Hazards - Exposed Wires/Open Panels
	Electrical Hazards - Water Leaks on/near Electrical Equipment
	Flammable/Combustible Materials - Improperly Stored
	Garbage and Debris - Outdoors
	Hazards - Other
	Hazards - Sharp Edges
	Hazards - Tripping
	Infestation - Insects
Infestation - Rats/Mice/Vermin	
Lighting	Broken Fixtures/Bulbs
Roofs	Damaged Soffits/Fascia
	Damaged Vents
	Damaged/Clogged Drains
	Damaged/Torn Membrane/Missing Ballast
	Missing/Damaged Components from Downspout/Gutter
	Missing/Damaged Shingles
	Ponding
Walls	Cracks/Gaps
	Damaged Chimneys
	Missing/Damaged Caulking/Mortar
	Missing Pieces/Holes/Spalling
	Stained/Peeling/Needs Paint
Windows	Broken/Missing/Cracked Panes
	Damaged Sills/Frames/Lintels/Trim
	Damaged/Missing Screens
	Missing/Deteriorated Caulking/Seals/Glazing Compound
	Peeling/Needs Paint
	Security Bars Prevent Egress

12

Annual Action Plan
2023

172

OMB Control No: 2506-0117 (exp. 09/30/2021)

Annual Action Plan
2026

172

OMB Control No: 2506-0117 (exp. 09/30/2021)

Requirements for Unit

Inspectable Item	Observable Deficiency
Bathroom	Bathroom Cabinets - Damaged/Missing
	Levatory Sink - Damaged/Missing
	Plumbing - Clogged Drains
	Plumbing - Leaking Faucet/Pipes
	Shower/Tub - Damaged/Missing
	Ventilation/Exhaust System – Inoperable (If applicable)
	Water Closet/Toilet - Damaged/Clogged/Missing
Ceiling	Bulging/Buckling
	Holes/Missing Tiles/Panels/Cracks
	Peeling/Needs Paint
	Water Stains/Water Damage/Mold/Mildew
Doors	Damaged Frames/Threshold/Lintels/Trim
	Damaged Hardware/Locks
	Damaged/Missing Screen/Storm/Security Door
	Damaged Surface - Holes/Paint/Rusting/Glass
	Deteriorated/Missing Seals (Entry Only)
	Missing Door
Electrical System	Blocked Access to Electrical Panel
	Burnt Breakers
	Evidence of Leaks/Corrosion
	Frayed Wiring
	GFI - Inoperable
	Missing Breakers/Fuses
	Missing Covers
Floors	Bulging/Buckling
	Floor Covering Damage
	Missing Flooring Tiles
	Peeling/Needs Paint
	Rot/Deteriorated Subfloor
	Water Stains/Water Damage/Mold/Mildew
Health & Safety	Air Quality - Mold and/or Mildew Observed
	Air Quality - Sewer Odor Detected
	Air Quality - Propane/Natural Gas/Methane Gas Detected
	Electrical Hazards - Exposed Wires/Open Panels
	Electrical Hazards - Water Leaks on/near Electrical Equipment
	Flammable Materials - Improperly Stored
	Garbage and Debris - Indoors
	Garbage and Debris - Outdoors
	Hazards - Other
	Hazards - Sharp Edges
	Hazards - Tripping
Infestation - Insects	
Infestation - Rats/Mice/Vermin	
Hot Water Heater	Inoperable Unit/Components

13

Annual Action Plan
2023

173

OMB Control No: 2506-0117 (exp. 09/30/2021)

Annual Action Plan
2026

173

OMB Control No: 2506-0117 (exp. 09/30/2021)

Inspectable Item	Observable Deficiency
	Leaking Valves/Tanks/Pipes
	Pressure Relief Valve Missing
	Rust/Corrosion
HVAC System	Inoperable
	Misaligned Chimney/Ventilation System
	Noisy/Vibrating/Leaking
	Rust/Corrosion
Kitchen	Cabinets - Missing/Damaged
	Countertops - Missing/Damaged
	Dishwasher/Garbage Disposal – Leaking/Inoperable
	Plumbing - Clogged Drains
	Plumbing - Leaking Faucet/Pipes
	Range Hood/Exhaust Fans - Excessive Grease/Inoperable
	Range/Stove - Missing/Damaged/Inoperable
	Refrigerator-Missing/Damaged/Inoperable
	Sink - Damaged/Missing
Laundry Area (Room)	Dryer Vent - Missing/Damaged/Inoperable
Lighting	Missing/Inoperable Fixture
Outlets/Switches	Missing
	Missing/Broken Cover Plates
Patio/Porch/Balcony	Baluster/Side Railings Damaged
Smoke Detector	Missing/Inoperable
Stairs	Broken/Damaged/Missing Steps
	Broken/Missing Hand Railing
Walls	Bulging/Buckling
	Damaged
	Damaged/Deteriorated Trim
	Peeling/Needs Paint
	Water Stains/Water Damage/Mold/Mildew
Windows	Cracked/Broken/Missing Panes
	Damaged/Rotting Window Sill
	Missing/Deteriorated Caulking/Seals/Glazing Compound
	Inoperable/Not Lockable
	Peeling/Needs Paint
	Security Bars Prevent Egress

14

Annual Action Plan
2023

174

OMB Control No: 2506-0117 (exp. 09/30/2021)

Annual Action Plan
2026

174

OMB Control No: 2506-0117 (exp. 09/30/2021)

HOUSING REHABILITATION MATERIAL APPLICATION STANDARDS

IMPORTANT

Please read material application & performance standards carefully.

Contractor will obtain and pay for all necessary licenses, permits and privileges required in his work, and perform all work in strict accordance with the laws and ordinances in force in the State of Kansas, and in the locality in which this work is to be performed. Contractor will investigate what Federal, State, or Municipal laws and requirements are applicable and comply with all in an approved manner.

Lead Safe Work Practices will be implemented on all homes built prior to 1978.

SHOULD THERE BE ANY CONFLICTS BETWEEN THESE SPECIFICATIONS AND THE WORK WRITE-UP; THE PROJECT INSPECTOR SHOULD BE CONTACTED FOR A FINAL DETERMINATION.

Annual Action Plan
2023

175

OMB Control No: 2506-0117 (exp. 09/30/2021)

Annual Action Plan
2026

175

OMB Control No: 2506-0117 (exp. 09/30/2021)

CARPENTRY SPECIFICATIONS

A. Concrete Work

1. The concrete mix shall be 3,000 pounds transit mix or with a 5 1/2 sack mix for both interior and exposed concrete.
2. No concrete shall be poured on frozen ground.
3. All concrete flat work must be over a 2" layer of gravel/sand on compacted earth and be reinforced properly.
4. All flat work concrete must be a minimum of 4" thick with 1/2" pre-molded asphalt or non-bituminous fiber-filled material expansion joints at entrance platforms, steps, intersections with driveways or walks, and in long runs at least every 50'.
5. Control joints must be provided at no more than 5' intervals for sidewalks and 20' intervals for floors, concrete drives, and parking slabs.
6. Footings must be below the freeze line, 8" thick, and reinforced properly with rebar.
7. Foundation walls must be 8" wide and reinforced properly with rebar.

CONTRACTOR MUST CALL FOR A SITE INSPECTION AFTER SITE IS READY FOR CONCRETE AND 24 HOURS PRIOR TO POURING. AFTER 24 HOURS HAS ELAPSED CONTRACTOR MAY PROCEED. NOTIFY THE PROJECT INSPECTOR.

B. Masonry Work

1. No masonry work shall be done when the temperature of the surrounding air is likely to cause freezing.
2. All joints must be completely filled with mortar.
3. All brick, stone, or block used should match, if possible, adjacent work. The owner(s) must approve samples before starting the work, unless the work is to be painted or covered.
4. Soft salmon type brick shall not be allowed.
5. Tuck-pointing shall only be done after the joints have been raked out to a minimum depth of 1/2" and wetted.
6. All damaged, loose, or salmon brick, in area to be rebuilt, must be removed until sound brickwork is encountered.
7. New brick patches must be toothed into and match in the existing work in site, joints, and bond.
8. Veneer brickwork must be tied to frame wall with galvanized wall ties on every third course, 32" on center, and shall conform to above specifications.

Annual Action Plan
2023

176

OMB Control No: 2506-0117 (exp. 09/30/2021)

Annual Action Plan
2026

176

OMB Control No: 2506-0117 (exp. 09/30/2021)

9. All new retaining walls over 24" high must have #4 steel dowels placed every 2' and be imbedded at least 6" into the footings.
10. Retaining wall footings shall be three times the thickness of the wall in width and 8" deep, containing three (3) #4 steel rebar.
11. All retaining walls over 24" high shall have weep holes at grade level at 8' intervals.
12. All block replacement foundation walls shall have a galvanized steel bed reinforcement (8" mesh) in 2nd course and 5th course of block. Concrete block or poured wall may be used for all foundation walls.

C. Grade

Shall mean backfill along foundation with topsoil and provide sufficient slope in finish grade to provide drainage away from house.

D. Framing Lumber

1. Must be No. 3 Southern Pine, SB, SPF, standard grade, or better.
2. Studs must be Stud Grade.
3. Allowable spans for floor, roof, and ceiling joists no greater than 24" centers.
4. Bearing partition stud walls may not be less than 2" x 4" studs with dimension perpendicular to the wall, 16" on center.
5. Floor joist spacing may be no more than 16" on center when 25/32" flooring is to be applied directly to the joist; or, 16" on center when any lesser thickness of finish flooring is to be laid over a sub-floor.
6. Gutting of structural members shall not be done without the approval of the Project Inspector.

E. Sub-Flooring

1. Plywood shall be Southern Yellow Pine (SYP), 1/2" minimum where 25/32" finished flooring is to be laid or 5/8" where resilient flooring is to be laid and joists are not over 16" on center.
2. Nail plywood sub-floor to joint at each bearing with No.8 cemented or galvanized, or No. 6 threaded nails spaced 6" on center along all edges, and 10" on center along intermediate members.
3. Install plywood with outer piles at right angles to the joists and staggered so that the end joists in adjacent panels bear on different joists.

4. Common boards used as sub-flooring shall not be over 11" wide or less than 3/4" thick when laid on joist spaced 10' on center, and shall be laid diagonally if hard wood flooring is laid.
 5. Nail boards with No. 8 box nails or No. 6b threaded nails, as follows:
 - a. Two (2) nails in 3" boards.
 - b. Two (2) nails in 4" boards.
 - c. Three (3) nails in 6" boards.
 - d. Four (4) nails in 8" boards.
 - e. Five (5) nails in 12" boards.
- F. Underlayment
1. Shall be 3/8" structural grade plywood or 1/4" underlayment.
 2. Nail underlayment with cement coated, rosin coated, or ring shank nails placed on 4" centers on all edges and over the face of each piece.
 3. Cement Board in high moisture area installed using Manufacturer Specifications
- G. Finish Flooring
1. Strip Wood Flooring
 - a. Material must be softwood with 25/32" minimum thickness.
 - b. Shall be 3 1/4" maximum width.
 - c. Nails shall be as recommended by flooring manufacturer. Blind nail tongue and groove flooring, driving nail at an approximate angle of 50 degrees. Space nails every 10' to 12" on center.
 2. Sheet Vinyl Flooring
 - a. Minimum 0.065" gauge overall thickness.
 - b. Shall be 0.025" gauge wear layer, 10' wide rolls.
 - c. The owner(s) shall be shown at least three (3) samples to select from a quality that will cost no more than \$20 per yard including installation.
 - d. Mastic shall be as recommended by flooring manufacturer. (No gluing only along the edges will be allowed).
 - e. All joints and cracks in base shall be filled, smoothed, and leveled.
 - f. Where irregular floor conditions exist, install underlayment to receive vinyl flooring.
 - g. Layout to minimize joints in vinyl flooring. Small strips or patching will not be allowed.
 - h. Owner(s) shall sign color sample.
 3. Carpeting and Padding
 - a. The owner(s) will select from at least three (3) carpet samples.

- b. Based on a specified allowance, not to exceed more than \$20 per yard including installation.
- c. Owner(s) shall sign color sample.
- d. Where irregular floor conditions exist, install underlayment to receive carpet.
- e. Carpet shall be stain and soil resistant treated, FHA approved, and installed in strict accordance with manufacturer's specifications.
- f. Padding shall be, FHA approved, and installed according to manufacturer's specifications.

CARPET WILL NOT BE ALLOWED IN BATHROOMS, KITCHENS, AND UTILITY ROOMS.

H. Finish Lumber

- 1. Shall be free from tool marks and other objectionable defects.
- 2. Solid lumber and miscellaneous trim for interior finish shall be vinyl or solid stock white pine, if stained. Finger joints, allowed if painted.
- 3. All exterior solid lumber and trim shall be sealed against the weather. Exterior porches and all wood meeting the ground shall be treated lumber.
- 4. Porches shall have a top, intermediate, and bottom railing.

I. Exterior Doors

- 1. Doors:
 - a. Shall be new, wood flush, particle core, exterior grade, and standard entrance doors with window light. A pre-hung insulated steel door may also be used.
 - b. Shall conform to the thickness of the doorjamb and be hung on three (3) 3 1/2 x 3 1/2" butt hinges, flush mounted.
 - c. Shall have a minimum 10" x 10" glass window installed or peep hole (client to decide).
 - d. Replacement shall include weather stripping, installation of door sweeps, locksets, and hinges.
 - e. After installation, doors are to be neat in appearance and operate smoothly to insure an airtight seal.
 - f. Replacement doors are to be finished as per painting specifications.
- 2. Weather Stripping:
 - a. All existing weather-stripping (W/S) is to be removed prior to the installation.
 - b. W/S shall be installed on both sides and top of doorjamb and shall be Q-Ion (Vinyl clad foam) with aluminum back or equivalent.
 - c. The doorstop shall be caulked as needed to complete the airtight seal.
 - d. Adjust door as necessary to insure airtight seal with the W/S.
 - e. The installation is to be airtight, neat in appearance, without buckling or gaps, and installed in such a manner that it is considered permanent.

3. Sweeps:
 - a. Sweeps are to be a metal strip with a vinyl or neoprene insert installed according to the manufacturer's instructions.
 - b. Install on the inside of doors that open inward or on the exterior of doors that open outward, so as not to interfere with the smooth operation of the door.
 - c. Must be installed with mounting screws no further than two inches (2") from each end.
 - d. Bottom edge of the sweep is to touch the threshold for proper seal.

4. Locksets:
 - a. Locksets to be installed on exterior doors must be of a keyed type.
 - b. Install according to manufacturer's specifications.
 - c. Two (2) working keys are to be supplied to the client when the new lockset is installed.

5. Thresholds:
 - a. Shall saddle try type with door bottom.
 - b. Are to fit snugly between the jambs and fasten with screws, and form an airtight seal between door and threshold.

6. Garage Door
 - a. Must be a 25 gauge galvanized Door
 - b. Must be insulated

- J. Storm Doors
 1. Shall mean aluminum clad, solid core construction with baked-on finish, self-storing design to contain two glass panels and one, full-size screen panel. Similar in quality to the Cole Sewell "Solid Saver" Model 530.
 2. Shall have closures and hardware including stop springs.
 3. Adjust for proper tension and operation.
 4. Shall have corner bracing for additional support.

- K. Windows
 1. Frames, sill, sash, trim, and hardware shall match existing work in design and dimension unless otherwise specified in the work write-up.
 2. New windows shall be single hung double pane insulated vinyl, aluminum, or wood frame, equal to or better than Columbia Industries C-1600 with screens.

3. Positive locking devices ("cam action" sash locks) shall be provided on all windows, which are accessible from the exterior, and all existing interior finish hardware shall be made operative or replaced.
 4. Finish per painting specifications.
 5. Glass and Glazing (for glass replacement).
 - a. Windows shall be glazed or re-glazed, where required, with single strength clear grade B glass.
 - b. Window glazing shall be oil base and contain no asbestos or lead.
 6. Putty shall consist of pure linseed oil, pure whiting, natural color, or standard commercial grade putty.
 7. Prime all wood sash before the placing of putty.
 8. Glass shall be bedded in putty and secured in place with glazier points and face puttied. All excess putty shall be removed and all glass left clean.
- L. Storm Windows
1. Are to be standard aluminum frames, self-storing, with removable sash and screen section similar in quality to the Columbia Series 400.
 2. Adjust for proper tension and operation.
 3. Shall have corner bracing for additional support.
- M. Stucco
1. Mortar for all applications shall consist of one (1) part Portland cement to not less than three (3) or more than five (5) parts of damp loose aggregate by volume. Hydrate lime may be used but shall not exceed 10 percent by weight or more than 25 percent by volume of the cement used.
 2. The temperature of the surrounding air shall not be less than 40 degrees F. during application and for at least 48 hours thereafter.
 3. Surfaces to receive stucco shall be covered with 3.40 pounds per square yard metal lath lapped at end and sides a minimum of 1", and nailed 10" on center vertically and 6" on center horizontally.
 4. Apply a minimum of two (2) or three (3) coats. The final coat shall not be applied sooner than seven (7) days after the preceding coat. Before applying the final coat, the surface shall be dampened evenly to obtain uniform suction.
 5. Apply two (2) coats on masonry to a minimum thickness of 5/8".
 6. Apply three (3) coats over wood surfaces to a minimum thickness of 7/8".

7. Prior to stucco being painted, it shall be washed down with 5 percent muriatic acid solution and rinsed clean with clear water.
8. Patching of stucco, when called for in the Work Write-Up, shall include the removal of all loose material encountered until sound construction is reached, including the removal of rotted or deteriorated lath.

N. Plastering

1. Gypsum plaster materials shall be standard commercial brands.
2. Mixing and application of gypsum plasters shall be in accordance with American Standard Specifications for Gypsum Plastering.
3. Apply plaster in three (3) coats and in two (2) coats double up work-minimum thickness 1/2".
4. Gypsum lath shall be applied with long dimension across supports and with end joints staggered.
5. Nail gypsum lath with 12 or 13 gauge lathing nails having approximately 3/8" heads spaced not more than 4" on center with a minimum of four (4) nails in each lath. Use six (6) nails for 24" wide lath. Length of nail shall be that which shall provide at least 1" penetration in horizontal supports and 3/4" penetration in vertical supports.
6. Gypsum lath shall not be used as a base for Portland cement plaster.
7. Wood lath shall be securely nailed and wetted down prior to applying plaster.
8. Metal lath shall be applied according to manufacturer's directions whether used for patching or new work.
9. Patching of plaster, when called for in the Work Write-Up, shall include the removal of all loose material encountered until sound construction is reached, including the removal of rotted or deteriorated lath. Crack repair in plaster walls shall be cut out to a depth of not less than 1/4" and a width of 1/4". All areas are to be wetted thoroughly before applying plaster filler.

O. Wallboard

1. Shall be tape joint gypsum board, carefully fitted and sized prior to nailing in place. Minimum thickness is to be 1/2".
2. Water resistant gypsum board is to be installed on bathroom walls, or any high moisture area.
3. All joints are to be staggered.
4. Nails or sheetrock screws shall be driven with their shanks perpendicular to the face of the board and seated below the surface of the board without breaking the paper, in accordance with the following:

Thickness	Ceiling	Side Walls	Type of Nail
1/2"	7" O.C. 5" O.C.	No. 4 glue coated	
5/8"	6" O.C. 7" O.C.	1-7/8 6d cement coated	

5. Perforated Tape Mix:

- a. Shall comply with the recommendation of the manufacturer. A minimum temperature of 55 degrees F. shall be maintained in the room where the work is done until the cement is completely dry. Follow manufacturer's directions for application.
- b. Over joints, the tape shall be embedded in cement and covered with a thin layer of cement. A second and third coat shall be applied. Each coat shall be dry before applying the next coat. Each coat shall be feather-edged and extended beyond the previous coat, approximately 2". The finish coat shall be sanded lightly and imperfections filled in prior to any painting or decorating.
- c. Check to see that all nails have been driven so that their heads are below the surface without breaking the paper. Cover nails with three (3) applications of cement, allowing time to dry between each coat painted or other decoration.
- d. The final coat shall be sanded lightly before application of inside corners and shall be reinforced with tape imbedded in cement and finished the same as b. over joints.
- e. Outside wood molding, metal molding, or metal corner reinforcement shall protect corners. Metal corner re-enforcement shall be finished with two (2) coats of cement, as specified.
- f. Provide metal edge trim where wallboard edge abuts dissimilar material.

6. Finish to match existing texture.

P. Ceilings

1. Acoustical tile or 2' x 4' drop grid ceilings may be used.
2. Furring strips, when called for, shall be a minimum of 3/4" x 2" and attached with #8 nails driven through to ceiling joists at 10" intervals.
3. Suspended Ceilings
 - a. Exposed T-Bar, as specified, installed in strict accordance with manufacturer's recommendations.
 - b. Unexposed T-Bar, as specified, installed in strict accordance with manufacturer's recommendations.
4. Plaster/ Drywall
 - a. Use a heavy textured spray finish, when required, to repair cracked plaster and/or cracks in ceiling board.

Q. Siding Repairs/Replacement

1. Repairs of siding shall match material of existing siding.

2. Installation of siding shall be 1/2" lap hard board and/or Fiber cement siding, unless otherwise noted on the Work Write-Up. Paint as called for in the painting specifications.
 3. Remove siding only when called for in Work Write-Up.
 4. Vinyl Siding:
 - a. Shall be 40 mills (.040") thick or better.
 - b. Colored completely through.
 - c. Siding shall be installed over a minimum 1/4" fan fold foam core, and shall carry a lifetime warranty for defects in material and color fading.
 - d. Warranty shall be placed in the owner(s) name and the contractor shall send all documentation to the company with a copy to the client.
 - e. Installation shall include wrapping all windows, soffit, fascia, porch ceiling, and pillars, et al.
 - f. Any exterior painted surfaces (including window sash) not wrapped shall be painted according to the painting specifications.
 - g. Owner(s) shall pick one siding color and one trim color from samples of siding and a complimentary trim color.
 - h. Owner(s) shall sign sample of color choice. No bright or "hot" colors allowed.
- R. Caulking
1. Caulk shall be appropriate for materials being sealed. All caulk shall have a material life of at least 15 years.
 2. Fully caulk around the following areas:
 - a. Window and door frames - all sides.
 - b. Where different materials meet.
 - c. Inside and outside corner trim boards.
 - d. Between foundation and wall plates or siding.
 - e. Around vents, fans, and window air conditioners.
- S. Interior Doors
1. Shall be 1-3/8" hollow core.
 2. Must be stained or painted to owner's option.
 3. Complete with hardware and latch set.
- T. Wallpapering - Not Allowed
- U. Water Resistant Paneling
1. 1/8" thick, vinyl coated paneling recommended by the manufacturer for high moisture areas. Complete with vinyl trim at all joints.

2. Secure to sound backing using adhesive as recommended by manufacturer.
3. Owner(s) to select color and pattern from manufacturer's standard items. Owner(s) to sign sample selection.
4. Shall not be used as shower/tub surround.

V. Wood Paneling

1. Shall be 3/32" minimum thickness.
2. APA A-D interior paneling.
3. Furnish and install wood trim as required for a complete installation. Stain trim to match paneling.
4. Paneling to be selected by owner(s) based on specified allowance.
5. Owner(s) to sign sample of selection.

W. Kitchen Cabinets

1. Job Built:
 - a. Shall be 3/4" fir or birch plywood with solid wood band on all exposed edges.
 - b. Stain a minimum of two (2) coats of lacquer (selected by owner(s)).
2. Factory Built:
 - a. Residential grade, standard construction for wood cabinets.
 - b. Standard stain finish (selected by owner(s)).
 - c. Laminated (heat and stain resistant) counter top and edge trim with back splash.
3. Upper Cabinets:
 - a. Two (2) adjustable shelves.
 - b. Doors complete with hardware.
4. Base Cabinets:
 - a. Continuous drawers with standard glides across top section of all cabinets except sink area.
 - b. One (1) adjustable shelf behind doors - all areas below drawer sections.
 - c. Laminated (heat and stain resistant) counter top and edge trim with back splash.
 - d. Cabinets complete with hardware.

- X. Insulation - All insulation material shall be cellulose, unless otherwise specified in the Work Write-Up. All attics must be insulated to a R-38, where possible.

1. **Insulation Barrier:**
 - a. Install insulation barriers specifically manufactured for use with the type of insulation installed.
 - b. Installation is to be in accordance with manufacturer's recommendations.
 - c. All chimneys, flues, recessed lights, and furnaces are to have insulation barriers around them.
2. **Gable Vents:**
 - a. Openings are to be cut with close tolerance to insure a watertight fit.
 - b. Vent is to be nailed or screwed into the frame.
 - c. All damaged siding is to be repaired or replaced. Siding without sheathing behind it is to have the vent framed in and mounted on the frame to insure a tight fit.
 - d. Ventilation ratio shall be not less than 1/300.
3. **Roof Vents:**
 - a. Roof vents are to be prepared and cut to close tolerance to insure a watertight fit.
 - b. The hole in the roof shall be no smaller than the throat size of the vent being installed so as not to restrict airflow.
 - c. Discarded materials are not to be dropped into the attic area. The Contractor shall remove discarded materials from the work site.
 - d. Vents (galvanized or aluminum) are to be sealed and nailed with galvanized or aluminum nails.
 - e. If the high/low method is used in installing roof vents, 50 percent of the vents must be located in the upper portion to be ventilated at least 3' above lower vents, with the remaining 50 percent of the required ventilation provided by eave, soffit, or roof vents.
 - f. In the case of the high/low method of ventilation, a ratio shall not use less than 1/150.
 - g. Vents are to appear evenly spaced from the ground and be neat in appearance.
4. **Soffit Vents:**
 - a. Vents are to be installed to insure free ventilation space to the attic area.
 - b. Vents are to be evenly spaced and a uniform distance from the sidewall.
 - c. Vents are to be screwed to the soffit.
5. **Attic Access:**
 - a. R-19 batt insulation is to be stapled or nailed to the top of the door.
 - b. Insulated manufactured doors may also be used. Insulation dams are to be constructed from 1" x 10" or better and are to be used to hold back attic insulation.
 - c. All attic accesses are to be weather-stripped using foam, tubular, or metal flap weather strip, nailed, or placed on the jamb.
 - d. When rebuilding an attic access, use 1" x 4" for the jamb and doorstop to form the flange. The door itself can be made of 3/4" plywood and insulated with R-19 batt insulation. 1" x 4", or smaller, is to be used as casing. The door and

surrounding area is to be airtight. Damaged ceiling area is to be repaired with like materials, all wood installed is to be sealed against moisture.

6. Floor Insulation:
 - a. R-13 batt insulation is to be installed between floor joists, unless otherwise specified.
 - b. Insulation is to be secured with nails, staples, or wire.
 - c. The vapor barrier shall be towards the conditioned side.
7. Duct Insulation:
 - a. All loose joints on hot air ducts (also air conditioning ducts in attics) shall be sealed to prevent air leakage.
 - b. The ducts are to be wrapped using a standard R-5 or better vinyl wrapped fiberglass batt or standard duct wrap.
 - c. Cellulose can be blown against the ductwork to hold the insulation.
 - d. Duct insulation installed in a basement or crawl space is to have a vapor barrier installed to the outside.
8. Wall Insulation:
 - a. Walls shall be insulated to a minimum of R-13.
 - b. Building codes shall be considered regarding knob and tube wiring situations.
 - c. All exterior walls are to be insulated.
 - d. Siding is to be removed and replaced.
 - e. Damaged siding is to be replaced.
 - f. All sidewall insulation shall be densely packed cellulose.
9. Perimeter Insulation:
 - a. R-13 faced fiberglass is to be securely fastened to the underside of the floor, extending down the boxing area, unless otherwise specified.
 - b. Covers the inside foundation wall and then out into the crawlspace at least 2'.
 - c. Vapor barrier, shall be 6 mil plastic with 2' overlapped seams.
10. Insulation Material (Mineral):
 - a. Fiber Material or Product:
 - (1) Blanket batt conformance to F.5, HH-1-521E and ASTM C665-70.
 - (2) Board conformance to F.5, HH-1-526C and ASTM C612-70 or C726-72.
 - (3) Duct Material Conformance to F.5, HH-1-558B.
11. Insulation Material (Organic Fiber):
 - a. Cellulose conformance to HH-1-515D dated April 1988.
 - b. Block and Board conformance to F.S. LLL-12-525A and ASTM C208-72 and fire safety requirements.
12. Water Heater Blanket:

- a. Specifically manufactured for the purpose.
- b. Minimum R-5.
- c. Capable of meeting a flame spread classification not to exceed 150 (per ASTM E-84).

PLUMBING AND HEATING SPECIFICATIONS

- A. Water Piping
 - 1. Above ground shall be type L copper tubing with copper solder joint fittings made up with 95-5 solder as recommended by manufacturer or PEX.
 - 2. Connections to valves shall be made with N.P.T. to solder adapters.
 - 3. Schedule 40 PVC cold plastic water pipe may also be used for water piping and Schedule 40 CPVC for hot plastic water piping.
 - 4. All plastic water pipe shall be supported every 4'.
 - 5. The site of new pipes shall be in conformance with the Uniform Plumbing Code. Valves shall be 150# brass with ends similar to fittings. Valves shall be provided at each piece of equipment to permit removal without shutting off service. Unions will be provided to permit removal of equipment without cutting pipe.
 - 6. Supply lines to faucets shall be flex lines or copper tubing.
 - 7. Shut-offs is required on all supply lines.
- B. Plumbing Fixtures
 - 1. Trim shall be chrome plated and supplies to each water closet shall be provided with stop valves to permit removal without shutting off service.
 - 2. All plumbing fixtures and trim called for in the Work Write-Up shall be of standard grade equal to American Standard, Crane, or Kohler.
 - 3. Shower shall have a rod and shower curtain installed, at minimum.
- C. Kitchen Equipment
 - 1. Sink shall be double compartment stainless steel or enameled steel with self-sealing edge.
 - 2. Refrigerator shall be a minimum 18 cu. ft., self-defrosting, 2-door unit appliance.
 - 3. White or Almond (major brand mid priced model).
 - 4. Ranges shall be electric or gas, with oven and oven light, and timer. White or Almond (major brand mid-priced range).
 - 5. Gas ranges shall be attached to the gas supply with a steel flex gas line and shut off.
- D. Heating Systems
 - 1. Every heater that is existing or installed must be equipped with the following:

- a. One hundred percent safety.
 - b. Code approved, metalbestos vent.
 - c. Proper gas piping and stops, installed in accordance with recommendations of the Uniform Plumbing Code.
 - d. Shut-off valves.
 - e. All transite vents are to be removed.
 - f. Blower.
 - g. New Thermostat.
2. If no local codes, must meet National Gas Code (NGC).
 3. All new heating plants shall be sized and installed to provide sufficient proper heating and proper distribution for the size and requirements of the individual house. HVAC systems shall not be oversized by more than 15 percent.
 4. New furnaces shall be a minimum of 80 percent efficient, forced air with a warranty of not less than ten years. 90% efficient furnaces shall be sealed combustion.
 5. No outside units or attic units shall be installed or units in crawl space unless specified in the Work Write-Up.
 6. No flexible ductwork is allowed unless approved by inspector at the bid conference.
 7. No open return air is allowed. All ductwork is to be included in bid.
 8. All ductwork shall be sealed using mastic (example RCD #6).
 9. All ductwork in unconditioned spaces shall be insulated.
 10. Furnace and/or air conditioner shall be on separate circuits.
 11. All appliances must be installed in accordance with manufacturer's specifications.
 12. Must have easy access to filter.
 13. If furnace is in basement, it must be raised a minimum of 2".
 14. Plenum must be installed to receive future A-coil.
- E. Water Heaters
1. Water heaters, existing or installed, shall have the following:
 - a. Pressure and temperature relief valve.
 - b. Proper vent, gas piping, and shut off.
 - c. All transite vents to be replaced with code approved vent.
 2. Pressure and temperature relief valves shall be extended within 2' of the floor, but no closer than 6".

NOTE: All cutting of walls, floors, ceilings, partitions, etc., for the purpose of rehabilitation work and the air sealing of openings around same, including the removal of all debris caused thereby, shall be performed by the contractor performing the work. Repairs shall match existing materials, be finished to a smooth condition, and painted. (Refer to applicable Specifications for details.)

SHOULD THERE BE ANY CONFLICTS BETWEEN THESE SPECIFICATIONS AND THE WORK WRITE-UP, THE PROJECT INSPECTOR SHOULD BE CONTACTED FOR A FINAL DETERMINATION.

ELECTRICAL SPECIFICATIONS

All electrical work shall be in conformance with the National Electrical Code (NEC)

A. Wiring Devices

1. Single pole room lighting switches and three-way and four-way switches shall be UL approved.
2. Plug-ins shall be standard grounded receptacles except for plug-ins within 6' from water source shall be GFI.
3. Plates for all switches and receptacles shall be non-conducting type (including screws) and UL approved.
4. Dryer shall have separate 220 circuit.
5. Furnace, air conditioner, refrigerator, dishwasher, and stove shall have separate circuit.
6. Garbage disposal shall have separate circuit(s) and wall switched receptacle.

B. Lighting Fixtures

1. Contractor shall provide all lighting fixtures complete with lamps, glassware, mounting hardware, frames and trim, stems, ballasts, sockets, etc., to provide a complete operating UL approved fixture at each location, as called for in the Work Write-Up. Energy efficient compact fluorescents bulb(s) are required in all replaced fixtures.
2. Porcelain lamp-holders are prohibited unless approved by the Project Inspector.

C. Panel Boards

1. Shall be UL approved, with the minimum components as listed:
 - a. NEMA 1 enclosure for indoor and NEMA 3R for exterior use.
 - b. 200A mains (minimum) unless noted otherwise.
 - c. 200A 2-pole main breaker (minimum) unless otherwise noted.
 - d. Seven (7) 1-pole branch breakers (minimum).
 - e. 2-pole breakers as required.
 - f. Separate/Neutral.
 - g. Separate ground bar.
 - h. Additional equipment as required meeting the National Electrical Code (NEC).

* Unless specified differently by inspector.

Annual Action Plan
2023

190

OMB Control No: 2506-0117 (exp. 09/30/2021)

Annual Action Plan
2026

190

OMB Control No: 2506-0117 (exp. 09/30/2021)

D. Wire

1. Wire and cables shall be copper.
2. All wire and cable shall comply with the standardization rules of the AIEE as to conductivity and shall be free from kinks, splices, and defects when installed. Conductors shall be in accordance with the requirements of IPCEA Publication's latest edition.
3. All wire used in this project shall be new and shall be identified by type and by manufacturer.
4. Branch circuit wiring shall be non-metallic sheath Type NM.
5. Service conductors shall be Type XHHW.
6. All wiring shall be concealed in wall, ceiling, or floor cavities. Wiring required to be exposed shall, be installed in intermediate grade metal conduct.
7. All receptacles and other electrical equipment, except light fixtures, shall have a separate equipment ground conductor bonded to their metal cases, frames, etc. (except as noted).

E. Lightning Arresters

1. 175 v., 2-pole lightning arresters shall be installed per NEC.
2. Rewiring of house shall meet NEC.

F. Smoke Alarms

1. Install a 10-year Lithium battery smoke alarms unless rewiring house.
2. If rewiring, install hardwired smoke alarms.

Note: All cutting of walls, floors, ceilings, partitions, etc., for the purpose of rehabilitation work and the air sealing of openings around same, including the removal of all debris caused thereby, shall be performed by the contractor performing the work. Repairs shall match existing materials, be finished to a smooth condition, and painted. (Refer to applicable Specifications for details.)

CONTRACTOR MUST OBTAIN PRIOR WRITTEN APPROVAL FROM OWNER(S) BEFORE REMOVING FROM THE PREMISES ANY REUSABLE ITEMS, WHICH HAVE BEEN REPLACED.

PAINTING AND VARNISHING SPECIFICATIONS

Preparation and painting of all surfaces shall be completed in accordance with HUD's "Safe Work Practices".

A. Preparation of Surface

1. Exterior:

- a. Wood surfaces to be painted or varnished shall be prepared in accordance with HUD's Safe Work Practices in the removal of loose, chipping and peeling paint, rough spots, and any obvious oil and/or grease that may be covering existing wood or a paint.
- b. All paint chips and residue from the preparation must be REMOVED from the site.
- c. Where previous coats have chipped and peeled, the edge shall be wet scraped and puttied to obtain a smooth surface before new paint is applied.
- d. Exterior painting shall include painting all doors and windows, removing all storm windows, repairing windows, replacing all broken or cracked glass, and reglazing and caulking all joints and seams with paintable caulk. Clean and reinstall all storm windows upon completion.
- e. All nail holes shall be puttied and all defects in the surface shall be eliminated by the repair or complete replacement of the defective part, this includes siding, sills, casings, etc.

2. Interior:

- a. Wood surfaces to be painted or varnished shall be prepared in accordance with HUD's Safe Work Practices in the removal of loose, chipping and peeling paint, rough spots, and any obvious oil and/or grease that may be covering existing wood or a paint.
- b. Plaster or wallboard surfaces shall be sound, smooth, and free from holes, cracks, or irregularities.
- c. All old wallpaper shall be entirely removed or covered with sheetrock, taped, then painted.
- d. No paint or varnish shall be applied until all nail holes have been puttied and all defects in woodwork have been eliminated by the insertion of dutchmen or complete replacement of the damaged part.

B. Materials – Lead based paint is in violation of HUD Lead-Based Paint Regulations and shall not be used.

1. Exterior:

- a. All exterior paint must meet or exceed Sherwin Williams 15 year # A-100 and shall be delivered to site in manufacturer's sealed containers.
- b. Each container shall be labeled giving type of paint color and application specification.
- c. Before proceeding with exterior painting, samples of colors shall be shown to the owner(s) for selection. The owner(s) is limited to one (1) base color and one (1)

trim color. Owner(s) shall sign the chosen color sample. Color options will be in a neutral color range, no bright or "hot colors" are allowed.

- d. The primer coat shall be Alkyd oil tinted to match topcoat, produced by the same manufacturer as the finish coat.
2. Interior:
 - a. Interior paint shall meet or exceed Sherwin William's Classic #99 for flat, semi-gloss, or satin gloss, and shall be delivered to the site in the manufacturer's sealed containers.
 - b. Primer for new sheetrock shall meet or exceed Sherwin William's Pro-Mar #400 latex primer.
 - c. Before proceeding with painting or varnishing, color samples shall be shown to the owner(s) for selection. The owner(s) is limited to one (1) base color and one (1) trim color. Owner(s) shall sign the chosen color sample.
 - d. Texture finish sample shall be submitted to the owner(s) for approval before application. Owner(s) shall sign sample choice.
 - e. The finish coat in kitchens and bathrooms shall be semi-gloss enamel and provide a durable and washable surface.
 - f. The primer shall be tinted to match topcoat, produced by the same manufacturer as the finished coat.
 - g. Varnish shall be polyurethane varnish.
 3. Application:
 - a. Exterior:
 - (1) All paint, unless specifically approved otherwise, shall be applied by brush or roller.
 - (2) Apply each material at manufacturer's recommended spreading rate.
 - (3) Do not apply exterior paint when temperature is 50° F. and falling, or when temperature is below 40° F. and steady, or in rainy, damp, or frosty weather until surface is thoroughly dry. Contact the Project Inspector if considering the Sherwin Williams product "Low Temp 35"
 - (4) The Contractor shall be responsible for protecting all areas and surfaces that are not to receive paint and shall clean and repair or replace any such areas, surfaces, or items so damaged.
 - (5) Finish work shall be uniform, of approved color, smooth, and free from runs, sags, and defective brushing and rolling. Edges of paint adjoining other materials or colors shall be sharp and clean.
 - b. Interior:
 - (1) New paint applied on walls that are painted with a glossy paint or has a shine must be first prepared to remove glossy surface and cleaned prior to painting.
 - (2) The Contractor shall be responsible for protecting all areas and surfaces that are not to receive paint and shall clean and repair or replace any such areas, surfaces, or items so damaged.

- (3) Finish work shall be uniform, of approved color, smooth, and free from runs, sags, and defective brushing and rolling. Edges of paint adjoining other materials or colors shall be sharp and clean.
- (4) Ceiling paint will be allowed when applying to ceilings.

c. Required Coatings:

- (1) Exterior wood, etc. (previously painted).
 - i. One (1) coat of exterior wood primer, tinted same as topcoat.
 - ii. Two (2) coats exterior latex house paint.
 - iii. Warranty is void if not followed.
- (2) Exterior wood and hardboard (bare):
 - i. One (1) coat exterior wood primer; tinted same as topcoat.
 - ii. Two (2) coats exterior latex house paint.
 - iii. Warranty is void if not followed.
- (3) Interior drywall:
 - i. Two (2) coats latex satin-gloss enamel wall paint.
 - ii. New drywall (1) coat of latex primer, (2) coats of satin-gloss enamel wall paint.
- (4) Wood porch floors and wood steps:
 - i. Two (2) coats porch floor enamel.
 - ii. Redwood and CCA does not need to be painted.
- (5) Spray textured drywall ceilings:
 - i. One (1) coat latex flat wall paint.
 - ii. One (1) coat spray texture.

SHOULD THERE BE ANY CONFLICTS BETWEEN THESE SPECIFICATIONS AND THE WORK WRITE-UP, THE PROJECT INSPECTOR SHOULD BE CONTACTED FOR A FINAL DETERMINATION.

ROOFING SPECIFICATIONS

Replacement of roof, when called for on the Work Write-Up, shall be defined as removing all existing shingles, flashings, valley tin, drip edge, and felt; then providing all new felt, valley tin, flashing, metal drip edge, and shingles, et al. Damaged sheathing or areas without solid sheathing shall have 15/32" construction grade plywood or 7/16" OSB Louisiana Pacific Interseal installed for sheathing

A. Sheathing

1. Shall be 15/32" construction (CDX) grade plywood or 7/16" OSB Louisiana Pacific Interseal, APA Exposure #1 criteria or equal (THIS PRODUCT IS NOT "NORBOARD").
2. Nail sheathing with cement coated, rosin coated, or ring shank nails placed on 4" centers on all edges and over the face of each piece.

B. Underlayment

1. Shall be asphalt saturated felt, minimum 30#, which has low vapor resistance. Coated felts or laminated waterproof papers, which act as vapor barriers, should not be used.
2. Underlayment should be applied over the entire roof as soon as the roof sheathing has been completed.
3. Underlayment should be lapped 1' from both sides over all hips and ridges.
4. Only sufficient fasteners are to be used to hold the underlayment securely in place until shingles are applied.
5. Shingles are not to be applied over wet underlayment.

C. Shingles

1. Shall be new Heritage or 3-tab, (equal to or better than 25-year), asphalt shingle squares, (nominal) weight, installed according to manufacturer's specifications, using nails only.
2. Cut shingles at valleys (2" each side of valley center to expose a minimum of 4"). Woven valleys are not allowed.
3. Owner(s) to select shingle color by signing a sample of the chosen shingle. Contractor is to keep signed shingle until final completion certificate is signed.

D. Metal Roofing

1. Shall be 29 gauge painted metal roofing equal to or better than Metal Sales Pro Panel II.
2. All metal roofing shall be attached with the proper length metal to wood screws with seal washers.

Annual Action Plan
2023

195

OMB Control No: 2506-0117 (exp. 09/30/2021)

Annual Action Plan
2026

195

OMB Control No: 2506-0117 (exp. 09/30/2021)

3. Owners shall sign sample of color choice. Color options will be a neutral color range, no bright or "hot colors" are allowed.

D. Flashing

Shall be 30 nominal gauge galvanized steel securely fastened and tarred to watertight and water-shedding condition.

E. Gutters/Downspouts/Splash Blocks

1. Standard, 5" Ogee, galvanized, white, steel, or 26 gauge aluminum gutters, securely fastened at 4' maximum intervals. Owner(s) to chose color to compliment house.
2. Downspouts may be round or square, corrugated and anchored at top and bottom.
3. All joints are to be watertight.
4. Install 3' splash blocks at all downspout locations. If not concrete, the splash blocks shall be anchored.
5. Install blocking and/or fascia board where necessary between gutter and eaves to properly align gutter to receive run-off from roof.
6. Owner(s) shall sign sample of color choice. No bright or "hot" colors allowed.

NOTE: SHOULD THERE BE ANY CONFLICTS BETWEEN THESE SPECIFICATIONS AND THE WORK WRITE-UP, THE PROJECT INSPECTOR SHOULD BE CONTACTED FOR A FINAL DETERMINATION.

DEMOLITION SPECIFICATIONS

A. Structures, Trees, and Site Clearance

1. The removal and proper disposal of the dilapidated structure(s). Check with the landfill operator prior to beginning demolition for instructions on "proper disposal".
2. The capping off of the sewer and waterlines.
3. The complete removal of all concrete, cement or blocks, back-fill any basement to grade. Level site to be mowed. Seeding is the responsibility of the property owner.
4. Only remove trees that are within 6' of structure to be demolished.

B. Abandoned Septic Systems

1. Remove all liquid contents and the top of the tank. If the pit begins to fill with water, puncture the floor.
2. Fill the cavity with earth, sand, or gravel. Pack the fill to 5' below the surface, knock down sides 2' below grade, and then complete the fill with subsoil, packing as fill is being installed. The structure is now ready for the plug.
3. A minimum of a 6" of bentonite clay or 24" reinforced cement plug is to be applied. The plug must extend beyond the lining of the original diameter of the hole.

C. Abandoned Wells

1. Remove any pumping equipment.
2. Disinfect the water prior to filling by adding 1 gallon of chlorine bleach for every 10' of water.
3. Fill the well with sand and gravel mix to the water level.
4. Fill the remainder of the well above the water level with natural clay material (subsoil low in organic matter) compacted to form a solid column.
5. Six feet from top of casing, pour a 3' plug of cement or neat cement or sodium bentonite clay.
6. Excavate around the casing to the top of the plug, cut off casing, and backfill the excavation with compacted earth material.

Note: Contractor may be instructed to cut the casing at 4' below grade to allow the plug to extend beyond the edge of the casing. This mushroom plug will help provide extra protection from water movement along either side of the casing.

SAFE WORK PRACTICES

All work must be conducted in a lead safe work practice manner according to HUD Approved Lead Safe Work Practice Training by someone who has received HUD Approved Lead Safe Work Practices Training, is a Kansas Department of Health and Environment certified Lead Based Paint Worker, or is supervised by a Kansas Department of Health and Environment Lead Based Paint Supervisor.

Reference Lead Paint Safety, A Field Guide for Painting, Home Maintenance, and Renovation Work, U.S. Department of Housing and Urban Development Office of Healthy Homes and Lead Hazard Control.

A. Prohibited Methods of Lead Based Paint Removal

1. Open flame burning or torching.
2. Machine sanding or grinding without a high-efficiency particulate air (HEPA) local exhaust control.
3. Abrasive blasting or sandblasting without a HEPA local exhaust control.
4. Heat guns operating above 1100° F. or charring the paint.
5. Dry sanding or dry scraping, except dry scraping in conjunction with heat guns or within 1' of electrical outlets.
6. Paint stripping in a poorly ventilated space using a volatile stripper that is a hazardous substance in accordance with regulations of the Consumer Product Safety Commission.

B. Occupant Protection and Worksite Preparation

1. Occupants and their belongings shall be protected.
2. The worksite must be prepared according to safe work practice standards.

C. Cleaning for Clearance

After rehabilitation/hazard reduction activities have been completed, the worksite shall be cleaned using cleaning methods, products, and devices that are successful in cleaning up dust-lead hazards, such as a HEPA vacuum or other method of equivalent efficacy, and lead specific detergents or equivalent.

D. Safe Work Practices Are Not Required

1. On a home built after 1978.
2. On housing exclusively for the elderly (62 years of age or older) or people with disabilities unless a child under six is expected to reside there.
3. On zero-bedroom dwellings.

Annual Action Plan
2023

198

OMB Control No: 2506-0117 (exp. 09/30/2021)

Annual Action Plan
2026

198

OMB Control No: 2506-0117 (exp. 09/30/2021)

4. On property that has been found to be free of lead-based paint by a certified lead-based paint inspector/risk assessor.
5. On property where all lead-based paint has been removed.
6. On unoccupied housing that will remain vacant until it is demolished.
7. On non-residential property.
8. On any rehabilitation or housing improvement that does not disturb a painted surface.

Annual Action Plan
2023

199

OMB Control No: 2506-0117 (exp. 09/30/2021)

Annual Action Plan
2026

199

OMB Control No: 2506-0117 (exp. 09/30/2021)

Subpart J—Rehabilitation

Source: 64 FR 50212, Sept. 15, 1999, unless otherwise noted.

§ 35.900 Purpose and applicability.

(a) Purpose and applicability. (1) The purpose of this subpart J is to establish procedures to eliminate as far as practicable lead-based paint hazards in a residential property that receives Federal rehabilitation assistance under a program administered by HUD. Rehabilitation assistance does not include project-based rental assistance, rehabilitation mortgage insurance or assistance to public housing.

(2) The requirements of this subpart shall not apply to HOME funds which are committed to a specific project in accordance with §92.2 of this title before September 15, 2000. Such projects shall be subject to the requirements of §92.355 of this title that were in effect at the time of project commitment or the requirements of this subpart.

(3) For the purposes of the Indian Housing Block Grant program and the CDBG Entitlement program, the requirements of this subpart shall apply to all residential rehabilitation activities (except those otherwise exempted) for which funds are first obligated on or after September 15, 2000. For the purposes of the State, HUD-Administered Small Cities, and Insular Areas CDBG programs, the requirements of this subpart shall apply to all covered activities (except those otherwise exempted) for which grant funding is awarded to the unit of local government by the State or HUD, as applicable, on or after September 15, 2000. For the purposes of the Emergency Shelter Grant Program (42 U.S.C. 11371–11378) and the formula grants awarded under the Housing Opportunities for Persons with AIDS Program (HOPWA) (42 U.S.C. 12901 et. seq.), the requirements of this subpart shall apply to activities for which program funds are first obligated on or after September 15, 2000.

(4) For the purposes of competitively awarded grants under the HOPWA Program and the Supportive Housing Program (42 U.S.C. 11481–11389), the requirements of this subpart shall apply to grants awarded under Notices of Funding Availability published on or after September 15, 2000.

(5) For the purposes of the Indian CDBG program (§1003.607 of this title), the requirements of this subpart shall not apply to funds whose notice of funding availability is announced or funding letter is sent before September 15, 2000. Such project grantees shall be subject to the regulations in effect at the time of announcement or funding letter.

(b) The grantee or participating jurisdiction may assign to a subrecipient or other entity the responsibilities set forth in this subpart.

§ 35.905 Definitions and other general requirements.

Annual Action Plan
2023

200

OMB Control No: 2506-0117 (exp. 09/30/2021)

Annual Action Plan
2026

200

OMB Control No: 2506-0117 (exp. 09/30/2021)

Definitions and other general requirements that apply to this subpart are found in subpart B of this part.

§ 35.910 Notices and pamphlet.

(a) Notices. In cases where evaluation or hazard reduction or both are undertaken as part of federally funded rehabilitation, the grantee or participating jurisdiction shall provide a notice to occupants in accordance with §35.125. A visual assessment alone is not considered an evaluation for the purposes of this part.

(b) Lead hazard information pamphlet. The grantee or participating jurisdiction shall provide the lead hazard information pamphlet in accordance with §35.130.

[69 FR 34272, June 21, 2004]

§ 35.915 Calculating Federal rehabilitation assistance.

(a) Applicability. This section applies to recipients of Federal rehabilitation assistance.

(b) Rehabilitation assistance. (1) Lead-based paint requirements for rehabilitation fall into three categories that depend on the amount of Federal rehabilitation assistance provided. The three categories are:

- (i) Assistance of up to and including \$5,000 per unit;
- (ii) Assistance of more than \$5,000 per unit up to and including \$25,000 per unit; and
- (iii) Assistance of more than \$25,000 per unit.

(2) For purposes of implementing §§35.930 and 35.935, the amount of rehabilitation assistance is the lesser of two amounts: the average Federal assistance per assisted dwelling unit and the average per unit hard costs of rehabilitation. Federal assistance includes all Federal funds assisting the project, regardless of the use of the funds. Federal funds being used for acquisition of the property are to be included as well as funds for construction, permits, fees, and other project costs. The hard costs of rehabilitation include all hard costs, regardless of source, except that the costs of lead-based paint hazard evaluation and hazard reduction activities are not to be included. Costs of site preparation, occupant protection, relocation, interim controls, abatement, clearance, and waste handling attributable to compliance with the requirements of this part are not to be included in the hard costs of rehabilitation. All other hard costs are to be included, regardless of whether the source of funds is Federal or non-Federal, public or private.

(c) Calculating rehabilitation assistance in properties with both assisted and unassisted dwelling units. For a residential property that includes both federally assisted and non-assisted units, the rehabilitation costs and Federal assistance associated with non-assisted units are not included in the calculations of the average per unit hard costs of rehabilitation and the average Federal assistance per unit.

(1) The average per unit hard costs of rehabilitation for the assisted units is calculated using the following formula:

$$\text{Per Unit Hard Costs of Rehabilitation } \$ = (a/c) + (b/d)$$

Where:

a = Rehabilitation hard costs for all assisted units (not including common areas and exterior surfaces)

b = Rehabilitation hard costs for common areas and exterior painted surfaces

c = Number of federally assisted units

d = Total number of units

(2) The average Federal assistance per assisted dwelling unit is calculated using the following formula:

$$\text{Per unit Federal assistance} = e/c$$

Where:

e = Total Federal assistance for the project

c = Number of federally assisted units

[69 FR 34272, June 21, 2004]

§ 35.920 [Reserved]

§ 35.925 Examples of determining applicable requirements.

The following examples illustrate how to determine whether the requirements of §§35.930(b), (c), or (d) apply to a dwelling unit receiving Federal rehabilitation assistance (dollar amounts are on a per unit basis):

(a) If the total amount of Federal assistance for a dwelling is \$2,000, and the hard costs of rehabilitation are \$10,000, the lead-based paint requirements would be

those described in §35.930(b), because Federal rehabilitation assistance is up to and including \$5,000.

(b) If the total amount of Federal assistance for a dwelling unit is \$6,000, and the hard costs of rehabilitation are \$2,000, the lead-based paint requirements would be those described in §35.930(b). Although the total amount of Federal dollars is more than \$5,000, only the \$2,000 of that total can be applied to rehabilitation. Therefore, the Federal rehabilitation assistance is \$2,000 which is not more than \$5,000.

(c) If the total amount of Federal assistance for a unit is \$6,000, and the hard costs of rehabilitation are \$6,000, the lead-based paint requirements are those described in §35.930(c), because the amount of Federal rehabilitation assistance is more than \$5,000 but not more than \$25,000.

(d) If eight dwelling units in a residential property receive Federal rehabilitation assistance [symbol c in §35.915(c)(2)] out of a total of 10 dwelling units [d], the total Federal assistance for the rehabilitation project is \$300,000 [e], the total hard costs of rehabilitation for the dwelling units are \$160,000 [a], and the total hard costs of rehabilitation for the common areas and exterior surfaces are \$20,000 [b], then the lead-based paint requirements would be those described in §35.930(c), because the level of Federal rehabilitation assistance is \$22,000, which is not greater than \$25,000. This is calculated as follows: The total Federal assistance per assisted unit is \$37,500 ($e/c = \$300,000/8$), the per unit hard costs of rehabilitation is \$22,000 ($a/c + b/d = \$160,000/8 + \$20,000/10$), and the level of Federal rehabilitation assistance is the lesser of \$37,500 and \$22,000.

[64 FR 50212, Sept. 15, 1999, as amended at 69 FR 34272, June 21, 2004]

§ 35.930 Evaluation and hazard reduction requirements.

(a) Paint testing. The grantee or participating jurisdiction shall either perform paint testing on the painted surfaces to be disturbed or replaced during rehabilitation activities, or presume that all these painted surfaces are coated with lead-based paint.

(b) Residential property receiving an average of up to and including \$5,000 per unit in Federal rehabilitation assistance. Each grantee or participating jurisdiction shall:

(1) Conduct paint testing or presume the presence of lead-based paint, in accordance with paragraph (a) of this section. If paint testing indicates that the painted surfaces are not coated with lead-based paint, safe work practices and clearance are not required.

(2) Implement safe work practices during rehabilitation work in accordance with §35.1350 and repair any paint that is disturbed.

(3) After completion of any rehabilitation disturbing painted surfaces, perform a clearance examination of the worksite(s) in accordance with §35.1340. Clearance is not required if rehabilitation did not disturb painted surfaces of a total area more than that set forth in §35.1350(d).

(c) Residential property receiving an average of more than \$5,000 and up to and including \$25,000 per unit in Federal rehabilitation assistance. Each grantee or participating jurisdiction shall:

(1) Conduct paint testing or presume the presence of lead-based paint, in accordance with paragraph (a) of this section.

(2) Perform a risk assessment in the dwelling units receiving Federal assistance, in common areas servicing those units, and exterior painted surfaces, in accordance with §35.1320(b), before rehabilitation begins.

(3) Perform interim controls in accordance with §35.1330 of all lead-based paint hazards identified pursuant to paragraphs (c)(1) and (c)(2) of this section.

(4) Implement safe work practices during rehabilitation work in accordance with §35.1350 and repair any paint that is disturbed and is known or presumed to be lead-based paint.

(d) Residential property receiving an average of more than \$25,000 per unit in Federal rehabilitation assistance. Each grantee or participating jurisdiction shall:

(1) Conduct paint testing or presume the presence of lead-based paint in accordance with paragraph (a) of this section.

(2) Perform a risk assessment in the dwelling units receiving Federal assistance and in associated common areas and exterior painted surfaces in accordance with §35.1320(b) before rehabilitation begins.

(3) Abate all lead-based paint hazards identified by the paint testing or risk assessment conducted pursuant to paragraphs (d)(1) and (d)(2) of this section, in accordance with §35.1325, except that interim controls are acceptable on exterior surfaces that are not disturbed by rehabilitation and on paint-lead hazards that have an area smaller than the de minimis limits of §35.1350(d). If abatement of a paint-lead hazard is required, it is necessary to abate only the surface area with hazardous conditions.

(4) Implement safe work practices during rehabilitation work in accordance with §35.1350 and repair any paint that is disturbed and is known or presumed to be lead-based paint.

[64 FR 50214, Sept. 15, 1999; 65 FR 3387, Jan. 21, 2000, as amended at 69 FR 34273, June 21, 2004]

§ 35.935 Ongoing lead-based paint maintenance activities.

In the case of a rental property receiving Federal rehabilitation assistance under the HOME program, the grantee or participating jurisdiction shall require the property owner to incorporate ongoing lead-based paint maintenance activities in regular building operations, in accordance with §35.1355(a).

[69 FR 34273, June 21, 2004]

§ 35.940 Special requirements for insular areas.

If a dwelling unit receiving Federal assistance under a program covered by this subpart is located in an insular area, the requirements of this section shall apply and the requirements of §35.930 shall not apply. All other sections of this subpart J shall apply. The insular area shall conduct the following activities for the dwelling unit, common areas servicing the dwelling unit, and the exterior surfaces of the building in which the dwelling unit is located:

(a) Residential property receiving an average of up to and including \$5,000 per unit in Federal rehabilitation assistance. (1) Implement safe work practices during rehabilitation work in accordance with §35.1350 and repair any paint that is disturbed by rehabilitation.

(2) After completion of any rehabilitation disturbing painted surfaces, perform a clearance examination of the worksite(s) in accordance with §35.1340. Clearance shall be achieved before residents are allowed to occupy the worksite(s). Clearance is not required if rehabilitation did not disturb painted surfaces of a total area more than that set forth in §35.1350(b).

(b) Residential property receiving an average of more than \$5,000 per unit in Federal rehabilitation assistance. (1) Before beginning rehabilitation, perform a visual assessment of all painted surfaces in order to identify deteriorated paint.

(2) Perform paint stabilization of each deteriorated paint surface and each painted surface being disturbed by rehabilitation, in accordance with §§35.1330(a) and (b).

(3) After completion of all paint stabilization, perform a clearance examination of the affected dwelling units and common areas in accordance with §35.1340. Clearance shall be achieved before residents are allowed to occupy rooms or spaces in which paint stabilization has been performed.

9. Resale or Recapture Guidelines. Below, the grantee must enter (or attach) a description of the guidelines that will be used for resale or recapture of HTF funds when used to assist first-time homebuyers. If the grantee will not use HTF funds to assist first-time homebuyers, enter “N/A”.

N/A

10. HTF Affordable Homeownership Limits. If the grantee intends to use HTF funds for homebuyer assistance and does not use the HTF affordable homeownership limits for the area provided by HUD, it must determine 95 percent of the median area purchase price and set forth the information in accordance with §93.305. If the grantee will not use HTF funds to assist first-time homebuyers, enter “N/A”.

Any limitation or preference must not violate nondiscrimination requirements in § 93.350, and the grantee must not limit or give preferences to students. The grantee may permit rental housing owners to limit tenants or give a preference in accordance with § 93.303(d)(3) only if such limitation or preference is described in the action plan.

Developers and owners of HTF-assisted rental housing may limit or give occupancy preference to segments of the population that have been identified as having particular challenges obtaining affordable housing, including but not limited to elderly (as defined by HOPA, the Housing for Older Persons Act), persons with disabilities, homeless families and individuals and victims of domestic violence, provided those limitations or preferences do not violate the nondiscrimination requirements in 24 CFR 93.350. Such limitations or preferences may not extend to students.

11. Grantee Limited Beneficiaries or Preferences. Describe how the grantee will limit the beneficiaries or give preferences to a particular segment of the extremely low- or very low-income population to serve unmet needs identified in its consolidated plan or annual action plan. If the grantee will not limit the beneficiaries or give preferences to a particular segment of the extremely low- or very low-income population, enter “N/A.”

Any limitation or preference must not violate nondiscrimination requirements in § 93.350, and the grantee must not limit or give preferences to students. The grantee may permit rental

housing owners to limit tenants or give a preference in accordance with § 93.303(d)(3) only if such limitation or preference is described in the action plan.

N/A

12. Refinancing of Existing Debt. Enter or attach the grantee’s refinancing guidelines below. The guidelines describe the conditions under which the grantee will refinance existing debt. The grantee’s refinancing guidelines must, at minimum, demonstrate that rehabilitation is the primary eligible activity and ensure that this requirement is met by establishing a minimum level of rehabilitation per unit or a required ratio between rehabilitation and refinancing. If the grantee will not refinance existing debt, enter “N/A.”

N/A

Discussion:

Principal amounts of fifteen thousand dollars (\$15,000) or greater shall be reduced on a pro rata monthly reduction for one-half (1/2) of the principal balance over a period of one hundred twenty (120) months and the remaining one-half (1/2) of principal shall be forgiven after one hundred twenty (120) months, *provided* that all rules and regulations associated with the Program are complied with.

However, should a property’s appraised value be below the amount required for full repayment, or the property has been on the market for over 6 months without a contract, the *Shared Net Proceeds* method may be used. The net proceeds are the sales price minus loan repayment (other than HOME funds) and closing costs. The net proceeds may be divided proportionally as set forth in the following mathematical formulas:

$$\text{HOME Investment} / (\text{HOME Investment} + \text{Homeowner investment}) = \text{HOME Percentage}$$

$$\text{Homeowner Investment} / (\text{HOME Investment} + \text{Homeowner investment}) = \text{Homeowner Percentage}$$

If the property goes into foreclosure or Borrower deeds the property in lieu of foreclosure, Note Holder shall calculate the Recapture amount using the *Shared Net Proceeds method*. Under this method, if there are no net proceeds or the net proceeds are insufficient to repay the HOME investment due, Note Holder will only Recapture the net proceeds, if any. The net proceeds are the sales price minus superior loan repayment (other than HOME funds) and any closing costs. The net proceeds may be divided proportionally as set forth in the following mathematical formulas:

$\text{HOME Investment} / (\text{HOME Investment} + \text{Homeowner investment}) = \text{HOME Percentage}$

$\text{Homeowner Investment} / (\text{HOME Investment} + \text{Homeowner investment}) = \text{Homeowner Percentage}$

3. A description of the guidelines for resale or recapture that ensures the affordability of units acquired with HOME funds? See 24 CFR 92.254(a)(4) are as follows:

A period of affordability of units acquired with HOME funds will be followed per CFR 92.254(a)(4). The soft second mortgage will be forgiven over a 60 month period or 120 month period depending upon the level of assistance received.

4. Plans for using HOME funds to refinance existing debt secured by multifamily housing that is rehabilitated with HOME funds along with a description of the refinancing guidelines required that will be used under 24 CFR 92.206(b), are as follows:

HOME funds will not be used to refinance existing debt secured by multifamily housing that is rehabilitated with HOME funds.

Attachments

